









STANDARD FEATURES

	Fixed and Timed Toggle Control
	Recessed Control
	Vehicle-specific Mounting Brackets
	Power Cable with Full-length Ground
	150-amp Circuit Breaker
	Maintenance-free Pins and Bushings
	Drop-away Platform
	Hitch Compatible ¹

AVAILABLE OPTIONS





	Remote Pendant Control
	Dual Controls
	Rubber Platform Bumpers
	Bolt-on, 3-Light, LED Light Kit
	Bolt-on, 2-Light, LED Light Kit
	Galvanized Frame and Platform ³
	Rear Camera and Sensor Bar
	Folding Tire Rack ²

1. Compatible with many hitches. Visit www.tommygate.com to view complete hitch chart.

2. Not compatible with folding platforms. See spec charts.

3. Galvanized option not available with Steel Treadplate platforms. Call factory for ordering details.

PLATFORM MATERIALS

	Steel Treadplate
	Extruded Aluminum
	TommyTraction
	Steel Bargrate

GALVANIZING OPTION


A high-quality galvanized finish supports long-lasting performance and appearance in even the most extreme climate conditions.

*Not available with Steel Treadplate platforms.
Call factory for ordering details.*



STEEL PLATFORMS


TP27 - 27" Loading Depth



TP38 - 38" Loading Depth



TP42 - 42" Loading Depth



ALUMINUM PLATFORMS

EA27 - 27" Loading Depth











EA38 - 38" Loading Depth










EA48 - 48" Loading Depth (EXTENDS ABOVE TRUCK BOX)



STANDARD FEATURES

	Fixed and Timed Toggle Control
	Recessed Control
	Vehicle-specific Mounting Brackets
	Power Cable with Full-length Ground
	150-amp Circuit Breaker
	Maintenance-free Pins and Bushings
	Drop-away Platform
	Hitch Compatible ¹

AVAILABLE OPTIONS


	Remote Pendant Control
	Dual Controls
	Rubber Platform Bumpers
	Bolt-on, 3-Light, LED Light Kit
	Bolt-on, 2-Light, LED Light Kit
	Folding Tire Rack ²
	Galvanized Frame and Platform ³

PLATFORM DROP-CHAIN COVERS
PROVIDE A QUIETER RIDE.



1. Compatible with many hitches. Visit www.tommygate.com to view complete hitch chart.
2. Not compatible with folding platforms. See spec charts.
3. Galvanized option not available with Steel Treadplate platforms. Call factory for ordering details.

PLATFORM MATERIALS



GALVANIZING OPTION

A high-quality galvanized finish supports long-lasting performance and appearance in even the most extreme climate conditions.

*Not available with Steel Treadplate platforms.
Call factory for ordering details.*



STEEL PLATFORMS

TP27 - 27" Loading Depth



TP38 - 38" Loading Depth



ALUMINUM PLATFORMS

EA38 - 38" Loading Depth






EA48 - 48" Loading Depth (EXTENDS ABOVE TRUCK BOX)










ALUMINUM PLATFORMS ARE COMPRISED OF INTERLOCKING, 6061-T6 AIRCRAFT-QUALITY EXTRUSIONS.



STANDARD FEATURES





	Fixed and Timed Toggle Control
	Recessed Control
	Power Cable with Full-length Ground
	150-amp Circuit Breaker
	Maintenance-free Pins and Bushings
	Hitch Compatible ¹

AVAILABLE OPTIONS

	Remote Pendant Control
	Dual Controls
	Rubber Platform Bumpers
	Bolt-on, 3-Light, LED Light Kit
	Bolt-on, 2-Light, LED Light Kit
	Folding Tire Rack ²
	Galvanized Frame and Platform ³

1. Compatible with many hitches.
2. Not available for Lift-N-Dump models.
3. Galvanized option not available with Steel Treadplate platforms or for Lift-N-Dump models. Call factory for ordering details.

PLATFORM MATERIALS

	Steel Treadplate
	Extruded Aluminum
	TommyTraction
	Steel Bargrate


DROP-CHAIN COVERS

Platform drop-chain covers provide a quieter ride.



EXTRUDED ALUMINUM

EA37 - 37" Loading Depth



STEEL PLATFORMS

TP36 - 36" Loading Depth



BG34 - 34" Loading Depth



TT34 - 34" Loading Depth (SHOWN W/ OPTIONAL TIRE RACK)

