

MAKE	MODEL	BASE PRICE
BUYERS PRODUCTS	SL685ALP	\$158.86
	SL695A	\$217.04
	SL696A	\$207.16
	SL502A	\$95.53
	SL620ALP	\$139.55
	SL630A	\$139.55
	SL575ALP	\$117.86
	SL576ALP	\$135.36
	SL475A	\$86.83
	SL475R	\$86.83
	SL480A	\$88.70
	SL501A	\$89.57
	SL650A	\$103.46
	SL640ALP	\$129.32
	SL660A	\$129.32
	RL650A	\$77.52
	SL500A	\$83.65
	SL550ALP	\$125.50
	SL551ALP	\$111.00
	SL700A	\$156.51
	SL800A	\$309.44
	SL585ALP	\$143.68
	SL585BLP	\$143.68
	SL645ALP	\$138.04
	SL665A	\$138.66

Beacon Lights

Class 1 6.5" x 5" LED Beacon



Number of LEDs	8
Number of Flash Patterns	15


See pg. 77 for Drill-Free Cab Mount Options



SL675ALP
15' ON/OFF switch



SL685ALP
Blunt cut ends



SAE J845 Class 1 Beacon, Auxiliary Power Plug

Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL675ALP	Amber	10' ON/OFF Switch	Permanent and Magnetic	1.5	2.35	889 (N)

SAE J845 Class 1 Beacon, Hard-wired

Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL685ALP	Amber	9" Blunt Cut	Permanent and Pipe	1.5	1.63	889 (N)

Class 1 6.5" x 6.5" LED Beacon



Number of LEDs	12
Number of Flash Patterns	12


See pg. 77 for Drill-Free Cab Mount Options



SL695A
15' ON/OFF switch



SL696A
Blunt cut ends



SAE J845 Class 1 Beacon, Auxiliary Power Plug

Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL695A	Amber	10' ON/OFF Switch	Permanent and Magnetic	2.7	2.67	889 (N)

SAE J845 Class 1 Beacon, Hard-wired


Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL696A	Amber	12" Blunt Cut	Permanent and Pipe	2.7	1.95	889 (N)

Class 1 5" x 4" LED Beacon



Number of LEDs	32
Number of Flash Patterns	8

See pg. 77 for Drill-Free Cab Mount Options



SAE J845 Class 1 Beacon


Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL502A	Amber	10' ON/OFF Switch	Permanent and Magnetic	1.4	1.16	889 (N)

Class 2 6.5" x 5" LED Beacon



Number of LEDs	3
Number of Flash Patterns	5

See pg. 77 for Drill-Free Cab Mount Options



SAE J845 Class 2 Beacon


Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL620ALP	Amber	10' ON/OFF Switch	Permanent, Pipe, and Magnetic	1.5	2.46	889 (N)

Class 2 6.5" x 6.5" LED Beacon with Tall Lens



Number of LEDs	3
Number of Flash Patterns	5

See pg. 77 for Drill-Free Cab Mount Options




SAE J845 Class 2 Beacon

Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL630A	Amber	10' ON/OFF Switch	Permanent, Pipe, and Magnetic	1.5	2.65	889 (N)

Class 2 LED Micro Beacon



Number of LEDs	18
Flash	132 Flasher per Minute



SAE J845 Class 2 Beacon, Permanent Mount, Hard-wired

Part No.	Connection	Mounting	Amp	Wt. (lbs.)	Cat.
SL575ALP	7" Blunt Cut	Permanent 5 mm Stud	1.3	0.19	889 (N)

Accessories

Part No.	Description	Wt. (lbs.)	Cat.
3048064	1.6" Riser Mount for SL575ALP	0.2	889 (N)

SAE J845 Class 2 Beacon, Magnetic Mount, Auxiliary Power Plug

Part No.	Wiring	Mounting	Amp	Wt. (lbs.)	Cat.
SL576ALP	12.5' Auxiliary Plug	Magnetic	1.3	0.6	889 (N)

Beacon Lights

Portable 5" x 4" LED Beacon



Number of LEDs	24
Flash	1


See pg. 77 for Drill-Free Cab Mount Options



SL475A



SL475R



Part No.	Color	Power	Mounting	Wt. (lbs.)	Cat.
SL475A	Amber	(2) D Batteries	Magnetic	1.75	889 (N)

Automatic On/Off operation with light sensor or manual operation via selector switch.

Part No.	Color	Power	Mounting	Wt. (lbs.)	Cat.
SL475R	Red	(2) D Batteries	Magnetic	1.75	889 (N)

Automatic On/Off operation with light sensor or manual operation via selector switch.

Accessories


Part No.	Description	Wt. (lbs.)	Cat.
3029961	Optional Galvanized Mounting Bracket	1.25	889 (N)

Portable 5.5" x 4.5" LED Beacon



Number of LEDs	72
Number of Flash Patterns	1

See pg. 77 for Drill-Free Cab Mount Options



Part No.	Color	Power	Mounting	Amp	Wt. (lbs.)	Cat.
SL480A	Amber	(4) AA Batteries	Magnetic	0.2	1.29	889 (N)


Built-in power switch.

5" x 4" LED Beacon



Number of LEDs	40
Number of Flash Patterns	2

See pg. 77 for Drill-Free Cab Mount Options




Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL501A	Amber	10' Auxiliary Cable	Magnetic and Permanent	0.6	1.28	889 (N)

6" x 5" Incandescent Beacon Strobe



Joules	1.7
Flash	1

See pg. 77 for Drill-Free Cab Mount Options




Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL650A	Amber	10' Auxiliary Cable	Magnetic and Permanent	0.3	1.5	889 (N)

6.5" x 5" Incandescent Beacon Strobe



Joules	8
Flash	1

See pg. 77 for Drill-Free Cab Mount Options



Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL640ALP	Amber	10" Blunt Cut	Permanent and Pipe	1.5	1.75	889 (N)

Accessories


Part No.	Description	Wt. (lbs.)	Cat.
3016342	Replacement Bulb for SL640ALP	0.02	889 (N)

6.5" x 6.5" Incandescent Beacon Strobe



Joules	8
Flash	Dual Flash 80 FPM

See pg. 77 for Drill-Free Cab Mount Options



Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL660A	Amber	10" Blunt Cut	Permanent and Pipe	1.5	2.0	889 (N)

Accessories


Part No.	Description	Wt. (lbs.)	Cat.
3016342	Replacement Bulb for SL660A	0.02	889 (N)

Beacon Lights

5.5" Halogen Revolving Light



Flash 90 FPM
See pg. 77 for Drill-Free Cab Mount Options




Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
RL650A	Amber	10' Auxiliary Cable	Magnetic	1.5	1.5	889 (N)

5" x 4" Incandescent Beacon Strobe



Joules 1.7
Flash 2
See pg. 77 for Drill-Free Cab Mount Options



Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL500A	Amber	10' Auxiliary Cable	Magnetic and Permanent	0.6	1.13	889 (N)




Beacon Lights

Low Profile Class 1 6" LED Beacon



Number of LEDs	12
Number of Flash Patterns	3

See pg. 77 for Drill-Free Cab Mount Options



SAE J845 Class 1 Beacon, Auxiliary Power Plug

Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL550ALP	Amber	15' ON/OFF Switch	Permanent and Magnetic	1.0	1.46	889 (N)

SAE J845 Class 1 Beacon, Hard-wired


Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL551ALP	Amber	13" Blunt Cut	Permanent	1.0	1.08	889 (N)

Low Profile Class 1 8" LED Beacon



Number of LEDs	15
Number of Flash Patterns	11

See pg. 77 for Drill-Free Cab Mount Options



SAE J845 Class 1 Beacon


Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL700A	Amber	10" Blunt Cut	Permanent	2.0	3.0	889 (N)

Class 1 7" LED Beacon with Upward Facing LEDs



Number of LEDs	36 (12 Upward Facing)
Number of Flash Patterns	14

Can be mounted with 3 bolts or 1" pipe.
See pg. 77 for Drill-Free Cab Mount Options



SAE J845 Class 1 Beacon

Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL800A	Amber	10" Blunt Cut	Permanent	5.56	2.88	889 (N)

Class 1 5.5" x 4.5" LED Beacon



Number of LEDs	15
Number of Flash Patterns	11


See pg. 77 for Drill-Free Cab Mount Options



SL585ALP



SL585BLP



SAE J845 Class 1 Amber Beacon

Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL585ALP	Amber	11" Blunt Cut	Permanent	1.86	1.31	889 (N)

SAE J845 Class 1 Blue Beacon

Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL585BLP	Blue	11" Blunt Cut	Permanent	1.86	1.31	889 (N)

Class 1 6.5" x 5" LED Beacon




Number of LEDs	6
Number of Flash Patterns	11

See pg. 77 for Drill-Free Cab Mount Options



SL645ALP
14' ON/OFF
switch



SAE J845 Class 1 Beacon

Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL645ALP	Amber	14' ON/OFF switch	Permanent, Pipe, and Magnetic	1.5	2.4	889 (N)

Class 1 6.5" x 6.5" LED Beacon




Number of LEDs	6
Number of Flash Patterns	11

See pg. 77 for Drill-Free Cab Mount Options



SL665A
14' ON/OFF
switch



SAE J845 Class 1 Beacon

Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL665A	Amber	14' ON/OFF Switch	Permanent, Pipe, and Magnetic	1.5	2.7	889 (N)