



MAKE	MODEL	BASE PRICE
BUYERS PRODUCTS	8891080	\$235.49
	8891110	\$328.33
	8891090	\$365.22
	8891100	\$415.01
	8894134	\$805.16
	8894037	\$505.71
	8891030	\$268.71
	8891040	\$183.01
	8891050	\$221.73
	8891060	\$288.33
	8891160	\$586.94

## 10" Oval Low Profile LED Mini Light Bar



Number of LEDs	40
Flash Patterns	20
Lead Length	15' with ON/OFF and Pattern Switch
Mount	Permanent or Magnetic

See pg. 48-49 for Drill-Free Cab Mount Options



Part No.	Color	Amp	Wt. (lbs.)	Cat.
8891080	Amber	3.34	3.1	889 (N)





Part No.	Color	Amp	Wt. (lbs.)	Cat.
8891082	Amber/Clear	3.34	3.1	889 (N)

## 15" Hexagonal Low Profile Mini Light Bar



Number of LEDs	56
Number of Flash Patterns	10
Lead Length	15' with ON/OFF and Pattern Switch
Mount	Permanent or Magnetic

See pg. 48-49 for Drill-Free Cab Mount Options



Part No.	Color	Amp	Wt. (lbs.)	Cat.
8891110	Amber	3.52	4.65	889 (N)




Part No.	Color	Amp	Wt. (lbs.)	Cat.
8891111	Amber/Clear	3.52	4.65	889 (N)

## 16.5" Rectangular LED Mini Light Bar



Number of LEDs	18
Flash Patterns	19
Lead Length	15' with ON/OFF and Pattern Switch
Mount	Vacuum or Magnetic

See pg. 48-49 for Drill-Free Cab Mount Options



Part No.	Color	Amp	Wt. (lbs.)	Cat.
8891090	Amber	3.2	7.78	889 (N)



### Accessories

Part No.	Description	Wt. (lbs.)	Cat.
8891091	Aluminum Light Bar Mounting Bracket Kit	1.7	889 (N)


# LED Mini Light Bars and Dashboard Light Bars

## 17" Octagonal Mini Light Bar

**5-YEAR  
W  
12-24  
VOLTS**

Number of LEDs	30
Number of Flash Patterns	25
Lead Length	15' with ON/OFF and Pattern Switch
Mount	Magnetic

See pg. 48-49 for Drill-Free Cab Mount Options



Permanent mounting studs and magnetic mounts



### Single Color SAE J845 Class 1 Light Bar


SAE J845  
CLASS  
1

Part No.	Color	Amp	Wt. (lbs.)	Cat.
8891100	Amber	3.6	9.9	889 (N)



### Dual Color Light Bar

Part No.	Color	Amp	Wt. (lbs.)	Cat.
8891102	Amber/Clear	3.6	9.9	889 (N)



### Accessories

Part No.	Description	Wt. (lbs.)	Cat.
8891010	Aluminum Mounting Brackets for 8891100 and 8891102	0.7	889 (N)

# Drill-Free Light Bar Mounts and Cab Mounts

## Pro Series Drill-Free Light Bar Cab Mount

Construction	Rustproof Aluminum
Finish	Black Powder-Coated
Capacity	30 lbs.
Size	22" L x 10"W



8895560 shown with 8891060 light bar (sold separately)



8895560 shown with light bar 8891060 (not included)

### Ford Trucks

Part No.	Make/Model	Wt. (lbs.)	Cat.
8895560	Ford F-150 (2015+), Ford F-250-550 (2017+) and Ranger SuperCrew (2019+)	13.2	889 (N)

Installs in third light OEM location, no drilling required.

## Drill-Free Light Bar Cab Mount

Construction	Rustproof Aluminum
Finish	Black Powder-Coated
Capacity	30 lbs.
Size	22" L x 10"W

### Ford Trucks

Part No.	Make/Model	Wt. (lbs.)	Cat.
8895152	Ford F-150 (2015+), Ford F-250-550 (2017+) *Replaced 8895150*	7.25	889 (N)
8895153*	Ranger (2019+)	7.25	889 (N)
8895250	Ford SuperDuty with Legacy Steel Cab F-250-550 (2006-2016)	7.25	889 (N)

Installs in third light OEM location, no drilling required.



8895152 shown with light bar 8891060 (not included)

### GM/Chevy Trucks

Part No.	Make/Model	Wt. (lbs.)	Cat.
8895115	1500-4500 LT / LD with Spoiler (2020)	3.5	889 (N)
8895100	1500-3500 (2014-2018, All Models), 1500-3500 (2019 All Models) Except 1500 LT & LTZ 4500-6500 (2020+) International CV (2020+)	7.25	889 (N)
8895105	For Chevy Colorado-GMC Canyon (2015-2022)	7.25	889 (N)
8895120	1500-3500 Chevy/GMC (2020) Work Truck Cab	7.25	889 (N)

Installs in third light OEM location, no drilling required.



8895115

### Dodge/RAM Trucks

Part No.	Make/Model	Wt. (lbs.)	Cat.
8895301	1500 Classic / 2500-5500 All Models (2019+)	8.0	889 (N)
8895302*	1500 No Classic (2019+)	7.25	889 (N)
8895300	1500-4500 (2010-2018) Only	7.25	889 (N)
8895350	Dodge-Ram Cab & Chassis 5500 (2010-2018) *Only for 5500*	7.25	889 (N)

Installs in third light OEM location, no drilling required.



8895301

# Drill-Free Light Bar Mounts and Cab Mounts

## Fleet Series Drill-Free Light Bar Cab Mount

Construction	Rustproof Aluminum
Finish	Black Powder-Coated
Capacity	30 lbs.
Size	22" L x 10"W



8895551 shown with 8891060 light bar (sold separately)



8895556 shown with 8891042 light bar (sold separately)



8895551 shown with light bar 8891040 (not included)



8895554 shown with light bar 8891040 (not included)



8895556 shown with light bar 8891040 (not included)

### Ford Trucks

Part No.	Make/Model	Wt. (lbs.)	Cat.
8895551	Ford F-150 (2015+) and Ford F-250/550 (2017+)	6.46	889 (N)

Installs in third light OEM location, no drilling required.

### GM/Chevy Trucks

Part No.	Make/Model	Wt. (lbs.)	Cat.
8895554	1500-3500 Chevy/GMC Work Truck Cab (2020)	6.46	889 (N)

Installs in third light OEM location, no drilling required.

### Dodge/RAM Trucks

Part No.	Make/Model	Wt. (lbs.)	Cat.
8895556	1500 Classic / 2500-5500 All Models (2019+)	6.46	889 (N)

Installs in third light OEM location, no drilling required.

## Self-Adhesive Magnetic Mount Pad for Aluminum Cabs

Construction	Carbon Steel
Finish	Black Powder-Coated
Size	3.5" L x 3.5"W
Mount	3M® Tape

Allows use of magnetic light mounts even on aluminum truck cabs



8895400



Note: Allows use of magnetic light mounts even on aluminum truck cabs

8895400 shown with SL695A beacon

Part No.	Description	Wt. (lbs.)	Cat.
8895400	Self-Adhesive Magnetic Mount Pad for Aluminum Cabs, Single	0.27	889 (N)
8895404	Self-Adhesive Magnetic Mount Pad for Aluminum Cabs, 4 pack	1.02	889 (N)

# Traffic Advisors

## LED Traffic Advisor / Strobe with Flood Light

<b>5-YEAR W</b> <b>12-24 VOLTS</b> <b>IP 67</b> <b>CA 13</b> <b>SAE J599 CLASS 1</b>	Number of Flash Patterns	50 Strobe 16 Traffic Arrows 1 Flood
	Color	Amber or Clear for Strobe and Traffic Arrows Clear for Flood
	Lead Length	25'
	Housing	Aluminum
	Mount	Rear Angle Mounts Included

Combines an SAE J595 Class 1 strobe, traffic advisor with 16 different arrows, and a bright flood light into a single versatile fixture.



Part No.	LEDs	A	B	C	Amp	Wt. (lbs.)	Cat.
8894134	96 LEDs	33.7"	2.1"	1.25"	3.0	5.5	889 (N)
8894142	108 LEDs	41.7"	2.1"	1.25"	3.0	6.6	889 (N)



8894142  
In Strobe Mode

**2 LIGHTS IN ONE!**



8894142  
In Flood Light Mode



6391207

### Accessories

Part No.	Description	Wt. (lbs.)	Cat.
6391207	6-Switch Panel, Pre-Wired with LED Pattern Display, 6.5"L x 0.75"W x 2.75"T	0.39	639 (N)

Built-in traffic advisor controls.



8894134 shown installed on Buyers Kabgard™ 85204


## LED Traffic Advisor/Strobe

**5-YEAR  
W**  
**12-24  
VOLTS**  
**IP  
67**

Number of Flash Patterns	11 Strobe 11 Traffic Arrows
Color	Amber
Lead Length	25'
Housing	Aluminum
Mount	Mounting Brackets Included

Mounting brackets can be set at various widths to accommodate a variety of applications.

Adjustable  
width mounting  
studs



Part No.	LEDs	A	B	C	Amp	Wt. (lbs.)	Cat.
8894037	24	36.7"	2.25"	1.81"	3.2	6.6	889 (N)
8894047	32	46.5"	2.25"	1.81"	3.2	7.5	889 (N)



8894050 Riser Mounts



6391204



6391207



8894056

### Accessories

Part No.	Description	Wt. (lbs.)	Cat.
8894050	Optional L-Bracket Riser Mounts - 4.3" H	0.5	889 (N)

### Accessories

Part No.	Description	Wt. (lbs.)	Cat.
6391204	4-Switch Panel, Pre-Wired, 3.75"L x 1.25"W x 1.5"T	0.27	639 (N)
6391207	6-Switch Panel, Pre-Wired with LED Pattern Display, 6.5"L x 0.75"W x 2.75"T	0.39	639 (N)

Built-in traffic advisor controls.

### Accessories

Part No.	Description	Wt. (lbs.)	Cat.
8894056	8-Strand Bulk Wire, 50ft, For 8894037 & 8894047	4.5	889 (N)





8894047 shown installed on Buyers Kabgard™ 85204

## 12" Wireless Rechargeable LED Light Bar



Number of LEDs	84
Number of Flash Patterns	7
Charging Cord	11.5"
Mount	2 Magnetic Mounts

See pg. 48-49 for Drill-Free Cab Mount Options





Part No.	Color	Amp	Wt. (lbs.)	Cat.
8891030*	Amber	2.5	3.08	889 (N)

## 11" Rectangular Multi-Mount LED Mini Light Bar



Number of LEDs	24
Number of Flash Patterns	10
Lead Length	15' with ON/OFF and Pattern Switch
Mount	Permanent or Magnetic

See pg. 48-49 for Drill-Free Cab Mount Options



Part No.	Color	Amp	Wt. (lbs.)	Cat.
8891040	Amber	2.0	3.5	889 (N)

Part No.	Color	Amp	Wt. (lbs.)	Cat.
8891042	Amber/Clear	2.0	3.5	889 (N)

Part No.	Color	Amp	Wt. (lbs.)	Cat.
8891045	Amber/Blue	2.0	3.5	889 (N)


Part No.	Color	Amp	Wt. (lbs.)	Cat.
8891049	Amber/Green	2.0	3.5	889 (N)

## 11" Rectangular Magnetic Mount LED Mini Light Bar



Number of LEDs	48
Flash Patterns	4
Lead Length	15' with ON/OFF
Mount	Magnetic

See pg. 48-49 for Drill-Free Cab Mount Options



Part No.	Color	Amp	Wt. (lbs.)	Cat.
8891050	48 Amber	2.1	4.0	889 (N)



Part No.	Color	Amp	Wt. (lbs.)	Cat.
8891052	24 Amber/24 Clear	2.1	4.0	889 (N)




# LED Mini Light Bars

## 15" Octagonal LED Mini Light Bar Series

5-YEAR  
**W**  
12-24  
**VOLTS**  
SAE J849  
CLASS  
**1**

Number of LEDs	56
Number of Flash Patterns	10
Lead Length	15' with ON/OFF and Pattern Switch
Mount	Permanent or Magnetic

See pg. 48-49 for Drill-Free Cab Mount Options



Permanent mounting studs and magnetic mounts



8891060

Part No.	Color	Amp	Wt. (lbs.)	Cat.
8891060	Amber	3.2	5.5	889 (N)



8891062

Part No.	Color	Amp	Wt. (lbs.)	Cat.
8891062	Amber/Clear	3.2	5.5	889 (N)



8891068


Part No.	Color	Amp	Wt. (lbs.)	Cat.
8891068	Amber/Blue	3.2	5.5	889 (N)

## Multi-Mount Dual Color LED Mini Light Bar Series

5-YEAR  
**W**  
12-24  
**VOLTS**  
SAE J849  
CLASS  
**1**  
**IPX 4K**

Number of LEDs	72
Number of Flash Patterns	26
Lead Length	15' with ON/OFF and Pattern Switch
Mount	Permanent or Magnetic

See pg. 48-49 for Drill-Free Cab Mount Options



Magnetic and permanent mounting options shown



8891160 shown in Amber and Clear

Part No.	Description	Amp	Wt. (lbs.)	Cat.
8891160*	36 Amber & 36 Clear	3	4	889 (N)



8891161 shown in Blue and Amber

Part No.	Description	Amp	Wt. (lbs.)	Cat.
8891161	36 Amber & 36 Blue	3	4	889 (N)