


MAKE	MODEL	BASE PRICE
BUYERS PRODUCTS	SL40AR	\$80.55
	SL66AC	\$89.92
	SL550ALP	\$115.50
	SL700A	\$146.51
	SL800A	\$299.44
	8891800	\$103.26
	8891015	\$101.56
	8890200	\$97.78
	8892410	\$124.60
	8892400	\$97.84
	8891215	\$197.13
	8891325	\$215.55
	8892013	\$428.19
	8892230	\$80.39
	8892240	\$86.69
	8892200	\$94.53
	8890400	\$120.89
	8892140	\$86.32
	8890600	\$121.93
	8890300	\$150.75
	8892300	\$96.23
	8892102	\$134.38
	8891900	\$117.15
	8891910	\$117.15
	8892600	\$151.20
	8891403	\$108.75
	8891400	\$98.63
	8891120	\$81.87
	8891130	\$89.12
	8891500	\$131.93
	8891004	\$84.00
	8892700	\$105.83

	8892800	\$119.46
	8892710	\$143.82
	8891700	\$153.14
	8891600	\$98.23
	8891023	\$127.11

4" Round LED Recessed Strobe Light

**5-YEAR
W**
**12-24
VOLTS**
**IP
67**

Number of LEDs	24
Housing	Plastic
Number of Flash Patterns	See Chart
Synchronous	Yes
Alternating	Yes



Part No.	Color	Flash	Amp	Wt. (lbs.)	Cat.
SL40AR	Amber	Six Flash	0.50	0.40	889 (N)





SL41AR	Amber	Quad Flash	0.50	0.40	889 (N)
--------	-------	------------	------	------	---------

6" Oval LED Recessed Strobe Light

**5-YEAR
W**
**12-24
VOLTS**
**IP
67**

Number of LEDs	24
Housing	Plastic
Number of Flash Patterns	6
Synchronous	Yes
Alternating	Yes



Part No.	Color	Amp	Wt. (lbs.)	Cat.
SL65AO	Amber	0.50	0.70	889 (N)





SL65CO	Clear	0.50	0.70	889 (N)
--------	-------	------	------	---------

6" Quad Flash Oval Recessed Strobe Light Series

**5-YEAR
W**
**12-24
VOLTS**
**IP
67**

Number of LEDs	24
Housing	Plastic
Quad Flash	Yes
Synchronous	Yes
Alternating	Yes



Part No.	Color	Amp	Wt. (lbs.)	Cat.
SL66AC	Amber/Clear	0.50	0.70	889 (N)



SL66AG	Amber/Green	0.50	0.70	889 (N)
--------	-------------	------	------	---------



SL66AO	Amber with Amber Lens	0.50	0.70	889 (N)
--------	-----------------------	------	------	---------



SL66CA	Amber with Clear Lens	0.50	0.70	889 (N)
--------	-----------------------	------	------	---------



SL66GO	Green	0.50	0.70	889 (N)
--------	-------	------	------	---------


Beacon Lights

Low Profile Class 1 6" LED Beacon



Number of LEDs	12
Number of Flash Patterns	3

See pg. 77 for Drill-Free Cab Mount Options



SAE J845 Class 1 Beacon, Auxiliary Power Plug

Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL550ALP	Amber	15' ON/OFF Switch	Permanent and Magnetic	1.0	1.46	889 (N)

SAE J845 Class 1 Beacon, Hard-wired


Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL551ALP	Amber	13" Blunt Cut	Permanent	1.0	1.08	889 (N)

Low Profile Class 1 8" LED Beacon



Number of LEDs	15
Number of Flash Patterns	11

See pg. 77 for Drill-Free Cab Mount Options



SAE J845 Class 1 Beacon


Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL700A	Amber	10" Blunt Cut	Permanent	2.0	3.0	889 (N)

Class 1 7" LED Beacon with Upward Facing LEDs



Number of LEDs	36 (12 Upward Facing)
Number of Flash Patterns	14

Can be mounted with 3 bolts or 1" pipe.
See pg. 77 for Drill-Free Cab Mount Options




SAE J845 Class 1 Beacon

Part No.	Color	Lead	Mounting	Amp	Wt. (lbs.)	Cat.
SL800A	Amber	10" Blunt Cut	Permanent	5.56	2.88	889 (N)

Post Mounted 3" LED Strobe SAE J595 Class 1 Light



Number of LEDs	4
Housing	Aluminum
Number of Flash Patterns	19
Synchronous	Yes
Alternating	Yes




Part No.	Color	Amp	Wt. (lbs.)	Cat.
 8891800	Amber	0.55	0.65	889 (N)

Post Mounted 4.5" LED Strobe Light



Number of LEDs	6
Housing	Aluminum
Number of Flash Patterns	1
Synchronous	Yes
Alternating	Yes



Part No.	Color	Amp	Wt. (lbs.)	Cat.
 8891015	Amber	1.5	1.20	889 (N)


Quad Row 5" LED Strobe SAE J595 Class 1 Light



Number of LEDs	16
Housing	Aluminum
Number of Flash Patterns	10
Synchronous	Yes
Alternating	Yes



8890202




Part No.	Color	Amp	Wt. (lbs.)	Cat.
 8890200	Amber	1.0	0.76	889 (N)
 8890202	Amber/Clear	1.0	0.76	889 (N)

Surface Mounted LED Strobe Lights

1.5" Flush/Surface Mount LED Strobe Light Series



Number of LEDs	6
Housing	Aluminum
Mount	Flush or Surface
Number of Flash Patterns	17
Synchronous	Yes
Alternating	Yes



SAE J595 Class 1 Lights

SAE J595
CLASS 1

	Part No.	Color	Amp	Lead	Wt. (lbs.)	Cat.
	8892410	Amber	1.62	9.5"	0.14	889 (N)
	8892411	Clear	1.62	9.5"	0.14	889 (N)
	8892412*	Amber / Clear	1.62	9.5"	0.14	889 (N)

1 lighthouse per box.

Accessories

	Part No.	Description	Wt. (lbs.)	Cat.
	8892426	Mounting Bracket Pair	0.18	889 (N)

Surface/Recess Mount LED Strobe Light Series




Number of LEDs	3
Housing	Aluminum
Number of Flash Patterns	16
Synchronous	Yes
Alternating	Yes



8892400
Shown with included bezel



Shown without bezel
Ideal for tail lights



SAE J595 Class 1 Lights

SAE J595
CLASS 1

	Part No.	Color	Amp	Lead	Wt. (lbs.)	Cat.
	8892400	Amber	0.47	9.5"	0.10	889 (N)
	8892401	Clear	0.47	9.5"	0.10	889 (N)

1 lighthouse per box, includes black bezel.

Accessories

	Part No.	Description	Wt. (lbs.)	Cat.
	8892420	Chrome Bezel	0.10	889 (N)
	8892425	Black Aluminum Mounting Bracket, 90 Degree	0.05	889 (N)

Bolt-On Hidden LED Strobe Kits with In-Line Flashers

5-YEAR
W
12
VOLTS

Number of LEDs	6
Housing	Aluminum
Number of Flash Patterns	19
Synchronous	Yes
Alternating	Yes


Note: Up to six 8891215-8891327 can be combined for synchronized or alternating flash patterns



8891215



8891216



8891200



8891201

	Part No.	Color	Amp	Lead	Wt. (lbs.)	Cat.
	8891215	Clear	1.3	15'	1.25	889 (N)
	8891225	Clear	1.3	25'	1.60	889 (N)
	8891216	Amber	1.3	15'	1.25	889 (N)
	8891226	Amber	1.3	25'	1.60	889 (N)
	8891227	Amber/Clear	1.3	25'	1.60	889 (N)

2 lightheads per box.

Accessories


	Part No.	Description	Wt. (lbs.)	Cat.
	8891200	1 Pair, Chrome, Surface Mount Bezels for Bolt-On Hidden Strobes	0.04	889 (N)
	8891201	1 Pair, Black, Surface Mount Bezels for Bolt-On Hidden Strobes	0.04	889 (N)

Push-On Hidden Strobe Kit with In-Line Flashers

5-YEAR
W
12
VOLTS

Number of LEDs	6
Housing	Aluminum
Number of Flash Patterns	19
Synchronous	Yes
Alternating	Yes


Note: Up to six 8891215-8891327 can be combined for synchronized or alternating flash patterns



8891326



8891325



	Part No.	Color	Amp	Size	Wt. (lbs.)	Cat.
	8891325	Amber	1.3	25'	1.60	889 (N)
	8891326	Clear	1.3	25'	1.60	889 (N)
	8891327	Amber/Clear	1.3	25'	1.60	889 (N)


2 lightheads per box.

Strobe Lights

LED Cab Marker Strobe Replacement Kit Series

**12-24
VOLTS**
**IP
68**

Input Power	100W
Connection	Blunt Cut
Color	Amber
Main Material	Aluminum
Operating Life	30000+ HRS
Operating Temperature	(-40° ~ +185°F)



Replaces your OEM cab lights with versatile marker/strobes. 8892013 shown installed.

Marker/Strobe OEM Replacement Light Kit for GM®/Chevrolet® Trucks (2015-2019)



Part No.	LEDs	Lumens	Wt. (lbs.)	Cat.
8892010	201 for Set	2,200 for Set	3.60	889 (N)

Marker/Strobe OEM Replacement Light Kit for Dodge/RAM® 2500-3500 Pickups (2003-2018-1/2)



Part No.	LEDs	Lumens	Wt. (lbs.)	Cat.
8892013	390 for Set	4,000 for Set	3.70	889 (N)

Hideaway Strobe Conversion Kit for OEM Pickup Lights

12
VOLTS
IP
68

Input Power	90W
Number of Flasher Patterns	6
Main Material	Aluminum
Operating Life	30000+ HRS
Operating Temperature	(-40° ~ +185°F)
Vehicle must have LED bulbs in order to use this system.	



The plug-and-play kit is easy to install without modifying your vehicle. It uses the same wiring and mounting holes as your truck's factory lights - no drilling holes or cutting wires required.



Turn your factory LED cargo lights, reverse lights, and mirror turn signals into warning lights. *(Select models only)*

Conversion Kit for Ford Steel Cab



Part No.	Description	Wt. (lbs.)	Cat.
8890500	For Ford Steel Cab (F-150: 2010-2015), (F-650 to F-750: 2011+), (Ford SuperDuty 2011-2016)	1.75	889 (N)

Conversion Kit for Ford Aluminum Cab



Part No.	Description	Wt. (lbs.)	Cat.
8890501	For Ford Aluminum Cab (F-150: 2015-1/2+ and Ford SuperDuty 2017+)	1.75	889 (N)

Conversion Kit for GMC/Chevy



Part No.	Description	Wt. (lbs.)	Cat.
8890510	For GMC/Chevy (1500-3500, Tahoe/Suburban/Yukon/Cadillac Escalade) 2014-2019	1.75	889 (N)

Strobe Lights


Ultra-Thin 3.5" LED Strobe Light Series

**5-YEAR
W
12-24
VOLTS
IP
X8
CA
13**

Number of LEDs	3
Housing	Aluminum
Number of Flash Patterns	12
Synchronous	Yes
Alternating	Yes



8892230



8892232

SAE J595 Class 1 Lights

SAE J595
CLASS
1

	Part No.	Color	Amp	Wt. (lbs.)	Cat.
	8892230	Amber	0.5	0.08	889 (N)
	8892231	Clear	0.5	0.08	889 (N)
	8892233	Red	0.5	0.08	889 (N)
	8892234	Blue	0.5	0.08	889 (N)

	Part No.	Color	Amp	Wt. (lbs.)	Cat.
	8892239	Green	0.5	0.08	889 (N)

Accessories

	Part No.	Description	Wt. (lbs.)	Cat.
	8892232	Black 90° Mounting Bracket For 8892230 Series Strobe Lights	0.04	889 (N)


Ultra Thin 4.5" LED Strobe Light

**5-YEAR
W
12-24
VOLTS
IP
X8
CA
13**

Number of LEDs	4
Housing	Aluminum
Number of Flash Patterns	23
Synchronous	Yes
Alternating	Yes



8892240



8892255

SAE J595 Class 1 Lights

SAE J595
CLASS
1

	Part No.	Color	Amp	Wt. (lbs.)	Cat.
	8892240	Amber	0.65	0.10	889 (N)
	8892241	Clear	0.65	0.10	889 (N)
	8892243	Red	0.65	0.10	889 (N)
	8892244	Blue	0.65	0.10	889 (N)

	Part No.	Color	Amp	Wt. (lbs.)	Cat.
	8892242	Amber/Clear	0.65	0.10	889 (N)
	8892245	Red/Blue	0.65	0.10	889 (N)
	8892246	Red/Amber	0.65	0.10	889 (N)
	8892247	Clear/Red	0.65	0.10	889 (N)
	8892248	Blue/Amber	0.65	0.10	889 (N)
	8892249	Green	0.65	0.10	889 (N)
	8892250	Green/Amber	0.65	0.10	889 (N)

Accessories

	Part No.	Description	Wt. (lbs.)	Cat.
	8892255	Black 90° Mounting Bracket For 8892240 Series Strobe Lights	0.04	889 (N)


Ultra Thin 5" LED Strobe Light



Number of LEDs	6
Housing	Aluminum
Number of Flash Patterns	23
Synchronous	Yes
Alternating	Yes



8892200



8892225

SAE J595 Class 1 Lights

SAE J595
CLASS
1



Part No.	Color	Amp	Wt. (lbs.)	Cat.
8892200	Amber	1.0	0.09	889 (N)
8892201	Clear	1.0	0.09	889 (N)
8892203	Red	1.0	0.09	889 (N)
8892204	Blue	1.0	0.09	889 (N)



Part No.	Color	Amp	Wt. (lbs.)	Cat.
8892202	Amber/Clear	1.0	0.09	889 (N)
8892205	Red/Blue	1.0	0.09	889 (N)
8892206	Amber/Red	1.0	0.09	889 (N)
8892207	Clear/Red	1.0	0.09	889 (N)
8892208	Amber/Blue	1.0	0.09	889 (N)
8892209	Green	1.0	0.09	889 (N)
8892210	Amber/Green	1.0	0.09	889 (N)

Accessories

Part No.	Description	Wt. (lbs.)	Cat.
8892225	Black Mounting Bracket for 8892200 Series Strobe Lights	0.04	889 (N)


Ultra Thin Dual Row 5" LED Strobe Light



Number of LEDs	12
Housing	Aluminum
Number of Flash Patterns	30
Synchronous	Yes
Alternating	Yes



8890400



SAE J595 Class 1 Lights

SAE J595
CLASS
1



Part No.	Color	Amp	Wt. (lbs.)	Cat.
8890400	Amber	1.5	0.2	889 (N)
8890401	Clear	1.5	0.2	889 (N)
8890403	Red	1.5	0.2	889 (N)
8890404	Blue	1.5	0.2	889 (N)



Part No.	Color	Amp	Wt. (lbs.)	Cat.
8890402	Amber/Clear	1.5	0.2	889 (N)
8890405	Red/Blue	1.5	0.2	889 (N)
8890406	Amber/Red	1.5	0.2	889 (N)
8890407	Clear/Red	1.5	0.2	889 (N)
8890408	Amber/Blue	1.5	0.2	889 (N)
8890409	Green	1.5	0.2	889 (N)
8890410	Amber/Green	1.5	0.2	889 (N)

Strobe Lights


Ultra Thin Square 2" LED Strobe Light



Number of LEDs	4
Housing	Aluminum
Number of Flash Patterns	18
Synchronous	Yes
Alternating	Yes



8892140



SAE J595 Class 1 Lights

SAE J595
CLASS
1

	Part No.	Color	Amp	Wt. (lbs.)	Cat.
	8892140	Amber	0.45	0.06	889 (N)
	8892141	Clear	0.45	0.06	889 (N)

Available Q4


Ultra Thin Wide Angle 4" LED Strobe Light



Number of LEDs	6
Housing	Aluminum
Number of Flash Patterns	16
Synchronous	Yes
Alternating	Yes



8890600



SAE J595 Class 1 Lights

SAE J595
CLASS
1

	Part No.	Color	Amp	Wt. (lbs.)	Cat.
	8890600	Amber	0.88	0.18	889 (N)
	8890601	Clear	0.88	0.18	889 (N)

Ultra Thin Wide Angle 5" Dual Color LED Strobe Light *Featured on Cover*


SAE J595
CLASS 1

5-YEAR
W
12-24
VOLTS
IP
67
CA
13


Number of LEDs	12
Housing	Aluminum
Number of Flash Patterns	See Chart
Synchronous	Yes
Alternating	Yes



8890300



8890320



8890321

SAE J595 Class 1 Lights



Part No.	Color	Amp	Flash	Wt. (lbs.)	Cat.
8890300	Amber	0.88	16	0.24	889 (N)
8890301	Clear	0.88	16	0.24	889 (N)



Part No.	Color	Amp	Flash	Wt. (lbs.)	Cat.
8890302	Amber/Clear	0.88	26	0.24	889 (N)
8890305	Red/Blue	0.88	26	0.24	889 (N)
8890306	Amber/Red	0.88	26	0.24	889 (N)
8890307	Clear/Red	0.88	26	0.24	889 (N)
8890308	Amber/Blue	0.88	26	0.24	889 (N)
8890310	Amber/Green	0.88	26	0.24	889 (N)

Accessories

Part No.	Description	Wt. (lbs.)	Cat.
8890320	Chrome Bezel For 8890300 Series Strobe Lights	0.04	889 (N)
8890321	White Bezel For 8890300 Series Strobe Lights	0.04	889 (N)


Thin 3.5" LED Strobe Light

5-YEAR
W
12-24
VOLTS
IP
67
CA
13

Number of LEDs	3
Housing	Aluminum
Number of Flash Patterns	12
Synchronous	Yes
Alternating	Yes



8892300



8892320



8892321



8892325

SAE J595 Class 1 Lights

SAE J595
CLASS 1



Part No.	Color	Amp	Wt. (lbs.)	Cat.
8892300	Amber	0.24	0.11	889 (N)
8892301	Clear	0.24	0.11	889 (N)

Strobes must be mounted in horizontal orientation to achieve Class 1 rating



Part No.	Color	Amp	Wt. (lbs.)	Cat.
8892309	Green	0.24	0.11	889 (N)

Accessories

Part No.	Description	Wt. (lbs.)	Cat.
8892320	Chrome Bezel for Thin Mount LED Lights	0.02	889 (N)
8892321	White PVC Bezel for Thin Mount LED Lights	0.03	889 (N)
8892325	Black, 90 Degree Mounting Bracket	0.06	889 (N)

Strobe Lights


Thin 4.5" Horizontal Dual Color LED Strobe Light



Number of LEDs	12
Housing	Aluminum
Number of Flash Patterns	28
Synchronous	Yes
Alternating	Yes



8892102



8891920



8891921



8891925

SAE J595 Class 1 Lights

SAE J595
CLASS 1

	Part No.	Color	Amp	Wt. (lbs.)	Cat.
	8892102	Clear/Amber	1.0	0.15	889 (N)
	8892105	Red/Blue	1.0	0.15	889 (N)
	8892106	Amber/Red	1.0	0.15	889 (N)
	8892107	Red/Clear	1.0	0.15	889 (N)
	8892108	Amber/Blue	1.0	0.15	889 (N)
	8892109	Amber/Green	1.0	0.15	889 (N)

Strobes must be mounted in horizontal orientation to achieve Class 1 rating


Accessories

	Part No.	Description	Wt. (lbs.)	Cat.
	8891920	Chrome Bezel for Thin Mount LED Lights	0.02	889 (N)
	8891921	White PVC Bezel for Thin Mount LED Lights	0.03	889 (N)
	8891925	Black, 90 Degree Mounting Bracket	0.06	889 (N)


Thin 4.5" Horizontal LED Strobe Light



Number of LEDs	6
Housing	Aluminum
Number of Flash Patterns	19
Synchronous	Yes
Alternating	Yes



8891900



8891920



8891921



8891925

SAE J595 Class 1 Lights

SAE J595
CLASS 1

	Part No.	Color	Amp	Wt. (lbs.)	Cat.
	8891900	Amber	1.0	0.15	889 (N)
	8891901	Clear	1.0	0.15	889 (N)
	8891903	Red	1.0	0.15	889 (N)
	8891904	Blue	1.0	0.15	889 (N)

Strobes must be mounted in horizontal orientation to achieve Class 1 rating

	Part No.	Color	Amp	Wt. (lbs.)	Cat.
	8891902	Amber/Clear	1.0	0.15	889 (N)
	8891909	Green	1.0	0.15	889 (N)



Accessories

	Part No.	Description	Wt. (lbs.)	Cat.
	8891920	Chrome Bezel for Thin Mount LED Lights	0.02	889 (N)
	8891921	White PVC Bezel for Thin Mount LED Lights	0.03	889 (N)
	8891925	Black, 90 Degree Mounting Bracket	0.06	889 (N)

Thin 4.5" Vertical LED Strobe Light



Number of LEDs	6
Housing	Aluminum
Number of Flash Patterns	19
Synchronous	Yes
Alternating	Yes



SAE J595 Class 1 Lights

SAE J595
CLASS 1

	Part No.	Color	Amp	Wt. (lbs.)	Cat.
	8891910	Amber	1.0	0.15	889 (N)
	8891911	Clear	1.0	0.15	889 (N)
	8891913	Red	1.0	0.15	889 (N)
	8891914	Blue	1.0	0.15	889 (N)

Strobes must be mounted in vertical orientation to achieve Class 1 rating

	Part No.	Color	Amp	Wt. (lbs.)	Cat.
	8891912	Amber/Clear	1.0	0.15	889 (N)
	8891919	Green	1.0	0.15	889 (N)



Accessories

	Part No.	Description	Wt. (lbs.)	Cat.
	8891920	Chrome Bezel for Thin Mount LED Lights	0.02	889 (N)
	8891921	White PVC Bezel for Thin Mount LED Lights	0.03	889 (N)
	8891925	Black, 90 Degree Mounting Bracket	0.06	889 (N)

Thin Dual Row 4.5" LED Strobe Light



Number of LEDs	12
Housing	Aluminum
Number of Flash Patterns	25
Synchronous	Yes
Alternating	Yes



SAE J595 Class 1 Lights

SAE J595
CLASS 1

	Part No.	Color	Amp	Wt. (lbs.)	Cat.
	8892600	Amber	0.78	0.21	889 (N)
	8892602	Amber/Clear	0.78	0.21	889 (N)
	8892609	Green	0.78	0.21	889 (N)

Accessories

	Part No.	Description	Wt. (lbs.)	Cat.
	8892620	Chrome Bezel for Thin Mount LED Lights	0.02	889 (N)

Strobe Lights


2.5" LED Strobe Light



Number of LEDs	3
Housing	Aluminum
Number of Flash Patterns	12
Synchronous	Yes
Alternating	Yes



8891403



Included multi-mount

SAE J595 Class 2 Lights

SAE J595
CLASS
2

	Part No.	Color	Amp	Wt. (lbs.)	Cat.
	8891403	Amber	0.22	0.33	889 (N)
	8891404	Clear	0.22	0.33	889 (N)




3.5" LED Strobe Light



Number of LEDs	3
Housing	Aluminum
Number of Flash Patterns	12
Synchronous	Yes
Alternating	Yes



8891400



8891402



8891405

SAE J595 Class 2 Lights

SAE J595
CLASS
2

	Part No.	Color	Amp	Wt. (lbs.)	Cat.
	8891400	Amber	0.22	0.17	889 (N)
	8891401	Clear	0.22	0.17	889 (N)



Accessories

	Part No.	Description	Wt. (lbs.)	Cat.
	8891402	Black, 90 Degree Mounting Bracket for 8891400 and 8891401	0.08	889 (N)
	8891405	Black Grommet for Recessed Mounting, 3-3/8"	0.04	889 (N)





4" LED Strobe Light



Number of LEDs	3
Housing	Plastic
Number of Flash Patterns	19
Synchronous	Yes
Alternating	Yes



8891900



8891135

SAE J595 Class 1 Lights

SAE J595
CLASS
1



Part No.	Color	Amp	Wt. (lbs.)	Cat.
8891120	Amber	0.3	0.20	889 (N)
8891121	Clear	0.3	0.20	889 (N)

Accessories

Part No.	Description	Wt. (lbs.)	Cat.
8891135	Mounting Bracket for 8891120/8891121, Black	0.08	889 (N)


5" LED Mini Strobe Light Series



Number of LEDs	4
Housing	Plastic
Number of Flash Patterns	19
Synchronous	Yes
Alternating	Yes



8891130



8891135

SAE J595 Class 1 Lights

SAE J595
CLASS
1



Part No.	Color	Amp	Wt. (lbs.)	Cat.
8891130	Amber	0.4	0.24	889 (N)
8891131	Clear	0.4	0.24	889 (N)



Part No.	Color	Amp	Wt. (lbs.)	Cat.
8891132	Amber/Clear	0.4	0.24	889 (N)

Accessories

Part No.	Description	Wt. (lbs.)	Cat.
8891135	Black, 90 Degree Mounting Bracket for 8891130 Series	0.08	889 (N)

Strobe Lights


5" LED Strobe Light



Number of LEDs	6
Housing	Aluminum
Number of Flash Patterns	19
Synchronous	Yes
Alternating	Yes



8891500



8891505



8891506

SAE J595 Class 1 Lights

SAE J595
CLASS 1

	Part No.	Color	Amp	Wt. (lbs.)	Cat.
	8891500	Amber	1.1	0.25	889 (N)
	8891501	Clear	1.1	0.25	889 (N)

	Part No.	Color	Amp	Wt. (lbs.)	Cat.
	8891502	Amber/Clear	1.1	0.25	889 (N)

Accessories

	Part No.	Description	Wt. (lbs.)	Cat.
	8891505	Grommet	0.25	889 (N)
	8891506	Black, 90 Degree Mounting Bracket for 8891500 Series	0.16	889 (N)


5" Raised LED Strobe Light



Number of LEDs	4
Housing	Aluminum
Number of Flash Patterns	See Chart
Synchronous	Yes
Alternating	Yes



8891104



8891007

SAE J595 Class 2 Lights with 1 Flash Pattern

SAE J595
CLASS 2

	Part No.	Color	Flash	Amp	Wt. (lbs.)	Cat.
	8891004**	Amber	1	0.54	0.60	889 (N)
	8891006**	Clear	1	0.54	0.60	889 (N)

**Does not feature alternating and synchronous functions

SAE J595 Class 2 Lights with 19 Flash Patterns

SAE J595
CLASS 2

	Part No.	Color	Flash	Amp	Wt. (lbs.)	Cat.
	8891104	Amber	19	0.54	0.60	889 (N)



	Part No.	Color	Flash	Amp	Wt. (lbs.)	Cat.
	8891105	Amber/Clear	19	0.54	0.60	889 (N)

Accessories

	Part No.	Description	Wt. (lbs.)	Cat.
	8891007	Aluminum, 90 Degree Mounting Bracket	0.16	889 (N)

Narrow Profile 5" LED Strobe Light


5-YEAR
W
12-24
VOLTS
IP
X7
CA
13

Number of LEDs	3
Housing	Aluminum
Number of Flash Patterns	12
Synchronous	Yes
Alternating	Yes

Mounts in the narrow spacing in a vehicle's front grill or between the rear bumper and tailgate of pickup trucks



8892700



SAE J595 Class 1 Lights

SAE J595
CLASS
1



Part No.	Color	Amp	Wt. (lbs.)	Cat.
8892700	Amber	0.74	0.29	889 (N)
8892701	Clear	0.74	0.29	889 (N)
8892703	Red	0.74	0.29	889 (N)
8892704	Blue	0.74	0.29	889 (N)



Part No.	Color	Amp	Wt. (lbs.)	Cat.
8892709	Green	0.74	0.29	889 (N)

Accessories

Part No.	Description	Wt. (lbs.)	Cat.
8892825	Dash Bracket Housing	0.12	889 (N)

Ultra Bright Narrow Profile 5" LED Strobe Light


5-YEAR
W
12-24
VOLTS
IP
X7
CA
13

Number of LEDs	6
Housing	Aluminum
Number of Flash Patterns	23
Synchronous	Yes
Alternating	Yes

Mounts in the narrow spacing in a vehicle's front grill or between the rear bumper and tailgate of pickup trucks



8892800



SAE J595 Class 1 Lights

SAE J595
CLASS
1



Part No.	Color	Amp	Wt. (lbs.)	Cat.
8892800	Amber	1.14	0.29	889 (N)
8892801	Clear	1.14	0.29	889 (N)



Part No.	Color	Amp	Wt. (lbs.)	Cat.
8892802	Amber/Clear	1.14	0.29	889 (N)
8892805	Red/Blue	1.14	0.29	889 (N)
8892809	Green	1.14	0.29	889 (N)
8892810	Amber/Green	1.14	0.29	889 (N)

Accessories

Part No.	Description	Wt. (lbs.)	Cat.
8892825	Dash Bracket Housing	0.12	889 (N)

Narrow Profile 3.5" LED Strobe Light


5-YEAR
W
12-24
VOLTS
IP
X8

Number of LEDs	6
Housing	Aluminum
Number of Flash Patterns	18 Single, 26 Dual
Synchronous	Yes
Alternating	Yes

Mounts in the narrow spacing in a vehicle's front grill or between the rear bumper and tailgate of pickup trucks



8892710



Part No.	Color	Amp	Wt. (lbs.)	Cat.
8892710*	Amber	1.2	0.2	889 (N)
8892711*	Clear	1.2	0.2	889 (N)
8892712*	Amber/Clear	1.2	0.2	889 (N)

SAE J595
CLASS
1

Strobe Lights


Dual Row 5" LED Strobe Light



Number of LEDs	12
Housing	Aluminum
Number of Flash Patterns	25
Synchronous	Yes
Alternating	Yes



8891700



8891705



8891711



8891706

SAE J595 Class 1 Lights

SAE J595
CLASS 1

	Part No.	Color	Amp	Wt. (lbs.)	Cat.
	8891700	Amber	2.2	0.42	889 (N)
	8891701	Clear	2.2	0.42	889 (N)

	Part No.	Color	Amp	Wt. (lbs.)	Cat.
	8891702	Amber/Clear	2.2	0.42	889 (N)
	8891709	Amber/Green	2.2	0.42	889 (N)
	8891710	Green	2.2	0.42	889 (N)

Accessories

	Part No.	Description	Wt. (lbs.)	Cat.
	8891705	Recessed Mount, Black Grommet for 8891700 Series	0.12	889 (N)
	8891711	Recessed Mount, Black Grommet for 8891700 Series, fits in 6" Oval	0.12	889 (N)
	8891706	Black, 90 Degree Mounting Bracket	0.70	889 (N)


Dual Row 5.5" LED Strobe Light



Number of LEDs	12
Housing	Plastic
Number of Flash Patterns	12
Synchronous	Yes
Alternating	Yes



8891600



8891705

	Part No.	Color	Amp	Wt. (lbs.)	Cat.
	8891600	Amber	1.0	0.42	889 (N)
	8891602	Amber/Clear	1.0	0.42	889 (N)


Accessories

	Part No.	Description	Wt. (lbs.)	Cat.
	8891605	Aluminum, 90 Degree Mounting Bracket	0.16	889 (N)

8" LED Dashboard Light Bar

12-24
VOLTS

Number of LEDs	8
Flash Patterns	19
Lead Length	9' with ON/OFF and Pattern Switch
Mount	Suction



Part No.	Color	Amp	Wt. (lbs.)	Cat.
 8891023	Amber	2.0	1.1	889 (N)



Part No.	Color	Amp	Wt. (lbs.)	Cat.
 8891026	Amber/Clear	2.0	1.1	889 (N)

