

MAKE	MODEL	BASE PRICE
SWITCH N GO	WRSF 9	\$5,632.70
	WRSF 11	\$5,632.70
	WRSF 12	\$6,276.20
	WRSF 14	\$6,276.20
	SALT S 11	\$21,149.30
	FB 9	\$7,833.80
	FB 11	\$7,833.80
	FB 12	\$8,128.60
	FB14	\$8,787.50
	DUMPSTER 14X20YD	\$7,796.40
	DUMPSTER 11X51	\$7,363.00
	DUMPSTER 12X51	\$7,599.50
	DUMPSTER 14X51	\$8,136.30
	DUMP BODY -8	\$9,902.90
	DUMP BODY -10	\$9,902.90
	DUMP BODY -11	\$9,902.90
	DUMP BODY -12	\$10,009.60
	DUMP BODY-14	\$10,327.50
	HEAVY DUTY BODY-11	\$11,129.40
	HEAVY DUTY BODY-14	\$12,058.90
	MEDIUM DUTY DROP 8 SINGLE SWING	\$8,904.10
	MEDIUM DUTY DROP 9 SINGLE SWING	\$8,904.10
	MEDIUM DUTY DROP 10 SINGLE SWING	\$8,904.10
	MEDIUM DUTY DROP 11 SINGLE SWING	\$8,904.10
	MEDIUM DUTY DROP 12 SINGLE SWING	\$2,251.30
	MEDIUM DUTY DROP 13 SINGLE SWING	\$9,976.60
	MEDIUM DUTY DROP 14 SINGLE SWING	\$9,976.60
	MEDIUM DUTY DROP 15 SINGLE SWING	\$10,685.00
	MEDIUM DUTY DROP 9 BARN DOORS	\$9,313.30
	MEDIUM DUTY DROP 10 BARN DOORS	\$9,313.30
	MEDIUM DUTY DROP 11 BARN DOORS	\$9,313.30
	MEDIUM DUTY DROP 12 BARN DOORS	\$9,581.70
	MEDIUM DUTY DROP 13 BARN DOORS	\$10,381.40

	MEDIUM DUTY DROP 14 BARN DOORS	\$10,381.40
	MEDIUM DUTY DROP 15 BARN DOORS	\$11,089.80



Subsidiary of Federal Signal Corporation

Interchangeable Truck Body System

WORKREADY™ SUBFRAME



FEATURES

- High quality zinc prime & powder coated finish
- Engineered to maximize legal payload
- Prevents material build-up with expanded metal cut-outs
- 16,500lb maximum load operation
- Simple framed bulkhead for visibility
- Non-slip surface with side cut-outs

FIND A DEALER IN YOUR AREA

SWITCHNGO.COM/DEALER






Retractable Legs



Expanded Metal Side-deck



SEE THE POSSIBILITIES



Cold Mix / Patch



Sand Blaster / Compressor



Liquid Application



Material Sprayer



Seal / Asphalt Coating



Pavement Sweeper



Water or Liquid Tank



Hydroseeder



Fuel / Lube Unit



Pressure Washer



Sand / Salt Sprayer



Pavement Marking & Striping




Sewer Vacuum / Cleaner

SPECIFICATIONS

	9' / 11' / 12' / 14' LENGTHS
MAXIMUM LOAD LIMIT	16,500 LBS
ATTACHMENT POINTS	4 D-RINGS RATED AT 4080 LBS LOCATED IN EACH CORNER
FLOOR	1/8" DIAMOND PLATE WITH EXPANDED METAL FLOOR CUT-OUTS
LEGS	RETRACT AND STOW
9' & 11' LENGTHS ONLY	35 1/8" WIDE X 9" REAR CUTOUT

Specifications are subject to change without notice. For warranty information on this or any other Switch-N-Go® product please refer switchngo.com/warranty.





Subsidiary of Federal Signal Corporation

Interchangeable Truck Body System

SALT SPREADER BODY



FEATURES

- Superior Weight Distribution as compared to non-specialized upfits
- 4.8 Cubic Yard 304 Stainless Steel V-Box
- 12" Angled Front Extension
- 9" Rear Cutout for Conveyor
- Sloped Front Design
- Retractable Legs for interchangeability & storage without removing the chute
- 15,000lb maximum load operation
- Expanded metal subframe floor cut-outs to prevent material buildup

FIND A DEALER IN YOUR AREA

[SWITCHNGO.COM/DEALER](https://switchngo.com/dealer)



**9" Rear Cutout
for Conveyor**



**12" Angled
Front Extension**



**Available in Electric
& Hydraulic Models**




Retractable Legs

SPECIFICATIONS

	11' LENGTH ONLY	
	ELECTRIC	HYDRAULIC
WORKING LOAD LIMIT	15,000 LBS	
SPREADER CAPACITY	4.8 YD	
ATTACHMENT POINTS	4 D-RINGS RATED AT 4,080 LBS	
FLOOR	SIDE 19" WIDE EXPANDED METAL 3/4" CENTER 40" WIDE DIAMOND SHEET 1/8"	
REAR CUTOUT	35 1/8" WIDE X 9" DEEP	
LEGS	UNPIN AND RETRACT	
SPREADER SPINNER	1/2 HP, 12V MOTOR	DIRECT MOUNT HD
SPREADER CONVEYOR	3/4 HP, 12V MOTOR	20:1 WORM GEAR BOX

Specifications are subject to change without notice. For warranty information on this or any other Switch-N-Go® product please refer switchngo.com/warranty.






Subsidiary of Federal Signal Corporation

Interchangeable Truck Body System

LANDSCAPE BODY



FEATURES

- Fold Down Ramp & Beaver Tail for efficient loading and unloading of equipment
- Passenger Fold down side
- 24" x 24" Lockable Top Compartment
- (4) D-Rings in corners for securing equipment
- Rear gate wired with LED lights
- High quality powder coated finish
- Available in 11', 12', and 14' lengths

FIND A DEALER IN YOUR AREA


[SWITCHNGO.COM/DEALER](https://switchngo.com/dealer)




Lockable Top Compartment



Passenger Fold Down Side



LED Tail Lights




Spring Assisted Fold Down Ramp

SPECIFICATIONS

	11'	14'
FLOOR	11 GA DIAMOND PLATE	
RAMP	11 GA EXPANDED METAL SPRING ASSISTED FOLD DOWN	
SIDES	11 GA EXPANDED METAL	
SIDE HEIGHT	16"	
CROSSMEMBERS	12" ON CENTER	
D-RINGS	4 IN CORNERS	
HOIST COMPATIBILITY	11'	14'

*12' hoist compatible body available upon request

Specifications are subject to change without notice. For warranty information on this or any other Switch-N-Go® product please refer switchngo.com/warranty.





Subsidiary of Federal Signal Corporation

Interchangeable Truck Body System

FLATBED




FEATURES



- High quality zinc prime & powder coated finish
- Lightweight design
- 24" on center stake pockets
- Lasercut window in bulkhead
- 4-Corner chain keyholes
- Low profile 4" steel ground rollers
- Custom options available

FIND A DEALER IN YOUR AREA


SWITCHNGO.COM/DEALER



Corner Key Chain Holes



39" Height Bulkhead




51" Height Bulkhead



Available with or without Beavertail

SPECIFICATIONS

	9-12' LENGTHS	13-15' LENGTHS
FLOOR	1/8" DIAMOND PLATE	3/16" DIAMOND PLATE
OUTER RAIL	3" X 3" X 1/8" TUBING	
STAKE POCKETS	24" ON CENTER	
RUB RAIL	3/8" X 2" FLATBAR	
ROLLERS	INTEGRATED 4X6" WIDE GROUND ROLLERS	
CROSSMEMBERS	3" STRUCTURAL CHANNEL ON 16" CENTERS	
KEYHOLES	LOCATED IN CORNERS OF PLATFORM FLOOR	
OPTIONS	WELDED D-RINGS / STAKE SIDES / NO BEAVERTAIL	
	STANDARD BULKHEAD	HIGH BULKHEAD
BULKHEAD WINDOW	≈ 3.8 SQ FEET AREA	≈ 4.4 SQ FEET AREA



Specifications are subject to change without notice. For warranty information on this or any other Switch-N-Go® product please refer switchngo.com/warranty.



Subsidiary of Federal Signal Corporation

Interchangeable Truck Body System

11' FLATBED SERVICE BODY



FEATURES

- All Extruded 6005 T6 Alum Box Tube Construction
- T&G Extruded Alum Flooring
- Extruded Aluminum Headboard
- 3 Vertical Service Body Compartments per Side
- Rear Service Body Tailgate
- Powder Coated White
- Manual Master Lock System
- 2 Rows of E-Track Full Length

FIND A DEALER IN YOUR AREA

SWITCHNGO.COM/DEALER



**Full Length
E-Track**



D-Rings



**Customizable
Storage
Compartments**




**Master Lock
System**



SPECIFICATIONS

BODY DETAILS

FLOOR	T&G EXTRUDED ALUMINUM 102" LONG x 56 3/8" WIDE CENTER
TAILGATE	REAR SERVICE BODY TAILGATE
LATCHES	MANUAL MASTER LOCK SYSTEM
COMPARTMENTS	3 PER SIDE - 40 3/16" W x 34 7/16" T WELDED TO FLATBED FLOOR
FLATBED CONSTRUCTION	G-TUBE PERIMETER / 2x3.125 CROSS MEMBERS, 12" OC / 2x3 .188 BOX TUBE LONG SILLS (GUSSETS EVERY 4' FROM FRONT TO BACK) / ALL EXTRUDED 6005 T6 ALUM / BOX TUBE CONSTRUCTION
BULKHEAD	EXTRUDED ALUMINUM HEADBOARD
D-RINGS	6 RECESSED STAINLESS STEEL D-RING, SPRING-LOADED, 4.4K LB RATING, EVENLY SPACED, 3 PER SIDE
CARGO SECUREMENT	2 ROWS OF E-TRACK FULL / CENTER BODY LENGTH



Specifications are subject to change without notice. For warranty information on this or any other Switch-N-Go® product please refer switchngo.com/warranty.



Subsidiary of Federal Signal Corporation

Interchangeable Truck Body System

DUMPSTER BODY



FEATURES

- Structural steel construction
- Bodies will be powder coated or wet painted, depending on available build facility
- Body widths are 88" inside and 96" outside
- Interior side heights are 51" or 53", depending on the style chosen
- Standard 6" steel ground rollers


FIND A DEALER IN YOUR AREA

SWITCHNGO.COM/DEALER



SPECIFICATIONS

	FORMED TOP RAIL	TUBING TOP RAIL
TOP RAIL	FORMED TOP RAIL	3" X 3" X 1/8" TUBING
SIDE HEIGHT	53"	51"
CROSSMEMBERS	FORMED 3" CROSSMEMBERS ON 18" CENTERS	
TAILGATE	2" X 2" X 1/8" TUBING TUBULAR FRAME WORK SINGLE SWING GATE	
SIDES/FRONT/TAILGATE	12 GA SHEET	
REAR CORNER POST	12 GA SHEET	
FLOOR	12 GA SHEET	
OPTIONS	NONE	
AVAILABLE SIZES	11' / 12' / 14'	11' / 12' / 14'
APPROXIMATE HEAPED CUBIC YARDS	15 / 16 / 20	14 / 15 / 17
WEIGHT (LBS)	2030 / 2160 / 2380	2080 / 2210 / 2440



Black powder or wet paint. No seam seal or options. May be produced in two different production facilities Location will be confirmed when ordering shipment.

Specifications are subject to change without notice. For warranty information on this or any other Switch-N-Go® product please refer switchngo.com/warranty.



Subsidiary of Federal Signal Corporation

Interchangeable Truck Body System

DUMP BODY



FEATURES

- High quality zinc prime & powder coated finish
- Ramp gate for drive-on convenience
- Accepts underbody salt spreader
- 12" side height & 24" tailgate height
- Optional extended board pockets
- Standard 6" steel dump body ground rollers
- Custom options available


FIND A DEALER IN YOUR AREA

SWITCHNGO.COM/DEALER




ZINC EPOXY PRIME &
POLYESTER TOPCOAT


MADE IN THE
USA



Coal Chute
(optional)



18" Cab Shield
(optional)




Double Acting Tailgate

SPECIFICATIONS

	STANDARD DUTY	HEAVY DUTY
FLOOR	10 GA STEEL	3/16" STEEL
CROSSMEMBERS	3" STRUCTURAL CHANNEL 16" ON CENTER	3" STRUCTURAL CHANNEL 12" ON CENTER
SIDE	12 GA STEEL	10 GA STEEL
TOP RAIL	3" X 3" X 1/8" TUBING	
BULKHEAD	INSIDE HEIGHT 39", 44", OR 51"	
TAILGATE	2" X 2" X 3/16" TUBING & 10 GA SHEET	
OPTIONS	DROP DOWN SIDES / 18" CAB SHIELD / COAL CHUTE / WELDED D-RINGS	

Specifications are subject to change without notice. For warranty information on this or any other Switch-N-Go® product please refer switchngo.com/warranty.





Subsidiary of Federal Signal Corporation

Interchangeable Truck Body System

DROP BOX




FEATURES

- High quality zinc prime & powder coated finish
- Two build grades available
- Standard 6" steel ground rollers
- Optional curb side door
- Custom options available

FIND A DEALER IN YOUR AREA

SWITCHNGO.COM/DEALER



Keychain Brackets



**Curbside Door
(optional)**




**Available in
Single Swing
or Barn Doors**



SPECIFICATIONS

	MEDIUM DUTY	HEAVY DUTY
FLOOR	10 GA	3/16"
SIDE POSTS	2-3 POSTS PER SIDE, 12 GA SHEET	30-36" ON CENTER POSTS, 12 GA SHEET
CROSSMEMBERS	3" STRUCTURAL CHANNEL, 16" ON CENTER	3" STRUCTURAL CHANNEL, 12" ON CENTER
TOP RAIL	3" X 3" X 1/8" TUBING	
TAILGATE	3" STRUCTURAL CHANNEL, 16" ON CENTER	
SIDE HEIGHTS	39" & 51"	36" & 48"
SIDES/FRONT/TAILGATE	12 GA SHEET	
REAR CORNER POST	7 GA SHEET	
OPTIONS	CURBSIDE DOOR / WELDED D-RINGS CAB SHIELD	



Specifications are subject to change without notice. For warranty information on this or any other Switch-N-Go® product please refer switchngo.com/warranty.