

DUMP INSERTS

NOTHING WORKS LIKE A DOGG













Our Corporate Family of Companies



RomoTech Rotational Medding Technologies, Inc.

> PROGRESSIVE POWDER COATING, INC.

Founded in 1946, Buyers Products is a fully integrated manufacturer and a leader in the truck equipment industry. Our engineering, manufacturing and assembly operations take place in the USA, under the Buyers family of companies. **Buyers Products' mission is to improve our Customers' profitability and productivity while enhancing the quality of our products and services.**





Histo	Company founded	Buyers.A
	by Sam Ruven and Bessie Kleinman as a distributor of driveline components.	Buyers continued to grow its product offerings and build valued relationships with customers and suppliers. Increased demand for
		products led to the pursuit of supply chain manufacturing solutions.
	Tracom	
	1992 Buyers acquired Trailer Components	
	Manufacturing (Tracom) for CNC precision	
	machining and tooling, as well as state-of-the-art welding.	6
	weiding.	PROGRESSIVE POWDER COATING, INC.
		1995 Buyers acquired Progressive Powder Coating.
		Our Nordson automatic powder application booth is
		used to powder coat our Buyers toolboxes and other
	Buyor	truck and trailer accessories.
	2002 Buyers moved its	
	corporate headquarters to a brand new 235,000 sq.	
	ft. state-of-the-art office and distribution center.	
		Romorech Relational Moleting Technologies, Inc.
		2004 Buyers acquired Romotech in New Paris,
		Indiana. Our Ferry Industries Rotospeed molding machines are used to manufacture our
		poly salt spreaders.
	SnowDogg	
	2007 Buyers began	
	manufacturing the SnowDogg stainless steel snowplow at our	
	Mentor, Ohio facility.	A .
		2009 Buyers began our operations at Boomerang
		Rubber, in Botkins, Ohio manufacturing mudflaps, wheel chocks and other
		rubber truck and trailer accessories.
	Buyers 🗐 🚺	
	2013 Buyers acquired an additional 500,000 sq.ft.	
	manufacturing facility in Mentor, Ohio allowing for	
	expansion of our aluminum and stainless steel	
	manufacturing.	
nies	"Buyers 🕬	Buyers
		2016 Buyers establishes a
Itegrated		22,000 sq ft Engineering Tech Center in Mentor, Ohio. It's multi-use lab, design, training
juipment		and prototyping space is dedicated to the research
ssembly		and development of innovative product.
Buyers		
mission	2017 Buyers launches new	
ity and	website with business partner portal, to make online ordering and account maintenance	
of our	easy for customers.	NN.

Buvers Products

Our



2021 Buyers adds almost 300,000 sq ft of additional, state-of-the-art warehouse and office space to maintain the quick turnaround and competitive value their customers expect.

All DumperDogg[®] Features

- 20 ft. battery cables
 Tailgate chains with vinyl mesh covers
 Body-up indicator kit (SK10)

PRODUCT SPECS

SPECIFICATION	6 FT STEEL DUMPERDOGG	6 FT STAINLESS STEEL DUMPERDOGG	8 FT STEEL DUMPERDOGG	8 FT STAINLESS STEEL DUMPERDOGG	8 FT POLYMER DUMPERDOGG			
Part Number	5531006	5534006	5531001	5534001	5532000			
Category	553 (Y)	553 (Y)	553 (Y)	553 (Y)	553 (Y)			
Bed Floor Size	48.25" x 78.5"	48.25" x 78.5"	48.25" x 102"	48.25" x 102"	36" x 89.75"			
Overall Dimensions (HxWxD)	26" x 72" x 82"	26" x 72" x 82"	26" x 72" x 107"	26" x 72" x 107"	43" x 70" x 101"			
Volume Capacity	1.5 cu. yd.	1.5 cu. yd.	2.0 cu. yd.	2.0 cu. yd.	3.1 cu. yd.			
Max Payload Capacity*	6,000 lbs.	6,000 lbs.	6,000 lbs.	6,000 lbs.	6,000 lbs.			
Weight	790 lbs.	790 lbs.	875 lbs.	875 lbs.	1,115 lbs.			
Material	12 Gauge Steel	12 Gauge 304 Stainless	12 Gauge Steel	12 Gauge 304 Stainless	Double Wall Polymer with integral side extensions			
Frame Construction	Black Powder Coated Structural Steel Frame							
Dump Angle	0° – 45°							
Tailgate	Double Pivoting and Removable with Four 3/4" Diameter Hinge Pins							
Lift	Double Acting Scissor Hoist with 3HP Power Unit							
Hydraulics/Cylinder	4-1/2" x 8" Power Up/Power Down Cylinder							
Control Box	Tethered Control Box with 10 ft. Cord							
Lubrication	Grease Holes or Fittings at Pivot Points							
OPTIONAL ACCESSORIES								
Cab Guard	5531010	5534010	5531010	5534010	Included			
Side Wall Extensions	5531020	5534020	5531020	5534020	Included			
Tarp Kit	DTR5508	DTR5508	DTR5511	DTR5511	DTR4510			
*Weight limits not to exceed manufacturers gross vehicle weight limits								

*Weight limits not to exceed manufacturers gross vehicle weight limits.





Steel and Stainless Steel Features

• Transform your pickup into a dump truck

- Fits most 6' or 8' beds on trucks rated at 3/4 ton or higher

Lift and dump heavy loads

- Up to 3.5 cubic yard capacity* with a max payload of 6,000 lbs.
- Completely clears truck bed of material with a maximum 45° dump angle

Get jobs done fast with the power you need

- Scissor hoist with a 3HP power unit and 4-1/2 x 8" power up/power down cylinder
- Grease fittings/holes at pivot points

• Control your bed with ease

- Tethered control box with 10' cord and included in-cab body up indicator kit

Maximize your bed's utility

- Easy to remove, double pivoting tailgate with poly-sleeved tailgate chains
- Manual prop for added bed-up security

Includes

- 20' Battery cables for installation
- 150 Amp circuit breaker (push to trip)
- 3/4" Diameter stainless steel tailgate hitch pins

* with optional sidewall extensions sold separately

	PART NO.	BED LENGTH	VOLUME WITH OPTIONAL SIDEWALL KIT	VOLUME WITHOUT SIDEWALL KIT	MAX PAYLOAD CAPACITY	FRAME MATERIAL
12-ga Steel with Black	5531006	6'	2.5 cu. yds.	1.5 cu. yds.	6,000 lbs	Black powder-
Powder-coated Finish	5531001	8'	3.5 cu. yds.	2.0 cu. yds.	6,000 lbs	coated
12-ga 304 Stainless	5534006	6'	2.5 cu. yds.	1.5 cu. yds.	6,000 lbs	structural steel
Steel	5534001	8'	3.5 cu. yds.	2.0 cu. yds.	6,000 lbs	frame





Double pivoting & removable tailgate



3/4" Diameter stainless steel tailgate hitch pins



Power up & power down power unit with 10' tethered control box



Polymer Features

- Transform your pickup into a dump truck
 - Fits most 8' bed pickups

• Enjoy the strength, durability, and convenience of a poly dump insert

- One-piece double wall poly construction with integral side walls and steel window protector
- Designed to fit a full sheet of plywood or standard pallet
- Poly insert won't rust or corrode-with a payload capacity as high as steel

Lift and dump heavy loads

- Up to 3 cubic yard capacity with a max payload of 6,000 lbs.
- Completely clears truck bed of material with a maximum 45° dump angle

Get jobs done fast with the power you need

- Scissor hoist with a 3HP power unit and 4-1/2 x 8" power up/power down cylinder
- Grease fittings/holes at pivot points

• Control your bed with ease

- Tethered control box with 10' cord and included in-cab body up indicator kit

Maximize your bed's utility

- Easy to remove, double pivoting tailgate with poly-sleeved tailgate chains
- Manual prop for added bed-up security

Includes

- 20' Battery cables for installation
- 150 Amp circuit breaker (push to trip)
- 3/4" Diameter stainless steel tailgate hitch pins



Design accommodates full

sheets of plywood



3/4" Diameter tailgate hitch pins



Power up & power down power unit with 10' tethered control box



Cab Guards for DumperDogg®



Side-Wall Extension Brackets for DumperDogg®



PART NO.	DESCRIPTION	WT. (LBS.)
5531020	Steel Side-Wall Extension (use with Steel Inserts)	15
5534020	Stainless Steel Side-Wall Extension (use with Stainless Steel Inserts)	15
Advet he weed	with a she more directed and 100 has not included	

Must be used with cab guard installed. 2' x 12" boards not included.

Roll Tarp Kits for DumperDogg®



PART NO.	DESCRIPTION	WT. (LBS.)
DTR5508	Roll Tarp Kit, 5.4"W x 9.5'L for 6' Steel/Stainless Steel Inserts (Must be used with Cab Guard Installed)	24
DTR5511	Roll Tarp Kit, 5.4"W x 11.5'L for 8' Steel/Stainless Steel Inserts (Must be used with Cab Guard Installed)	25
DTR4510	Roll Tarp Kit, 5.4"W x 9.5'L for 8' Poly Inserts	23

Replacement Tailgate Spreader for DumperDogg® NEW MODEL









RomoTech Rotational Molding Technologies, Inc.





BuyersProducts.com



SnowDog





DumperDogg

All DumperDogg[®] Features

- 20 ft. battery cables
 Tailgate chains with vinyl mesh covers
 Body-up indicator kit (SK10)

PRODUCT SPECS

SPECIFICATION	6 FT STEEL DUMPERDOGG	6 FT STAINLESS STEEL DUMPERDOGG	8 FT STEEL DUMPERDOGG	8 FT STAINLESS STEEL DUMPERDOGG	8 FT POLYMER DUMPERDOGG			
Part Number	5531006	5534006	5531001	5534001	5532000			
Category	553 (Y)	553 (Y)	553 (Y)	553 (Y)	553 (Y)			
Bed Floor Size	48.25" x 78.5"	48.25" x 78.5"	48.25" x 102"	48.25" x 102"	36" x 89.75"			
Overall Dimensions (HxWxD)	26" x 72" x 82"	26" x 72" x 82"	26" x 72" x 107"	26" x 72" x 107"	43" x 70" x 101"			
Volume Capacity	1.5 cu. yd.	1.5 cu. yd.	2.0 cu. yd.	2.0 cu. yd.	3.1 cu. yd.			
Max Payload Capacity*	6,000 lbs.	6,000 lbs.	6,000 lbs.	6,000 lbs.	6,000 lbs.			
Weight	790 lbs.	790 lbs.	875 lbs.	875 lbs.	1,115 lbs.			
Material	12 Gauge Steel	12 Gauge 304 Stainless	12 Gauge Steel	12 Gauge 304 Stainless	Double Wall Polymer with integral side extensions			
Frame Construction	Black Powder Coated Structural Steel Frame							
Dump Angle	0° – 45°							
Tailgate	Double Pivoting and Removable with Four 3/4" Diameter Hinge Pins							
Lift	Double Acting Scissor Hoist with 3HP Power Unit							
Hydraulics/Cylinder	4-1/2" x 8" Power Up/Power Down Cylinder							
Control Box	Tethered Control Box with 10 ft. Cord							
Lubrication	Grease Holes or Fittings at Pivot Points							
OPTIONAL ACCESSORIES								
Cab Guard	5531010	5534010	5531010	5534010	Included			
Side Wall Extensions	5531020	5534020	5531020	5534020	Included			
Tarp Kit	DTR5508	DTR5508	DTR5511	DTR5511	DTR4510			
*Weight limits not to exceed manufacturers gross vehicle weight limits								

*Weight limits not to exceed manufacturers gross vehicle weight limits.





Steel and Stainless Steel Features

• Transform your pickup into a dump truck

- Fits most 6' or 8' beds on trucks rated at 3/4 ton or higher

Lift and dump heavy loads

- Up to 3.5 cubic yard capacity* with a max payload of 6,000 lbs.
- Completely clears truck bed of material with a maximum 45° dump angle

Get jobs done fast with the power you need

- Scissor hoist with a 3HP power unit and 4-1/2 x 8" power up/power down cylinder
- Grease fittings/holes at pivot points

• Control your bed with ease

- Tethered control box with 10' cord and included in-cab body up indicator kit

Maximize your bed's utility

- Easy to remove, double pivoting tailgate with poly-sleeved tailgate chains
- Manual prop for added bed-up security

Includes

- 20' Battery cables for installation
- 150 Amp circuit breaker (push to trip)
- 3/4" Diameter stainless steel tailgate hitch pins

* with optional sidewall extensions sold separately

	PART NO.	BED LENGTH	VOLUME WITH OPTIONAL SIDEWALL KIT	VOLUME WITHOUT SIDEWALL KIT	MAX PAYLOAD CAPACITY	FRAME MATERIAL
12-ga Steel with Black	5531006	6'	2.5 cu. yds.	1.5 cu. yds.	6,000 lbs	Black powder-
Powder-coated Finish	5531001	8'	3.5 cu. yds.	2.0 cu. yds.	6,000 lbs	coated
12-ga 304 Stainless	5534006	6'	2.5 cu. yds.	1.5 cu. yds.	6,000 lbs	structural steel
Steel	5534001	8'	3.5 cu. yds.	2.0 cu. yds.	6,000 lbs	frame

