

# DUMPERDOGG® DUMP INSERTS















### Our Corporate Family of Companies







Founded in 1946, Buyers Products is a fully integrated manufacturer and a leader in the truck equipment industry. Our engineering, manufacturing and assembly operations take place in the USA, under the Buyers family of companies. Buyers Products' mission is to improve our Customers' profitability and productivity while enhancing the quality of our products and services.















Buyers Products
Company founded
by Sam Ruven and
Bessie Kleinman as a
distributor of driveline

#### (Buyers 🗚

Buyers continued to grow its product offerings and build valued relationships with customers and suppliers. Increased demand for products led to the pursuit of supply chain manufacturing solutions.

#### Tacom

1992 Buyers acquired Trailer Components
Manufacturing (Tracom)
for CNC precision
machining and tooling, as
well as state-of-the-art welding.



1995 Buyers acquired Progressive Powder Coating.
Our Nordson automatic powder application booth is used to powder coat our Buyers toolboxes and other truck and trailer accessories.



2002 Buyers moved its corporate headquarters to a brand new 235,000 sq. ft. state-of-the-art office and distribution center.



2004 Buyers acquired Romotech in New Paris, Indiana. Our Ferry Industries Rotospeed molding machines are used to manufacture our poly salt spreaders.



2007 Buyers began manufacturing the SnowDogg stainless steel snowplow at our Mentor, Ohio facility.



2009 Buyers began our operations at Boomerang Rubber, in Botkins, Ohio manufacturing mudflaps, wheel chocks and other rubber truck and trailer



2013 Buyers acquired an additional 500,000 sq.ft. manufacturing facility in Mentor, Ohio allowing for expansion of our aluminum and stainless steel manufacturing.





2016 Buyers establishes a 22,000 sq ft Engineering Tech Center in Mentor, Ohio. It's multi-use lab, design, training and prototyping space is dedicated to the research and development of innovative product.

### ALL YOUR WORK ALL THE TIME.

2017 Buyers launches new website with business partner portal, to make online ordering and account maintenance easy for customers.



2021 Buyers adds almost 300,000 sq ft of additional, state-of-the-art warehouse and office space to maintain the quick turnaround and competitive value their customers expect.

#### All DumperDogg® Features

- 20 ft. battery cables
  Tailgate chains with vinyl mesh covers
  Body-up indicator kit (SK10)

# **PRODUCT SPECS**

Part Number         5531006         5534006         5531001         5534001         5532000           Category         553 (Y)         36" x 89.75"         26" x 72" x 102"         48.25" x 102"         36" x 89.75"         36" x 72" x 107"         43" x 70" x 101"         43" x 70" x 101"         46" x 72" x 107"         46" x 72						
Category         553 (Y)         553 (Y)         553 (Y)         553 (Y)         553 (Y)           Bed Floor Size         48.25" x 78.5"         48.25" x 78.5"         48.25" x 102"         48.25" x 102"         36" x 89.75"           Overall Dimensions (HxWxD)         26" x 72" x 82"         26" x 72" x 82"         26" x 72" x 107"         26" x 72" x 107"         43" x 70" x 101"           Volume Capacity         1.5 cu. yd.         1.5 cu. yd.         2.0 cu. yd.         2.0 cu. yd.         3.1 cu. yd.           Max Payload Capacity*         6,000 lbs.         875 lbs.         875 lbs.         875 lbs.         1,115 lbs.         1,115 lbs.         1,115 lbs.         1,200 lbs.         1,200 lbs.         1,200 lbs.         1,200 lbs	SPECIFICATION					
Bed Floor Size         48.25" x 78.5"         48.25" x 78.5"         48.25" x 102"         48.25" x 102"         36" x 89.75"           Overall Dimensions (HxWxD)         26" x 72" x 82"         26" x 72" x 82"         26" x 72" x 107"         26" x 72" x 107"         43" x 70" x 101"           Volume Capacity         1.5 cu. yd.         1.5 cu. yd.         2.0 cu. yd.         2.0 cu. yd.         3.1 cu. yd.           Max Payload Capacity*         6,000 lbs.         9,000 lbs.         9,000 lbs.         9,000 lbs.         9,000 lbs.         9,000	Part Number	5531006	5534006	5531001	5534001	5532000
Overall Dimensions (HxWxD)         26" x 72" x 82"         26" x 72" x 107"         26" x 72" x 107"         43" x 70" x 101"           Volume Capacity         1.5 cu. yd.         1.5 cu. yd.         2.0 cu. yd.         2.0 cu. yd.         3.1 cu. yd.           Max Payload Capacity*         6,000 lbs.         90uble lbs.	Category	553 (Y)	553 (Y)	553 (Y)	553 (Y)	553 (Y)
(HxwxD)         26" x /2" x 82"         26" x /2" x 10/"         26" x /2" x 10/"         43" x /0" x 101"           Volume Capacity         1.5 cu. yd.         1.5 cu. yd.         2.0 cu. yd.         2.0 cu. yd.         3.1 cu. yd.           Max Payload Capacity*         6,000 lbs.         6,000 lbs. </th <th>Bed Floor Size</th> <th>48.25" x 78.5"</th> <th>48.25" x 78.5"</th> <th>48.25" x 102"</th> <th>48.25" x 102"</th> <th>36" x 89.75"</th>	Bed Floor Size	48.25" x 78.5"	48.25" x 78.5"	48.25" x 102"	48.25" x 102"	36" x 89.75"
Max Payload Capacity*         6,000 lbs.         875 lbs.         1,115 lbs.         115 lbs.         1,115 lbs.         10 lbs.         10 lbs.         20 lbs.	Overall Dimensions (HxWxD)	26" x 72" x 82"	26" x 72" x 82"	26" x 72" x 107"	26" x 72" x 107"	43" x 70" x 101"
Weight790 lbs.790 lbs.875 lbs.875 lbs.1,115 lbs.Material12 Gauge Steel12 Gauge Steel12 Gauge Steel12 Gauge Steel With integral side extensionsFrame ConstructionBlack Powder Coated Structural Steel FrameDump Angle0° - 45°TailgateDouble Pivoting and Removable with Four 3/4" Diameter Hinge PinsLiftDouble Acting Scissor Hoist with 3HP Power UnitHydraulics/Cylinder4-1/2" x 8" Power Up/Power Down CylinderControl BoxTethered Control Box with 10 ft. CordLubricationGrease Holes or Fittings at Pivot PointsOPTIONAL ACCESSORIESCab Guard553101055340105534010IncludedSide Wall Extensions5531020553402055310205534020Included	Volume Capacity	1.5 cu. yd.	1.5 cu. yd.	2.0 cu. yd.	2.0 cu. yd.	3.1 cu. yd.
Material12 Gauge Steel12 Gauge Steel12 Gauge Steel12 Gauge With integral side extensionsFrame ConstructionBlack Powder Coated Structural Steel FrameDump Angle0° - 45°TailgateDouble Pivoting and Removable with Four 3/4" Diameter Hinge PinsLiftDouble Acting Scissor Hoist with 3HP Power UnitHydraulics/Cylinder4-1/2" x 8" Power Up/Power Down CylinderControl BoxTethered Control Box with 10 ft. CordLubricationGrease Holes or Fittings at Pivot PointsOPTIONAL ACCESSORIESCab Guard553101055340105534010IncludedSide Wall Extensions55310205534020553402015534020Included	Max Payload Capacity*	6,000 lbs.	6,000 lbs.	6,000 lbs.	6,000 lbs.	6,000 lbs.
Frame Construction Black Powder Coated Structural Steel Frame  Dump Angle O° - 45°  Tailgate Double Pivoting and Removable with Four 3/4" Diameter Hinge Pins  Lift Double Acting Scissor Hoist with 3HP Power Unit  Hydraulics/Cylinder 4-1/2" x 8" Power Up/Power Down Cylinder  Control Box Tethered Control Box with 10 ft. Cord  Lubrication Grease Holes or Fittings at Pivot Points  OPTIONAL ACCESSORIES  Cab Guard 5531010 5534010 5534020 5534020 5534020 Included	Weight	790 lbs.	790 lbs.	875 lbs.	875 lbs.	1,115 lbs.
Dump Angle  Tailgate  Double Pivoting and Removable with Four 3/4" Diameter Hinge Pins  Lift  Double Acting Scissor Hoist with 3HP Power Unit  Hydraulics/Cylinder  4-1/2" x 8" Power Up/Power Down Cylinder  Control Box  Tethered Control Box with 10 ft. Cord  Lubrication  Grease Holes or Fittings at Pivot Points  OPTIONAL ACCESSORIES  Cab Guard  5531010  5534010  5534010  Included  Side Wall Extensions  5531020  5534020  Included	Material	12 Gauge Steel	•	12 Gauge Steel	· ·	with integral side
Tailgate Double Pivoting and Removable with Four 3/4" Diameter Hinge Pins  Lift Double Acting Scissor Hoist with 3HP Power Unit  Hydraulics/Cylinder 4-1/2" x 8" Power Up/Power Down Cylinder  Control Box Tethered Control Box with 10 ft. Cord  Lubrication Grease Holes or Fittings at Pivot Points  OPTIONAL ACCESSORIES  Cab Guard 5531010 5534010 5531010 5534010 Included  Side Wall Extensions 5531020 5534020 5534020 Included	Frame Construction		Black Pow	der Coated Structural S	teel Frame	
Lift Double Acting Scissor Hoist with 3HP Power Unit  Hydraulics/Cylinder 4-1/2" x 8" Power Up/Power Down Cylinder  Control Box Tethered Control Box with 10 ft. Cord  Lubrication Grease Holes or Fittings at Pivot Points  OPTIONAL ACCESSORIES  Cab Guard 5531010 5534010 5531010 5534010 Included  Side Wall Extensions 5531020 5534020 5531020 5534020 Included	Dump Angle			0° – 45°		
Hydraulics/Cylinder         4-1/2" x 8" Power Up/Power Down Cylinder           Control Box         Tethered Control Box with 10 ft. Cord           Lubrication         Grease Holes or Fittings at Pivot Points           OPTIONAL ACCESSORIES           Cab Guard         5531010         5534010         5534010         5534010         Included           Side Wall Extensions         5531020         5534020         5534020         Included	Tailgate		Double Pivoting and R	emovable with Four 3/4	" Diameter Hinge Pins	
Control Box Tethered Control Box with 10 ft. Cord Lubrication Grease Holes or Fittings at Pivot Points  OPTIONAL ACCESSORIES  Cab Guard 5531010 5534010 5531010 5534010 Included Side Wall Extensions 5531020 5534020 5531020 5534020 Included	Lift		Double Actin	g Scissor Hoist with 3H	P Power Unit	
Lubrication         Grease Holes or Fittings at Pivot Points           OPTIONAL ACCESSORIES         Cab Guard         5531010         5534010         5531010         5534010         Included           Side Wall Extensions         5531020         5534020         5531020         5534020         Included	Hydraulics/Cylinder		4-1/2" x 8	" Power Up/Power Dow	n Cylinder	
OPTIONAL ACCESSORIES           Cab Guard         5531010         5534010         5534010         Included           Side Wall Extensions         5531020         5534020         5534020         Included	Control Box	Tethered Control Box with 10 ft. Cord				
Cab Guard         5531010         5534010         5531010         5534010         Included           Side Wall Extensions         5531020         5534020         5531020         5534020         Included	Lubrication	Grease Holes or Fittings at Pivot Points				
Side Wall Extensions         5531020         5534020         5531020         5534020         Included	OPTIONAL ACCESSORIES					
	Cab Guard	5531010	5534010	5531010	5534010	Included
Tarp Kit DTR5508 DTR5508 DTR5511 DTR5511 DTR4510	Side Wall Extensions	5531020	5534020	5531020	5534020	Included
	Tarp Kit	DTR5508	DTR5508	DTR5511	DTR5511	DTR4510

<sup>\*</sup>Weight limits not to exceed manufacturers gross vehicle weight limits.





#### **Steel and Stainless Steel Features**

- Transform your pickup into a dump truck
  - Fits most 6' or 8' beds on trucks rated at 3/4 ton or higher

#### Lift and dump heavy loads

- Up to 3.5 cubic yard capacity\* with a max payload of 6,000 lbs.
- Completely clears truck bed of material with a maximum 45° dump angle

#### • Get jobs done fast with the power you need

- Scissor hoist with a 3HP power unit and 4-1/2 x 8" power up/power down cylinder
- Grease fittings/holes at pivot points

#### • Control your bed with ease

- Tethered control box with 10' cord and included in-cab body up indicator kit

#### Maximize your bed's utility

- Easy to remove, double pivoting tailgate with poly-sleeved tailgate chains
- Manual prop for added bed-up security

#### Includes

- 20' Battery cables for installation
- 150 Amp circuit breaker (push to trip)
- 3/4" Diameter stainless steel tailgate hitch pins

<sup>\*</sup> with optional sidewall extensions sold separately

	PART NO.	BED LENGTH	VOLUME WITH OPTIONAL SIDEWALL KIT	VOLUME WITHOUT SIDEWALL KIT	MAX PAYLOAD CAPACITY	FRAME MATERIAL
12-ga Steel with Black	5531006	6'	2.5 cu. yds.	1.5 cu. yds.	6,000 lbs	Black powder-
Powder-coated Finish	5531001	8'	3.5 cu. yds.	2.0 cu. yds.	6,000 lbs	coated
12-ga 304 Stainless	5534006	6'	2.5 cu. yds.	1.5 cu. yds.	6,000 lbs	structural steel
Steel	5534001	8'	3.5 cu. yds.	2.0 cu. yds.	6,000 lbs	frame






Double pivoting & removable tailgate



3/4" Diameter stainless steel tailgate hitch pins



Power up & power down power unit with 10' tethered control box



#### **Polymer Features**

- Transform your pickup into a dump truck
  - Fits most 8' bed pickups

#### Enjoy the strength, durability, and convenience of a poly dump insert

- One-piece double wall poly construction with integral side walls and steel window protector
- Designed to fit a full sheet of plywood or standard pallet
- Poly insert won't rust or corrode—with a payload capacity as high as steel

#### Lift and dump heavy loads

- Up to 3 cubic yard capacity with a max payload of 6,000 lbs.
- Completely clears truck bed of material with a maximum 45° dump angle

#### Get jobs done fast with the power you need

- Scissor hoist with a 3HP power unit and 4-1/2 x 8" power up/power down cylinder
- Grease fittings/holes at pivot points

#### • Control your bed with ease

- Tethered control box with 10' cord and included in-cab body up indicator kit

#### Maximize your bed's utility

- Easy to remove, double pivoting tailgate with poly-sleeved tailgate chains
- Manual prop for added bed-up security

#### Includes

- 20' Battery cables for installation
- 150 Amp circuit breaker (push to trip)
- 3/4" Diameter stainless steel tailgate hitch pins



Design accommodates standard pallet



Design accommodates full sheets of plywood



3/4" Diameter tailgate hitch pins



Power up & power down power unit with 10' tethered control box



#### Cab Guards for DumperDogg®



5531010

PART NO.	DESCRIPTION	WT. (LBS.)
5531010	Steel Bolt-On Cab Guard (use with Steel Inserts)	83
5534010	Stainless Steel Bolt-On Cab Guard (use with Stainless Steel Inserts)	55

#### Side-Wall Extension Brackets for DumperDogg®







5531020 shown with 2' x 12" boards

PART NO.	DESCRIPTION	WT. (LBS.)
5531020	Steel Side-Wall Extension (use with Steel Inserts)	15
5534020	Stainless Steel Side-Wall Extension (use with Stainless Steel Inserts)	15

Must be used with cab guard installed. 2' x 12" boards not included.

#### Roll Tarp Kits for DumperDogg®



PART NO.	DESCRIPTION	WT. (LBS.)
DTR5508	Roll Tarp Kit, 5.4"W x 9.5'L for 6' Steel/Stainless Steel Inserts (Must be used with Cab Guard Installed)	24
DTR5511	Roll Tarp Kit, 5.4"W x 11.5'L for 8' Steel/Stainless Steel Inserts (Must be used with Cab Guard Installed)	25
DTR4510	Roll Tarp Kit, 5.4"W x 9.5'L for 8' Poly Inserts	23

#### Replacement Tailgate Spreader for DumperDogg® NEW MODEL





3016934 - Variable Speed Controller

- Fits all DumperDogg® Dump Inserts
- Stainless steel housing construction won't rust or corrode
- 12VDC Spinner Motor 54 AMP/ 620 RPM
- 12VDC Auger Gear Motor 50 AMP/ 30 RPM/ 1042 in lbs.
- Adjustable spread pattern from 4' to 20' of rock salt, free-flowing granular materials or de-icer chemicals
- Includes in-cab, independent variable spinner speed control and auger control
- Dual-flight augers (5" O.D . x 2.4" I.D. x 20"L)
- 18" Poly spinner
- Overall dimensions 64.5" W x 25.75" H x 12.7" D
- Quick and Easy 4-pin installation

PART NO.	DESCRIPTION	WT. (LBS.)
5535002	Replacement Tailgate Spreader	387

### The Buyers family of manufacturing companies











BuyersProducts.com











#### All DumperDogg® Features

- 20 ft. battery cables
  Tailgate chains with vinyl mesh covers
  Body-up indicator kit (SK10)

# **PRODUCT SPECS**

Part Number         5531006         5534006         5531001         5534001         5532000           Category         553 (Y)         36" x 89.75"         26" x 72" x 102"         48.25" x 102"         36" x 89.75"         36" x 72" x 107"         43" x 70" x 101"         43" x 70" x 101"         46" x 72" x 107"         46" x 72						
Category         553 (Y)         553 (Y)         553 (Y)         553 (Y)         553 (Y)           Bed Floor Size         48.25" x 78.5"         48.25" x 78.5"         48.25" x 102"         48.25" x 102"         36" x 89.75"           Overall Dimensions (HxWxD)         26" x 72" x 82"         26" x 72" x 82"         26" x 72" x 107"         26" x 72" x 107"         43" x 70" x 101"           Volume Capacity         1.5 cu. yd.         1.5 cu. yd.         2.0 cu. yd.         2.0 cu. yd.         3.1 cu. yd.           Max Payload Capacity*         6,000 lbs.         875 lbs.         875 lbs.         875 lbs.         1,115 lbs.         1,115 lbs.         1,115 lbs.         1,200 lbs.         1,200 lbs.         1,200 lbs.         1,200 lbs	SPECIFICATION					
Bed Floor Size         48.25" x 78.5"         48.25" x 78.5"         48.25" x 102"         48.25" x 102"         36" x 89.75"           Overall Dimensions (HxWxD)         26" x 72" x 82"         26" x 72" x 82"         26" x 72" x 107"         26" x 72" x 107"         43" x 70" x 101"           Volume Capacity         1.5 cu. yd.         1.5 cu. yd.         2.0 cu. yd.         2.0 cu. yd.         3.1 cu. yd.           Max Payload Capacity*         6,000 lbs.         9,000 lbs.         9,000 lbs.         9,000 lbs.         9,000 lbs.         9,000	Part Number	5531006	5534006	5531001	5534001	5532000
Overall Dimensions (HxWxD)         26" x 72" x 82"         26" x 72" x 107"         26" x 72" x 107"         43" x 70" x 101"           Volume Capacity         1.5 cu. yd.         1.5 cu. yd.         2.0 cu. yd.         2.0 cu. yd.         3.1 cu. yd.           Max Payload Capacity*         6,000 lbs.         90uble lbs.	Category	553 (Y)	553 (Y)	553 (Y)	553 (Y)	553 (Y)
(HxwxD)         26" x /2" x 82"         26" x /2" x 10/"         26" x /2" x 10/"         43" x /0" x 101"           Volume Capacity         1.5 cu. yd.         1.5 cu. yd.         2.0 cu. yd.         2.0 cu. yd.         3.1 cu. yd.           Max Payload Capacity*         6,000 lbs.         6,000 lbs. </th <th>Bed Floor Size</th> <th>48.25" x 78.5"</th> <th>48.25" x 78.5"</th> <th>48.25" x 102"</th> <th>48.25" x 102"</th> <th>36" x 89.75"</th>	Bed Floor Size	48.25" x 78.5"	48.25" x 78.5"	48.25" x 102"	48.25" x 102"	36" x 89.75"
Max Payload Capacity*         6,000 lbs.         875 lbs.         1,115 lbs.         115 lbs.         1,115 lbs.         10 lbs.         10 lbs.         20 lbs.	Overall Dimensions (HxWxD)	26" x 72" x 82"	26" x 72" x 82"	26" x 72" x 107"	26" x 72" x 107"	43" x 70" x 101"
Weight790 lbs.790 lbs.875 lbs.875 lbs.1,115 lbs.Material12 Gauge Steel12 Gauge Steel12 Gauge Steel12 Gauge Steel With integral side extensionsFrame ConstructionBlack Powder Coated Structural Steel FrameDump Angle0° - 45°TailgateDouble Pivoting and Removable with Four 3/4" Diameter Hinge PinsLiftDouble Acting Scissor Hoist with 3HP Power UnitHydraulics/Cylinder4-1/2" x 8" Power Up/Power Down CylinderControl BoxTethered Control Box with 10 ft. CordLubricationGrease Holes or Fittings at Pivot PointsOPTIONAL ACCESSORIESCab Guard553101055340105534010IncludedSide Wall Extensions5531020553402055310205534020Included	Volume Capacity	1.5 cu. yd.	1.5 cu. yd.	2.0 cu. yd.	2.0 cu. yd.	3.1 cu. yd.
Material12 Gauge Steel12 Gauge Steel12 Gauge Steel12 Gauge With integral side extensionsFrame ConstructionBlack Powder Coated Structural Steel FrameDump Angle0° - 45°TailgateDouble Pivoting and Removable with Four 3/4" Diameter Hinge PinsLiftDouble Acting Scissor Hoist with 3HP Power UnitHydraulics/Cylinder4-1/2" x 8" Power Up/Power Down CylinderControl BoxTethered Control Box with 10 ft. CordLubricationGrease Holes or Fittings at Pivot PointsOPTIONAL ACCESSORIESCab Guard553101055340105534010IncludedSide Wall Extensions55310205534020553402015534020Included	Max Payload Capacity*	6,000 lbs.	6,000 lbs.	6,000 lbs.	6,000 lbs.	6,000 lbs.
Frame Construction Black Powder Coated Structural Steel Frame  Dump Angle O° - 45°  Tailgate Double Pivoting and Removable with Four 3/4" Diameter Hinge Pins  Lift Double Acting Scissor Hoist with 3HP Power Unit  Hydraulics/Cylinder 4-1/2" x 8" Power Up/Power Down Cylinder  Control Box Tethered Control Box with 10 ft. Cord  Lubrication Grease Holes or Fittings at Pivot Points  OPTIONAL ACCESSORIES  Cab Guard 5531010 5534010 5534020 5534020 5534020 Included	Weight	790 lbs.	790 lbs.	875 lbs.	875 lbs.	1,115 lbs.
Dump Angle  Tailgate  Double Pivoting and Removable with Four 3/4" Diameter Hinge Pins  Lift  Double Acting Scissor Hoist with 3HP Power Unit  Hydraulics/Cylinder  4-1/2" x 8" Power Up/Power Down Cylinder  Control Box  Tethered Control Box with 10 ft. Cord  Lubrication  Grease Holes or Fittings at Pivot Points  OPTIONAL ACCESSORIES  Cab Guard  5531010  5534010  5534010  Included  Side Wall Extensions  5531020  5534020  Included	Material	12 Gauge Steel	•	12 Gauge Steel	· ·	with integral side
Tailgate Double Pivoting and Removable with Four 3/4" Diameter Hinge Pins  Lift Double Acting Scissor Hoist with 3HP Power Unit  Hydraulics/Cylinder 4-1/2" x 8" Power Up/Power Down Cylinder  Control Box Tethered Control Box with 10 ft. Cord  Lubrication Grease Holes or Fittings at Pivot Points  OPTIONAL ACCESSORIES  Cab Guard 5531010 5534010 5531010 5534010 Included  Side Wall Extensions 5531020 5534020 5534020 Included	Frame Construction		Black Pow	der Coated Structural S	teel Frame	
Lift Double Acting Scissor Hoist with 3HP Power Unit  Hydraulics/Cylinder 4-1/2" x 8" Power Up/Power Down Cylinder  Control Box Tethered Control Box with 10 ft. Cord  Lubrication Grease Holes or Fittings at Pivot Points  OPTIONAL ACCESSORIES  Cab Guard 5531010 5534010 5531010 5534010 Included  Side Wall Extensions 5531020 5534020 5531020 5534020 Included	Dump Angle			0° – 45°		
Hydraulics/Cylinder         4-1/2" x 8" Power Up/Power Down Cylinder           Control Box         Tethered Control Box with 10 ft. Cord           Lubrication         Grease Holes or Fittings at Pivot Points           OPTIONAL ACCESSORIES           Cab Guard         5531010         5534010         5534010         5534010         Included           Side Wall Extensions         5531020         5534020         5534020         Included	Tailgate		Double Pivoting and R	emovable with Four 3/4	" Diameter Hinge Pins	
Control Box Tethered Control Box with 10 ft. Cord Lubrication Grease Holes or Fittings at Pivot Points  OPTIONAL ACCESSORIES  Cab Guard 5531010 5534010 5531010 5534010 Included Side Wall Extensions 5531020 5534020 5531020 5534020 Included	Lift		Double Actin	g Scissor Hoist with 3H	P Power Unit	
Lubrication         Grease Holes or Fittings at Pivot Points           OPTIONAL ACCESSORIES         Cab Guard         5531010         5534010         5531010         5534010         Included           Side Wall Extensions         5531020         5534020         5531020         5534020         Included	Hydraulics/Cylinder		4-1/2" x 8	" Power Up/Power Dow	n Cylinder	
OPTIONAL ACCESSORIES           Cab Guard         5531010         5534010         5534010         Included           Side Wall Extensions         5531020         5534020         5534020         Included	Control Box	Tethered Control Box with 10 ft. Cord				
Cab Guard         5531010         5534010         5531010         5534010         Included           Side Wall Extensions         5531020         5534020         5531020         5534020         Included	Lubrication	Grease Holes or Fittings at Pivot Points				
Side Wall Extensions         5531020         5534020         5531020         5534020         Included	OPTIONAL ACCESSORIES					
	Cab Guard	5531010	5534010	5531010	5534010	Included
Tarp Kit DTR5508 DTR5508 DTR5511 DTR5511 DTR4510	Side Wall Extensions	5531020	5534020	5531020	5534020	Included
	Tarp Kit	DTR5508	DTR5508	DTR5511	DTR5511	DTR4510

<sup>\*</sup>Weight limits not to exceed manufacturers gross vehicle weight limits.








Double pivoting & removable tailgate



3/4" Diameter stainless steel tailgate hitch pins



Power up & power down power unit with 10' tethered control box

