

TITAN LEAF PRO

EQUIPMENT FEATURES:

- Dual safety interlock system on intake nozzle & belt guard
- Manual jack, fire extinguisher, wheel chocks
- 5 - belt drive system with 30" balanced fan
- DOT compliant lighting, markings, and yellow flashers
- 74 hp diesel-powered, liquid cooled engine
- 12 Volt battery with electrical system
- 16" diameter discharge nozzle
- 7,000 - pound axle with electric trailer brakes
- 50 gallon fuel tank
- 14,000 - pound 3" adjustable pintle eye with safety chains



Shown with options

Titan LEAF™
PRO


HGACBuy
THE SMART PURCHASING SOLUTION

SPECIFICATIONS

Weight, Base Model 5,900 lbs.
Fuel Tank, Aluminum 50 U.S. Gallons
Engine 74 hp Tier 4, liquid-cooled diesel-powered engine
Collection Nozzles Right-side
Parking Jack Manual
Battery 12 Volt, 1190 Amp; 950 CCA
Axle 7,000 lb with electric brakes
Tires ST235/80R16, load range E
Fan 30" diameter
Belts (five) 5VX

OPTIONS

- 1 100 gallon dust control system
- 2 Directional light bar / L.E.D. flashers
- 3 Strobe lights
- 4 32" diameter fan
- 5 Camera system
- 6 Trans-fluid coupler in lieu of standard clutch
- 7 Fixed or manual swivel discharge nozzle
- 8 Left side collection nozzle build
- 9 Spare tire and wheel
- 10 Hydraulic jack with swivel caster wheel



Titan LEAF™
SOLUTIONS

www.bonnell.com • (800) 851-9664 • info@bonnell.com
1385 Franklin Grove Rd. • Dixon, IL 61021



AUTHORIZED DEALER:



TITAN LEAF PRO PLUS

EQUIPMENT FEATURES:

- Dual safety interlock system on intake nozzle & belt guard
- DOT compliant lighting, markings, and yellow flashers
- 5 - belt drive system with 30" fan
- 12 Volt battery
- 74 h.p. Tier 4, liquid-cooled diesel-powered engine
- 7,000 - pound axle with electric trailer brakes
- 14,000 - pound 3" adjustable pintle eye with safety chain
- 50 gallon fuel tank
- Manual jack, fire extinguisher, wheel chocks
- 16" diameter pickup hose with 3 - function hydraulically controlled pickup arm



Titan LEAF PRO +
THE SMART PURCHASING SOLUTION

Shown with options
HGACBuy
THE SMART PURCHASING SOLUTION



OPTIONS

- 1 99 h.p. Tier 4 John Deere® or 120 h.p. Tier 4 Kohler diesel engine
- 2 Spare tire
- 3 Dust control system (if equipped) 100 U.S. gallons
- 4 Electric over hydraulic valve controls
- 5 32" diameter fan
- 6 Proportional controls for collection nozzle
- 7 Trans-fluid coupler in lieu of standard clutch
- 8 Ride on seat / swivel caster wheel for jack
- 9 Fixed or manual swivel discharge nozzle
- 10 Wire pendent for walk-beside control
- 11 Left - side collection nozzle build
- 12 Wireless control box
- 13 Hydraulic jack with swivel caster wheel
- 14 Direct wired control into cab of truck
- 15 Directional light bar / L.E.D. flashers
- 16 Closed circuit camera system

SPECIFICATIONS

Weight, Base Model..... 6,200 lbs.
Fuel Tank, Aluminum..... 50 U.S. gallons
Hydraulic Tank Only 7 U.S. gallons
Engine..... 74 h.p. Tier 4, liquid-cooled diesel-powered engine
Collection Nozzle Right-side
Parking Jack Manual
Battery 12 Volt, 1190 Amp; 950 CCA
Axle 7,000 lb. with electric brakes
Tires ST235/80R16, load range E
Fan 30" diameter
Belts (five)..... 5VX



www.bonnell.com • (800) 851-9664 • info@bonnell.com
 1385 Franklin Grove Rd. • Dixon, IL 61021



AUTHORIZED DEALER:

