Commercial Tailgate Weldment - ½" Hopper Bottom - Additional wall braces- 3/16" GR 80 Partition Sheet (STD on Commercial and Demolition Units)
Commercial Tailgate Weldment + Hardox 450 Upgrade for Residential Tailgate
Hardox 450 Upgrade for Residential Tailgate: - Replace Standard Steel for Hopper Floor and Hopper Sides (Upper & Lower) by Hardox 450 - (N/A on Commercial and Demolition Units)
Chromium Overlay Slide Shoes and Guides Upgrade: - Replace Standard Rollers on the Carrier by Slide Shoes
Demolition type Packer Panel - (STD on Demolition Units)
Mounting Sills - Steel - ½" Flat
Mounting Sills - Wood - 3½" to 1" tapered (Thickest section front mounted) - N/A if Factory Mounting in Mexico selected
Mounting Sills - Wood - 3½" to 1" tapered (thickest section rear mounted) - N/A if Factory Mounting in Mexico selected
Mounting Springs - Second Set - 20 & 25 C.Y. Bodies Only (STD on 29 and 32 C.Y. bodies)
Low load sill (N/A with Tippers/Push Bar combination, to use with caution with tippers)
CNG neck-mounted fuel tank (Behind Cab) - Qty 3 tanks - 50DGE
CNG neck-mounted fuel tank (Behind Cab) - Qty 4 tanks - 66DGE
CNG neck-mounted fuel tank (Behind Cab) - Qty 5 tanks - 82DGE
CNG neck-mounted fuel tank (Roof Mounted) - Qty 4 tanks - 60DGE (Available on all Body sizes, 20 yds. and up)
CNG neck-mounted fuel tanks (Roof Mounted) - Qty 5 tanks - 75DGE (Available on all Body sizes, 20 yds. and up)
CNG neck-mounted fuel tanks (Roof Mounted) - Qty 4 tanks - 100DGE (Body size must be 25 yds. minimum)
Ignition interlock on filling port cap (Street side port) (Not available on transit-style port)
Ignition interlock on filling port cap (Front port)
Transit style port on street side
Filling port on street side front bumper
In-cab CNG gas alarm system
Branch deflector at the front of body for CNG roof kit on Leach

CNGB0700	Rear deflector for CNG Roof Mounted system
CNGW0700	CNG Winter Package
CNGR0710	Branch deflector flush at the front of body for 100 DGE CNG kit on Leach (29 & 32cy bodies only)
BCDS0755	Single LEACH Cart Tipper Installation - Includes Load Sill Prep, Hydraulics and LEACH Cart Tipper - Load edge/tipper height may need to be adjusted after the body is mounted - (Specify tipper model and location)
BCDS0760	Dual LEACH Cart Tippers Installation - Includes Load Sill Prep, Hydraulics and LEACH Cart Tippers - Load edge/tippers height may need to be adjusted after the body is mounted - (Specify tipper model)
BCDS0700	Tipper HYDRAULICS Single (Specify tipper location)
BCDS0720	Tipper HYDRAULICS Dual
BDDS0700	LESS Single LEACH Cart Tipper - To order Tipper Prep & Tipper Hydraulics, order options [BCDS0755 + BDDS0700]
BDDS0710	LESS Dual LEACH Cart Tippers - To order Tipper Prep & Tipper Hydraulics, order options [BCDS0760 + BDDS0710]
BCLO0700	Winch - Latch & Ears - 12,000 lbs Capacity
BCLO0705	Winch - Push Bar - Latch & Ears for Commercial Container - 12,000 lbs Capacity
BCLO0710	Reeving Cylinder (Body Colored) - Latch & Ears - 12-000 lbs (N/A on CNG roof mount)
BCLO0715	Reeving Cylinder (Body Colored) - Push Bar - Latch & Ears - 12-000 lbs Capacity (N/A on CNG roof mount)
BCL00720	Commercial Container Push Bar - Latch & Ears
BCLW0700	Latch & Ears - Extra wide ears
BCLW0710	Latch & Ears - Wide and short ears
BCLW0720	Latch & Ears - Short ears
BSSH0700	Gunnebo BKL-13-10 swivel eye safety hook ilo STD on Reeving cylinder or winch
BCDS0765	Single LEACH R-150 Barrel-grabber Cart Tipper Installation - Includes Load Sill Prep- Hydraulics and LEACH Cart Tipper. Includes one indicator light for tipper NOT in stowed position and a deadman switch. Load edge/tipper height may need to be adjusted after the body is mounted. (N/A with Low load sill)
BCDU0775	Replace the Single LEACH Tipper by a Perkins D6220-27K Tipper - Option BCDS0755 must be ordered separately (Specify tipper location)
BCDU0770	Replace the Dual LEACH Tippers by Perkins D6220-27K Tippers - Option BCDS0760 must be ordered separately
HHOH0700	Hydraulic oil heater: in-tank (Electric 110V)
HHPG0700	Hydraulic pressure gauge on main valve
HHFR0700	Alarm for hydraulic filter replacement on return line
HHWK0700	Alarm for low hydraulic oil level & hydraulic oil temperature
CPTO0750	Less PTO

CCPM0765	Muncie Hot Shift PTO with Shaft Extension and Double Shaft Seal Pump - Mandatory on Transmission Driven PTO for Mack Granite chassis (GU, BR, FR) with 3000RDS transmission.
CCPM0710	P75 Commercial Pump
CCPM0700	Married Pump (P50) - N/A with Factory Mounting on Mack Granite and Peterbilt A520 with RDS 3000 transmission and others not specified yet chassis. Conditional to engineering approval.
CCPM0701	Less Pump
CCPM0720	Work-At-Idle Front Mount Dual Vane Pump - Work at Idle with Dual Front Mount Vane Pump requires a minimum engine horsepower rating of 325 hp
CCPM0750	Front Pump - Muncie Live Pack
CCPM0760	Single Vane pump
HHPF0700	High pressure filter w/o dirt alarm
HEVS0700	One additional valve section with control handle on main valve
HEVS0710	Two additional valve sections with control handles on main valve
HTPR0700	Tamper proof relief valve
HTCT0700	Hydraulic tubing cover top of body
CCPM0770	Piggyback Front Pump for a Snow Plow
CCPM0755	Front Pump - Single Vane pump
BUOR0700	Chassis mounted Hydraulic Tank
HSPP0700	Snow plow provision - Additional valve (2 sections) and in- cab joystick (N/A with married pump)
EPHM0700	Hour Meter connected to pump switch
EGSE0720	Global Search Eye Infra-Red Detection System (3 sensors) w/o automatic braking system
EGSE0730	Global Search Eye Infra-Red Detection System (3 sensors) with automatic braking system
EGSE0710	Third Eye single sensor Radar Detection System
CTAN0700	Auto-neutral on brake pedal
CTIN0700	Pump Neutral Interlock : - Transmission must be in neutral to allow the hydraulic pump to work
CTOS0700	Over Speed Switch - Mandatory option for a pump mounted on PTO on Manual Transmission
CTOS0730	No overspeed protection on pump. At customer request no overspeed protection on pump provided (Manual tranmission chassis only)
ESDI0700	Side Door Interlock
EEEB0710	Pump Shut-Off Switches, Both Sides Of Tailgate
EPOP0700	Pump overspeed protection at 1500 RPM
EPOP0710	Engine fast idle at 1100 RPM and pump overspeed protection at 1500 RPM

EICE0700	In-cab ejection controls (tailgate lock/unlock & open/close, ejection cylinder in/out) (Automatic tailgate latches NOT included)
LAFL0705	Lights: amber, alternating, flashing 4" LED in upper tailgate - Qty 2
LBLR0725	Back up lights: Qty 2 additional on mid-body rubrails - LED type
LSLO0700	Lights: Multi-Function Strobe Lights: - LED - Upper & Lower Tailgate Light Panels
LWLK0710	Work Light: Hopper - Flush mount - Bulb - Qty 1
LWLK0715	Work Light: Hopper - Flush mount - LED - Qty 1
LWLK0720	Work Lights: Hopper - Flush mount - Bulb - Qty 2
LWLK0725	Work Lights: Hopper - Flush mount - LED - Qty 2
LWLK0735	Work Lights: Hopper - Swivel Mount - LED - Qty 2
LWLT0730	Work Lights: Tailgate Sides - Bulb - Qty 2
LWLT0735	Work Lights: Tailgate Sides - LED - Qty 2
LWLE0740	Work Light: Ejector Panel - Bulb - Qty 1
LWLE0745	Work Light: Ejector Panel - LED - Qty 1
LSLA0715	Light: Amber Strobe 6" Beacon style (NOT rotating beacon) with guard - LH Top of Tailgate - LED - Qty 1
LAFL0760	Lights: Oval Strobe - LED - Flush Mounted Tailgate Upper Light Panel - Qty 2
LAFF0750	Lights: Oval Strobe - LED - Flush Mounted Front of Body - Qty 2 (located in bulkhead except for CNG Behind Cab 82DGE where it's a on a raised structure)
LGLB0700	Guards on Rear Upper Light Bar (Expanded Metal over the stop/tail/turn left and right)
LGLB0710	Guards on Rear Upper Light Bar (Expanded Metal over all upper light bar)
LBTL0700	Lights: Trapezoidal - Under Body - Front - Bulb - Qty 2
LBTL0705	Lights: Trapezoidal - Under Body - Front - LED - Qty 2
LCBL0700	Lights: Center Brake Light - LED - Upper Tailgate Light Panel
LBLT0710	Lights: Back Up Lights - Bulb - Above the hopper - Qty 2
LBLT0715	Lights: Back Up Lights - LED - Above the hopper - Qty 2
CCCC0741	Single Safety Vision camera (with shutter) : - Monitor must be selected separately - Heater - Shutter
CCCC0742	Dual Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter
CCCC0743	Triple Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter

CCCC0744	Quadruple Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter - Note : the shutter of the 4th camera (default camera - ex : hopper) will always stay opened
CCCC0701	Single 3rd Eye camera (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0702	Dual 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0703	Triple 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0704	Quadruple 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0711	Single 3rd Eye camera - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0712	Dual 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0713	Triple 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0714	Quadruple 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0721	Single Zone Defense camera (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter
CCCC0722	Dual Zone Defense cameras (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter

CCCC0723	Triple Zone Defense cameras (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter
CCCC0724	Quadruple Zone Defense cameras (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter
CCCC0727	Single Zone Defense camera (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
CCCC0728	Dual Zone Defense cameras (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
CCCC0729	Triple Zone Defense cameras (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
CCCC0730	Quadruple Zone Defense cameras (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
CCCC0747	Single Safety Vision camera (no shutter) : - Monitor must be selected separately - No Heater - No Shutter
CCCM0747	Safety Vision 5.6" color LCD monitor : - Only available for non-shuttered single camera system - No Split screen
CCCM0741	Safety Vision 7" color LCD monitor : - Included in system base price for shuttered and non- shuttered cameras - Split screen
CCCM0701	3rd Eye 7" color LCD monitor : - Included in system base price - Split screen
CCCM0703	3rd Eye 7" color LCD monitor - AWT07MLEDT : - Split screen
CCCM0704	3rd Eye 9" color LCD DVR monitor : - Split screen

CCCM0721	Zone Defense 7" color LCD monitor : - Included in system base price - Split screen - Touch screen
CCCM0722	Zone Defense 9" color LCD monitor : - Split screen - Touch screen
CCCM0723	Zone Defense 9" color DVR monitor : - Split screen - Touch screen - N/A with shuttered cameras
CCAW0700	3rd Eye Air Wash on backup camera
CCSB0700	Camera system: 3rd Eye, installed on body builder cable
2R3-0000	No camera system. At customer request no camera installed at Labrie but for safety and liability reasons camera sytem will be retrofitted after delivery.
2R3-0015	Mirror L-H side (15)
2R3-0016	Mirror R-H side (16)
2R3-0026	Windshield pointing forward (26)
2R3-0028	Windshield pointing towards driver (28)
2R3-0029	Tailgate center right (29)
2R3-0030	Alley left (30)
2R3-0031	Alley right (31)
2R3-0360	360 view - 4 cameras total (360)
BCOT0705	Broom & Shovel Holders - Both Sides Tailgate - Broom and Plastic Shovel Included
BFEX0710	Fire Extinguisher- 20 lbs (standard position : body streetside unless specified otherwise by regulation)
BFEX0720	Two (2) Fire Extinguishers- 20 lbs (standard position : body streetside and curbside unless specified otherwise by regulation)
BRWD0700	Display Sign - 32in H. x 84in L. (25 C.Y. Bodies and over)
BRWD0710	Display Sign - 32in H. x 96in L. (25 C.Y. Bodies and over)
BRWD0720	Display Sign - 48in H. x 96in L. (25 C.Y. Bodies and over)
BESK0700	Environmental spill kit (standard position : chassis curbside)
BESK0710	Spill kit, Inside toolbox (toolbox not included), BREG 9040
BBGA0700	Truck side guards (Bike guards)
BWCH0700	Wheel chocks (2) mounted curbside
BASA0710	Rubber Mud Guards - Behind Rear Axle
BASB0720	Metal Mud Guards - Front Rear Axle
BASB0730	Rubber Anti-Sail Mud Guards - Front Rear Axle
BPPG0710	Packer protection - 2nd hand enable buttons and guard (MOL 2004) - Rear loader base unit
BPPG0720	Packer protection - 2nd hand enable buttons and guard (MOL 2004) - Rear loader with Dock tipper
BATL0700	Automatic Tailgate Latches (2nd cylinder set)
BATL0710	Automatic Tailgate Latches (Single cylinder set) - 102" OAW

BBLA0700	Side Door Ladder - with Grab Handle
BBPP0700	Full Center Bearings on Packer Plate - (STD on Heavy- Duty Commercial and Heavy Duty Demolition units)
BBSS0750	Front Spill Shield - 30" High
BBTS0700	Full extended tailgate seal
BCAA0700	Longer Body Fenders : - Longer fenders necessary for: => 2R3 20 and 25 yd, 6X4 with pusher axle (already included in 29 and 32 yd). => 2R3 25yd, 29 yd and 32 yd, 6X4 with additional steer front axle.
BCAA0710	Arched fender in stainless steel for Leach - NO MUD FLAPS INCLUDED
BLSH0700	Large Riding Steps - ANSI Max : - Large riding steps not compatible with push bar options BCLO0705, BCLO0715 and BCLO0720
BBWS0710	Liners - Rear Body Sides - (STD on Heavy Duty Demolition units)
BRWS0715	Liners - Hardox Ramp Liners - Rear Body
BSWS0760	Liners - Tailgate Hopper - 1/4" Full Bottom Liner (2 Pieces)
BSWS0761	Liners - Tailgate Hopper - ¼" Partial Front Bottom Liner (STD on Heavy Duty Demolition units)
BAWS0770	Liners - Tailgate Hopper Sides - 1/4"
BPWS0770	Liners - Packer Panel Face Liner - ¹ / ₄ " thick GR 50 (STD on Heavy Duty Demolition units)
BPHU0775	Hardox Upgrade for Packer Panel : Replace Standard Steel for Packer Panel Face and blade by Hardox 450 (N/A on Heavy Duty Demolition units)
BCWS0770	Liners - Carrier Panel Face Liner - 3/16" thick GR 50 (STD on Heavy Duty Demolition units)
BCFU0775	Upgrade for Carrier Panel Face : Replace Standard Steel for Carrier Panel Face by 100QT Steel (N/A on Heavy Duty Demolition units)
BWOT0710	Washout Tank - Aluminum - 50 Gallons
BGGB0710	Tailgate Hinges and Cylinders Ground Level Grease Points
BGGP0710	Centralized Grease System - Packer & Carrier Panels
BCGH0700	Calgary grab handles both sides of tailgate
BDBV0705	Drain with Ball valve at bottom of hopper
BDWS0710	Liners - Rear Body Roof - (STD on Heavy Duty Demolition units)
BRWS0720	Liners - Ramp Liners - Rear Body - 1/2" thick Hardox 450
BSWS0765	Liners - Tailgate Hopper - 1/4" Full Bottom Liner (1 Piece)
BSWS0764	Liners - Tailgate Hopper - 3/16" Hardox 450 Full Bottom Liner (2 Pieces)
BSWS0763	Liners - Tailgate Hopper - 1/4" Hardox 450 Partial Front Bottom Liner
BAWS0775	Liners - Tailgate Hopper Sides - 3/16" AR200
BPWS0780	Liners - Packer Panel Face Liner - 3/16" thick Hardox 450 - (N/A on Heavy Duty Demolition units)

BCWP0700	Carrier Wiper - Spring type
BNLD0700	No logos or decals other than safety and Labrie Enviroquip Group logo on unit
CRAD0700	Remote air drains petcock type
CCTB0730	Toolbox: Aluminum, chassis-mounted, size: 24" x 24" x 14" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated)
CCTB0700	Toolbox: Aluminium, chassis-mounted, size: 24" x 24" x 24" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated)
CCTB0710	Toolbox: Aluminium, chassis-mounted, size: 24" x 24" x 36" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated)
CBFH0700	Chassis, Holes filling, Grade 8 bolts in the holes without paint on the chassis
CFSS0700	Fire Suppression system Safecraft LT5
CWBM0700	Wheelbase modification: Lenghten single axle chassis WB (including longer ABS cable & drive shaft) (before body installation only) (QC BODY MOUNT)
CWBM0705	Wheelbase modification: Shorten single axle chassis WB (before body installation only) (QC BODY MOUNT)
CWBM0710	Wheelbase modification: Lenghten tandem axle chassis WB (including longer ABS cable & drive shaft) (before body installation only) (QC BODY MOUNT)
CWBM0715	Wheelbase modification: Shorten tandem axle chassis WB (before body installation only) (QC BODY MOUNT)
PCBP0710	Body: 1 Color Urethane Body Paint - Included in unit base price - Includes bolt-on parts painted body color
PCBP0700	Body: 1 Color Base Coat/Clear Coat Body Paint - Includes bolt-on parts painted body color
PCBP0720	Body: 2 Colors Urethane Body Paint - 1 color separation - Includes bolt-on parts painted body color
PCBP0725	Body: 2 Colors Base Coat/Clear Coat Body Paint - 1 color separation - Includes bolt-on parts painted body color
PPCE0720	Cab : Urethane Paint (Cab Exterior) 1 color (other than color supplied) - No paint scheme - Including doors jambs
PPCE0730	Cab : Base Coat/Clear Coat Paint (Cab Exterior) 1 color (other than color supplied) - No paint scheme - Including doors jambs

PPCE0725	Cab : Urethane Paint (Cab Exterior) 2 colors (other than color supplied) - With paint scheme (1 color separation) - Including doors jambs
PPCE0710	Cab : Base Coat/Clear Coat Paint (Cab Exterior) 2 colors (other than color supplied) - With paint scheme (1 color separation) - Including doors jambs
PCCP0719	Paint Chassis Components - Customer Color (other than black)
FEWA0750-1	PLAN A1 - Add 1 year on body & hydraulics for a total of 2 years (PARTS AND LABOR)
FEWA0750-2	PLAN A2 - Add 2 years on body & hydraulics for a total of 3 years (PARTS AND LABOR)
FEWA0750-3	PLAN A3 - Add 3 years on body & hydraulics for a total of 4 years (PARTS AND LABOR)
FEWA0750-4	PLAN A4 - Add 4 years on body & hydraulics for a total of 5 years (PARTS AND LABOR)
HEWA0750-1	PLAN B1 - Add 1 year on hydraulics PUMPS AND VALVES only for a total of 2 years (PARTS AND LABOR)
HEWA0750-2	PLAN B2 - Add 2 years on hydraulics PUMPS AND VALVES only for a total of 3 years (PARTS AND LABOR)
HEWA0750-3	PLAN B3 - Add 3 years on hydraulics PUMPS AND VALVES only for a total of 4 years (PARTS AND LABOR)
HEWA0750-4	PLAN B4 - Add 4 years on hydraulics PUMPS AND VALVES only for a total of 5 years (PARTS AND LABOR)
CEWA0750-1	PLAN C1 - Add 1 year on hydraulic CYLINDERS only for a total of 2 years (PARTS AND LABOR)
CEWA0750-2	PLAN C2 - Add 2 years on hydraulic CYLINDERS only for a total of 3 years (PARTS AND LABOR)
CEWA0750-3	PLAN C3 - Add 3 years on hydraulic CYLINDERS only for a total of 4 years (PARTS AND LABOR)
CEWA0750-4	PLAN C4 - Add 4 years on hydraulic CYLINDERS only for a total of 5 years (PARTS AND LABOR)