

BBFP0810	Hardox 450 Upgrade for Residential Tailgate: - Replace Standard Steel for Hopper Floor and Hopper Sides (Upper & Lower) by Hardox 450 - (N/A on Light Commercial Units)
BBFP0811	Hardox 450 Upgrade for Light Commercial Tailgate: - Replace Standard Steel for Hopper Floor and Hopper Sides (Upper & Lower) by Hardox 450 - (N/A on Residential Units)
BSCO0800	Chromium Overlay Slide Shoes and Guides Upgrade: - Replace Standard Rollers on the Carrier by Slide Shoes
BBMS0801	Mounting Sills - Steel - ½" Flat
BBMS0802	Mounting Sills - Wood - 3½" to 1" tapered (Thickest section front mounted) - N/A if Factory Mounting in Mexico selected
BBMS0803	Mounting Sills - Wood - 3½" to 1" tapered (thickest section rear mounted) - N/A if Factory Mounting in Mexico selected
BSMS0850	Mounting Springs - Second Set - 14, 16, 18, 20 & 25 C.Y. Bodies Only (STD on 29 & 32 C.Y. bodies)
BLSF0800	Low load sill (N/A with Tippers/Push Bar combination, to use with caution with tippers)
CCNG0801	CNG neck-mounted fuel tank (Behind Cab) - Qty 3 tanks - 50DGE
CCNG0800	CNG neck-mounted fuel tank (Behind Cab) - Qty 4 tanks - 66DGE
CCNG0803	CNG neck-mounted fuel tank (Behind Cab) - Qty 5 tanks - 82DGE
CCNG0805	CNG neck-mounted fuel tank (Roof Mounted) - Qty 4 tanks - 60DGE (Body size must be 25 yds. minimum)
CCNG0810	CNG neck-mounted fuel tanks (Roof Mounted) - Qty 5 tanks - 75DGE (Body size must be 25 yds. minimum)
CCNG0815	CNG neck-mounted fuel tanks (Roof Mounted) - Qty 4 tanks - 100DGE (Body size must be 25 yds. minimum)
CCNG0820	CNG neck-mounted fuel tanks (Roof Mounted) - Qty 4 tanks - 66DGE (Body size must be 20 yds. minimum)
CNGI0830	Ignition interlock on filling port cap (Street side port) (Not available on transit-style port)
CNGC0835	Ignition interlock on filling port cap (Front port)
CNGF0840	Transit style port on street side
CNGP0850	Filling port on street side front bumper
CNGA0800	In-cab CNG gas alarm system
CNGR0800	Branch deflector at the front of body for CNG roof kit on Leach
CNGB0800	Rear deflector for CNG Roof Mounted system

CNGW0800	CNG Winter Package
CNGR0810	Branch deflector flush at the front of body for 100 DGE CNG kit on Leach (29 & 32cy bodies only)
BCDS0855	Single LEACH Cart Tipper Installation - Includes Load Sill Prep, Hydraulics and LEACH Cart Tipper - Load edge/tipper height may need to be adjusted after the body is mounted - (Specify tipper model and location)
BCDS0860	Dual LEACH Cart Tippers Installation - Includes Load Sill Prep, Hydraulics and LEACH Cart Tippers - Load edge/tippers height may need to be adjusted after the body is mounted - (Specify tipper model)
BCDS0800	Tipper HYDRAULICS Single (Specify tipper location)
BCDS0820	Tipper HYDRAULICS Dual
BDDS0800	LESS Single LEACH Cart Tipper - To order Tipper Prep & Tipper Hydraulics, order options [BCDS0855 + BDDS0800]
BDDS0810	LESS Dual LEACH Cart Tippers - To order Tipper Prep & Tipper Hydraulics, order options [BCDS0860 + BDDS0810]
BCLO0800	Winch - Latch & Ears - 12,000 lbs Capacity
BCLO0805	Winch - Push Bar - Latch & Ears for Commercial Container - 12,000 lbs Capacity
BCLO0810	Reeving Cylinder (Body Colored) - Latch & Ears - 12-000 lbs (N/A on CNG roof mount) (N/A on 14 & 16 cubic yard units)
BCLO0815	Reeving Cylinder (Body Colored) - Push Bar - Latch & Ears - 12-000 lbs Capacity (N/A on CNG roof mount) (N/A on 14 & 16 cubic yard units)
BCLO0820	Commercial Container Push Bar - Latch & Ears
BCLW0800	Latch & Ears - Extra wide ears
BCLW0810	Latch & Ears - Wide and short ears
BCLW0820	Latch & Ears - Short ears
BSSH0800	Gunnebo BKL-13-10 swivel eye safety hook ilo STD on Reeving cylinder or winch
BCDS0865	Single LEACH R-150 Barrel-grabber Cart Tipper Installation - Includes Load Sill Prep- Hydraulics and LEACH Cart Tipper. Includes one indicator light for tipper NOT in stowed position and a deadman switch. Load edge/tipper height may need to be adjusted after the body is mounted. (N/A with Low load sill)
BCDU0875	Replace the Single LEACH Tipper by a Perkins D6220-27K Tipper - Option BCDS0855 must be ordered separately (Specify tipper location)
BCDU0870	Replace the Dual LEACH Tippers by Perkins D6220-27K Tippers - Option BCDS0860 must be ordered separately
HHOH0800	Hydraulic oil heater: in-tank (Electric 110V)
HHPG0800	Hydraulic pressure gauge on main valve
HHFR0800	Alarm for hydraulic filter replacement on return line
HHWK0800	Alarm for low hydraulic oil level & hydraulic oil temperature
CPTO0850	Less PTO

CCPM0865	Muncie Hot Shift PTO with Shaft Extension and Double Shaft Seal Pump - Mandatory on Transmission Driven PTO for Mack Granite chassis (GU, BR, FR) with 3000RDS transmission.
CCPM0810	P75 Commercial Pump
CCPM0800	Married Pump (P50) - N/A with Factory Mounting on Mack Granite and Peterbilt A520 with RDS 3000 transmission and others not specified yet chassis. Conditional to engineering approval.
CCPM0801	Less Pump
CCPM0820	Work-At-Idle Front Mount Dual Vane Pump - Work at Idle with Dual Front Mount Vane Pump requires a minimum engine horsepower rating of 325 hp
CCPM0850	Front Pump - Muncie Live Pack
CCPM0860	Single Vane pump
HHRV0800	Hydraulic Regen Valve (shortens carrier cycle time)
HHPF0800	High pressure filter w/o dirt alarm
HEVS0800	One additional valve section with control handle on main valve
HEVS0810	Two additional valve sections with control handles on main valve
HTPR0800	Tamper proof relief valve
HTCT0800	Hydraulic tubing cover top of body
CCPM0870	Piggyback Front Pump for a Snow Plow
CCPM0855	Front Pump - Single Vane pump
BUOR0800	Chassis mounted Hydraulic Tank
HSPP0800	Snow plow provision - Additional valve (2 sections) and in-cab joystick (N/A with married pump)
EPHM0800	Hour Meter connected to pump switch
EGSE0820	Global Search Eye Infra-Red Detection System (3 sensors) w/o automatic braking system
EGSE0830	Global Search Eye Infra-Red Detection System (3 sensors) with automatic braking system
EGSE0810	Third Eye single sensor Radar Detection System
CTAN0800	Auto-neutral on brake pedal
CTIN0800	Pump Neutral Interlock : - Transmission must be in neutral to allow the hydraulic pump to work
CTOS0800	Over Speed Switch - Mandatory option for a pump mounted on PTO on Manual Transmission
CTOS0830	No overspeed protection on pump. At customer request no overspeed protection on pump provided (Manual transmission chassis only)
ESDI0800	Side Door Interlock
EEEB0810	Pump Shut-Off Switches, Both Sides Of Tailgate
EPOP0800	Pump overspeed protection at 1500 RPM
EICE800	In-cab ejection controls (tailgate lock/unlock & open/close, ejection cylinder in/out) (Automatic tailgate latches NOT included)

LAFL0805	Lights: amber, alternating, flashing 4" LED in upper tailgate - Qty 2
LBLR0825	Back up lights: Qty 2 additional on mid-body rubrails - LED type
LSLO0800	Lights: Multi-Function Strobe Lights: - LED - Upper & Lower Tailgate Light Panels
LWLK0810	Work Light: Hopper - Flush mount - Bulb - Qty 1
LWLK0815	Work Light: Hopper - Flush mount - LED - Qty 1
LWLK0820	Work Lights: Hopper - Flush mount - Bulb - Qty 2
LWLK0825	Work Lights: Hopper - Flush mount - LED - Qty 2
LWLK0835	Work Lights: Hopper - Swivel Mount - LED - Qty 2
LWLT0830	Work Lights: Tailgate Sides - Bulb - Qty 2
LWLT0835	Work Lights: Tailgate Sides - LED - Qty 2
LWLE0840	Work Light: Ejector Panel - Bulb - Qty 1
LWLE0845	Work Light: Ejector Panel - LED - Qty 1
LSLA0815	Light: Amber Strobe 6" Beacon style (NOT rotating beacon) with guard - LH Top of Tailgate - LED - Qty 1
LAFL0860	Lights: Oval Strobe - LED - Flush Mounted Tailgate Upper Light Panel - Qty 2
LAFF0850	Lights: Oval Strobe - LED - Flush Mounted Front of Body - Qty 2 (located in bulkhead except for CNG Behind Cab 82DGE where it's a on a raised structure)
LGLB0800	Guards on Rear Upper Light Bar (Expanded Metal over the stop/tail/turn left and right)
LGLB0810	Guards on Rear Upper Light Bar (Expanded Metal over all upper light bar)
LBTL0800	Lights: Trapezoidal - Under Body - Front - Bulb - Qty 2
LBTL0805	Lights: Trapezoidal - Under Body - Front - LED - Qty 2
LLPA0800	Lights: Mid-Body Turn Signals (14- 20 C.Y. Body) - LED - Qty 2
LCBL0800	Lights: Center Brake Light - LED - Upper Tailgate Light Panel
LBLT0810	Lights: Back Up Lights - Bulb - Above the hopper - Qty 2
LBLT0815	Lights: Back Up Lights - LED - Above the hopper - Qty 2
CCCC0841	Single Safety Vision camera (with shutter) : - Monitor must be selected separately - Heater - Shutter
CCCC0842	Dual Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter
CCCC0843	Triple Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter

CCCC0844	Quadruple Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter - Note : the shutter of the 4th camera (default camera - ex : hopper) will always stay opened
CCCC0801	Single 3rd Eye camera (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0802	Dual 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0803	Triple 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0804	Quadruple 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0811	Single 3rd Eye camera - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0812	Dual 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0813	Triple 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0814	Quadruple 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0821	Single Zone Defense camera (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter
CCCC0822	Dual Zone Defense cameras (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter

CCCC0823	Triple Zone Defense cameras (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter
CCCC0824	Quadruple Zone Defense cameras (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter
CCCC0827	Single Zone Defense camera (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
CCCC0828	Dual Zone Defense cameras (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
CCCC0829	Triple Zone Defense cameras (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
CCCC0830	Quadruple Zone Defense cameras (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
CCCC0847	Single Safety Vision camera (no shutter) : - Monitor must be selected separately - No Heater - No Shutter
CCCM0847	Safety Vision 5.6" color LCD monitor : - Only available for non-shuttered single camera system - No Split screen
CCCM0841	Safety Vision 7" color LCD monitor : - Included in system base price for shuttered and non-shuttered cameras - Split screen
CCCM0801	3rd Eye 7" color LCD monitor : - Included in system base price - Split screen
CCCM0803	3rd Eye 7" color LCD monitor - AWT07MLEDT : - Split screen
CCCM0804	3rd Eye 9" color LCD DVR monitor : - Split screen

CCCM0821	Zone Defense 7" color LCD monitor : - Included in system base price - Split screen - Touch screen
CCCM0822	Zone Defense 9" color LCD monitor : - Split screen - Touch screen
CCCM0823	Zone Defense 9" color DVR monitor : - Split screen - Touch screen - N/A with shuttered cameras
CCAW0800	3rd Eye Air Wash on backup camera
CCSB0800	Camera system: 3rd Eye, installed on body builder cable
AL3-0000	No camera system. At customer request no camera installed at Labrie but for safety and liability reasons camera sytem will be retrofitted after delivery.
AL3-0015	Mirror L-H side (15)
AL3-0016	Mirror R-H side (16)
AL3-0026	Windshield pointing forward (26)
AL3-0028	Windshield pointing towards driver (28)
AL3-0029	Tailgate center right (29)
AL3-0030	Alley left (30)
AL3-0031	Alley right (31)
AL3-0360	360 view - 4 cameras total (360)
BCOT0805	Broom & Shovel Holders - Both Sides Tailgate - Broom and Plastic Shovel Included
BFEX0810	Fire Extinguisher- 20 lbs (standard position : body streetside unless specified otherwise by regulation)
BFEX0820	Two (2) Fire Extinguishers- 20 lbs (standard position : body streetside and curbside unless specified otherwise by regulation)
BRWD0800	Display Sign - 32in H. x 84in L. (25 C.Y. Bodies and over)
BRWD0810	Display Sign - 32in H. x 96in L. (25 C.Y. Bodies and over)
BRWD0820	Display Sign - 48in H. x 96in L. (25 C.Y. Bodies and over)
BESK0800	Environmental spill kit (standard position : chassis curbside)
BESK0810	Spill kit, Inside toolbox (toolbox not included), BREG 9040
BBGA0800	Truck side guards (Bike guards)
BWCH0800	Wheel chocks (2) mounted curbside
BASA0810	Rubber Mud Guards - Behind Rear Axle
BASB0820	Metal Mud Guards - Front Rear Axle
BASB0830	Rubber Anti-Sail Mud Guards - Front Rear Axle
BPPG0810	Packer protection - 2nd hand enable buttons and guard (MOL 2004) - Rear loader base unit
BPPG0820	Packer protection - 2nd hand enable buttons and guard (MOL 2004) - Rear loader with Dock tipper
BATL0800	Automatic Tailgate Latches (2nd cylinder set)
BATL0810	Automatic Tailgate Latches (Single cylinder set) - 102" OAW

BBLA0800	Side Door Ladder - with Grab Handle
BBSS0850	Front Spill Shield - 30" High
BBTS0800	Full extended tailgate seal
BCAA0800	Longer Body Fenders : - Longer fenders necessary for: => AL3 14 yd, 16 yd, 18 yd, 4X2 with pusher axle => AL3 14 yd, 16 yd, 18 yd, 6X4 => AL3 25 yd, 6X4 with pusher axle (already included in 29 and 32 yd) => AL3 25, 29 and 32 yd, 6X4 with additional front steer axle
BCAA0810	Arched fender in stainless steel for Leach - NO MUD FLAPS INCLUDED
BLSH0800	Large Riding Steps - ANSI Max : - Large riding steps not compatible with push bar options BCLO0805, BCLO0815 and BCLO0820
BBWS0810	Liners - Rear Body Sides
BRWS0815	Liners - Hardox Ramp Liners - Rear Body
BSWS0862	Liners - Tailgate Hopper - 3/16" Hardox 450 Full Bottom Liner (1 Piece)
BRWS0820	Liners - Ramp Liners - Rear Body - 1/2" thick Hardox 450
BAWS0880	Liners - Tailgate Hopper Sides - 3/16" Hardox 450
BPWS0885	Liners - Packer Panel Face Liner - 1/8" thick Hardox 450
BCWS0875	Liners - Carrier Panel Face Liner - 1/8" thick Hardox 450
BWOT0810	Washout Tank - Aluminum - 50 Gallons
BGGB0810	Tailgate Hinges and Cylinders Ground Level Grease Points
BGGP0810	Centralized Grease System - Packer & Carrier Panels
BCGH0800	Calgary grab handles both sides of tailgate
BDBV0805	Drain with Ball valve at bottom of hopper
BCWP0800	Carrier Wiper - Spring type
BNLD0800	No logos or decals other than safety and Labrie Enviroquip Group logo on unit
CRAD0800	Remote air drains petcock type
CCTB0830	Toolbox: Aluminum, chassis-mounted, size: 24" x 24" x 14" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated)
CCTB0800	Toolbox: Aluminium, chassis-mounted, size: 24" x 24" x 24" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated)
CCTB0810	Toolbox: Aluminium, chassis-mounted, size: 24" x 24" x 36" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated)
CBFH0800	Chassis, Holes filling, Grade 8 bolts in the holes without paint on the chassis
CFSS0800	Fire Suppression system Safecraft LT5

CWBM0800	Wheelbase modification: Lengthen single axle chassis WB (including longer ABS cable & drive shaft) (before body installation only) (QC BODY MOUNT)
CWBM0805	Wheelbase modification: Shorten single axle chassis WB (before body installation only) (QC BODY MOUNT)
CWBM0810	Wheelbase modification: Lengthen tandem axle chassis WB (including longer ABS cable & drive shaft) (before body installation only) (QC BODY MOUNT)
CWBM0815	Wheelbase modification: Shorten tandem axle chassis WB (before body installation only) (QC BODY MOUNT)
PCBP0810	Body: 1 Color Urethane Body Paint - Included in unit base price - Includes bolt-on parts painted body color
PCBP0800	Body: 1 Color Base Coat/Clear Coat Body Paint - Includes bolt-on parts painted body color
PCBP0820	Body: 2 Colors Urethane Body Paint - 1 color separation - Includes bolt-on parts painted body color
PCBP0825	Body: 2 Colors Base Coat/Clear Coat Body Paint - 1 color separation - Includes bolt-on parts painted body color
PPCE0820	Cab : Urethane Paint (Cab Exterior) 1 color (other than color supplied) - No paint scheme - Including doors jambs
PPCE0830	Cab : Base Coat/Clear Coat Paint (Cab Exterior) 1 color (other than color supplied) - No paint scheme - Including doors jambs
PPCE0825	Cab : Urethane Paint (Cab Exterior) 2 colors (other than color supplied) - With paint scheme (1 color separation) - Including doors jambs
PPCE0810	Cab : Base Coat/Clear Coat Paint (Cab Exterior) 2 colors (other than color supplied) - With paint scheme (1 color separation) - Including doors jambs
PCCP0819	Paint Chassis Components - Customer Color (other than black)
FEWA0850-1	PLAN A1 - Add 1 year on body & hydraulics for a total of 2 years (PARTS AND LABOR)
FEWA0850-2	PLAN A2 - Add 2 years on body & hydraulics for a total of 3 years (PARTS AND LABOR)
FEWA0850-3	PLAN A3 - Add 3 years on body & hydraulics for a total of 4 years (PARTS AND LABOR)
FEWA0850-4	PLAN A4 - Add 4 years on body & hydraulics for a total of 5 years (PARTS AND LABOR)
HEWA0850-1	PLAN B1 - Add 1 year on hydraulics PUMPS AND VALVES only for a total of 2 years (PARTS AND LABOR)

HEWA0850-2	PLAN B2 - Add 2 years on hydraulics PUMPS AND VALVES only for a total of 3 years (PARTS AND LABOR)
HEWA0850-3	PLAN B3 - Add 3 years on hydraulics PUMPS AND VALVES only for a total of 4 years (PARTS AND LABOR)
HEWA0850-4	PLAN B4 - Add 4 years on hydraulics PUMPS AND VALVES only for a total of 5 years (PARTS AND LABOR)
CEWA0850-1	PLAN C1 - Add 1 year on hydraulic CYLINDERS only for a total of 2 years (PARTS AND LABOR)
CEWA0850-2	PLAN C2 - Add 2 years on hydraulic CYLINDERS only for a total of 3 years (PARTS AND LABOR)
CEWA0850-3	PLAN C3 - Add 3 years on hydraulic CYLINDERS only for a total of 4 years (PARTS AND LABOR)
CEWA0850-4	PLAN C4 - Add 4 years on hydraulic CYLINDERS only for a total of 5 years (PARTS AND LABOR)