

CCNG2501	CNG neck-mounted fuel tank (Behind Cab) - Qty 3 tanks - 50DGE
CCNG2500	CNG neck-mounted fuel tank (Behind Cab) - Qty 4 tanks - 66DGE
CCNG2503	CNG neck-mounted fuel tank (Behind Cab) - Qty 5 tanks - 82DGE
CCNG2505	CNG neck-mounted fuel tank (Roof Mounted) - Qty 4 tanks - 60DGE (Hopper Roof optional)
CCNG2510	CNG neck-mounted fuel tanks (Roof Mounted) - Qty 5 tanks - 75DGE (Hopper Roof optional)
CCNG2515	CNG neck-mounted fuel tanks (Roof Mounted) - Qty 4 tanks - 100DGE (Body size must be 27 yds. minimum) (Hopper Roof optional)
CCNG2520	CNG neck-mounted fuel tanks (Tailgate mounted) Qty 2 tanks - 86DGE (Available with tailgate 0 cu. yds. only - Conditional to engineering approval)
CCNG2530	CNG neck-mounted fuel tanks (Tailgate mounted) Qty 3 tanks - 96DGE (Available with tailgate 0 cu. yds. only - Conditional to engineering approval)
CNGI2530	Ignition interlock on filling port cap (Street side port) (Not available on transit-style port)
CNGC2535	Ignition interlock on filling port cap (Front port)
CNGF2540	Transit style port on street side
CNGP2550	Filling port on street side front bumper
CNGA2500	In-cab CNG gas alarm system
CNGR2500	Hopper Roof for CNG Roof Mounted system
CNRD2500	Rear deflector for CNG Roof Mounted system
CNGW2500	CNG Winter Package
AGCD2510	Grabber counting device: counts number of carts dumped
AGRB2500	Grabber with bolted rubber blocks ILO straps
AHLB2500	Loading bucket on Helping Hand arm (Gripper shipped loose for future installation). (Included : Hook to secure the Helping Hand arm in place (ARM UP PARKED IN THE HOPPER) when the pump is off).
AAJC2500	Arm joystick controls in-cab: Dual-side- moveable (N/A on cab-over chassis)
AAJC2510	Arm joystick controls in-cab: Dual joystick (Conventional and cab-over)
AAAC2550	Auxiliary arm controls in-cab: RH-side, (Mini-joystick style)
APJC2500	Packer control on joystick
ACJC2500	Crusher panel control on joystick
HPTO2540	Hot-Shift PTO with pump mounted on crossmember

HHOH2500	Hydraulic oil heater: in-tank (Electric 110V)
HHOC2500	Hydraulic oil cooler
HHFD2520	High pressure filter with dirt alarm (body hydraulics only)
HHFD2530	High pressure filter with dirt alarm (arm hydraulics only)
HHFD2540	High pressure filters (2) with dirt alarm (body and arm hydraulics)
HHPG2500	Hydraulic pressure gauge on main valve
HHFR2500	Alarm for hydraulic filter replacement on return line
HHWK2510	Alarm for hydraulic oil temperature
HHWK2520	Alarm for low hydraulic oil level
HHWK2500	Alarm for low hydraulic oil level & hydraulic oil temperature
HPCR2500	Packer cylinders hydraulic oil regeneration (not available with ISL-G or L9N engine)
HPSO2500	Automatic pump shut off at 50 km/h- 32 mph
HSP2500	Snow plow provision - Additional valve (2 sections) and in-cab joystick
EBCV2500	Body control valve: electric-over-hydraulic
EPHM2500	Hour Meter connected to pump switch
EGSE2520	Global Search Eye Infra-Red Detection System (3 sensors) w/o automatic braking system
EGSE2530	Global Search Eye Infra-Red Detection System (3 sensors) with automatic braking system
EGSE2510	Third Eye single sensor Radar Detection System
EMSL2500	Truck speed limited at 11 km/h - 7 mph if arm not stowed (For Mack MP7 and Detroit Diesel engines only)
EMSL2510	Engine speed limited at 900 RPM if arm not stowed (For all Cummins engines except L-9 and Paccar engines only)
EMSL2515	Engine speed limited at 1200 RPM if arm not stowed (For Cummins L-9 engines only)
EAOA2500	Arm out alarm set at 1 mph
MSPP2500	Multiplex system password protection
CSLA2530	Light: amber strobe 6" Whelen L10 on cab; in-cab switch; Qty 1
CSLA2540	Light: amber strobe 6" Whelen L41, on cab: in-cab switch; Qty 1
LAFL2500	Lights: amber, alternating, flashing 4" LED in upper tailgate - Qty 2
LAFF2550	Lights: amber, alternating, flashing 4" LED in front-of-body - Qty 2 (located in bulkhead except for CNG Behind Cab where it's a on a raised structure)
LAFL2570	Lights: amber, alternating, strobing 4" LED in upper tailgate - Qty 2
LAFF2560	Lights: amber, alternating, strobing 4" LED in front-of-body - Qty 2 (located in bulkhead except for CNG Behind Cab where it's a on a raised structure)
LBLT2500	Back up lights: Qty 2 additional on tailgate, position 2/3 - 4" Bulb type
LBLT2505	Back up lights: Qty 2 additional on tailgate position 2/3 - 4" LED type

LBLT2510	Back up lights: Qty 2 additional on tailgate, position 1/2 - 4" Bulb type
LBLT2515	Back up lights: Qty 2 additional on tailgate position 1/2 - 4" LED type
LBLR2520	Back up lights: Qty 2 additional on mid-body rubrails - Bulb type
LBLR2525	Back up lights: Qty 2 additional on mid-body rubrails - LED type
LLPA2500	LED light package: Additional red central brake light, stop, turn & tail lights in special tailgate light box
LLTD2525	Bar light 48" LED light traffic director: SWS Model 59050/59056 in middle of tailgate - in cab switch
LSLA2520	Light: amber strobe 6" Whelen L10 in center of tailgate: in-cab switch - Qty 1
LSLA2530	Light: amber strobe 6" Whelen L41, in center of tailgate; in-cab switch - Qty 1
LBLP2510	High Visibility Lighting Package: - Oval 6 inches red central brake light on tailgate. Qty 1 - Round 4 inches red stop lights in upper tailgate light bar. Qty 2 - Round 4 inches amber turn signals in upper tailgate light bar. Qty 2 - Replacement of the STD red turn-tail lights by amber turn signals on tailgate lower light bar. Qty 2 - Additional marker lights on each side of top body's rear. Qty 2 - Oval 6 inches amber Whelen strobe lights on additional light bar center of tailgate. Qty 5 - Oval 6 inches amber Whelen strobe lights each side of additional tailgate light bar. Qty 2 - Round 4 inches LED back up lights on tailgate. Qty 2 - Round 4 inches LED back up lights on mid-body rubrails with guards. Qty 2 - Round 4 inches LED work light, hopper and RH side rail. Qty 2 - Strobe lights activated manually, hydraulics turned on, or transmission reverse
LLTD2520	Whelen Light Bar on Tailgate: - Amber Strobe Lights - on Additional Light Bar - Center of Tailgate - Qty 5 - Amber Strobe Lights - Each Side of Additional Tailgate Light Bar - Qty 2
LLPA2510	Multifunction Lights Package: - Multifunction round amber lights (4) - Oval center brake light, red, in upper tailgate (1) - Round brake lights, red, in upper tailgate light bar (2)
LWLK2510	Work light kit: single, in-cab single manual switch - Bulb type
LWLK2515	Work light kit: single, in-cab single manual switch - LED type

LWLK2520	Work light kit: dual, in-cab single manual switch - Bulb type
LWLK2525	Work light kit: dual, in-cab single manual switch - LED type
LWLK2530	Work light kit: triple, in-cab single manual switch - Bulb type
LWLK2535	Work light kit: triple, in-cab single manual switch - LED type
LSSO2500	Automatic strobe lights shut-off at 50 km/h - 32 mph
AUHL-0001	LH-side hopper (1)
AUHL-0003	RH-side post (3)
AUHL-0004	RH-side rail (4)
CCCC2541	Single Safety Vision camera (with shutter) : - Monitor must be selected separately - Heater - Shutter
CCCC2542	Dual Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter
CCCC2543	Triple Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter
CCCC2544	Quadruple Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter - Note : the shutter of the 4th camera (default camera - ex : hopper) will always stay opened
CCCC2501	Single 3rd Eye camera (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC2502	Dual 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC2503	Triple 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC2504	Quadruple 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC2511	Single 3rd Eye camera - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter

CCCC2512	Dual 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC2513	Triple 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC2514	Quadruple 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC2521	Single Zone Defense camera (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter
CCCC2522	Dual Zone Defense cameras (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter
CCCC2523	Triple Zone Defense cameras (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter
CCCC2524	Quadruple Zone Defense cameras (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter
CCCC2527	Single Zone Defense camera (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
CCCC2528	Dual Zone Defense cameras (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
CCCC2529	Triple Zone Defense cameras (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter

CCCC2530	<p>Quadruple Zone Defense cameras (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter</p>
CCCM2541	<p>Safety Vision 7" color LCD monitor : - Included in system base price for shuttered and non-shuttered cameras - Split screen</p>
CCCM2501	<p>3rd Eye 7" color LCD monitor : - Included in system base price - Split screen</p>
CCCM2503	<p>3rd Eye 7" color LCD monitor - AWT07MLEDT : - Split screen</p>
CCCM2504	<p>3rd Eye 9" color LCD DVR monitor : - Split screen</p>
CCCM2521	<p>Zone Defense 7" color LCD monitor : - Included in system base price - Split screen - Touch screen</p>
CCCM2522	<p>Zone Defense 9" color LCD monitor : - Split screen - Touch screen</p>
CCCM2523	<p>Zone Defense 9" color DVR monitor : - Split screen - Touch screen - N/A with shuttered cameras</p>
CCAW2500	3rd Eye Air Wash on backup camera
CCSB2500	Camera system: 3rd Eye, installed on body builder cable
CCPC2500	Protection cages on cameras
AUH-0000	No camera system. At customer request no camera installed at Labrie but for safety and liability reasons camera sytem will be retrofitted after delivery.
AUH-0001	Tailgate center 2/3 (1)
AUH-0002	Tailgate center 1/2 (2)
AUH-0003	Center tailgate 1/3 (3)
AUH-0004	Hopper LH-side (4)
AUH-0005	RH-side post (5)
AUH-0006	RH-side rail (6)
AUH-0007	Tailgate center left 2/3 (7)
AUH-0008	Tailgate center right 2/3 (8)
AUH-0009	Tailgate center left 1/2 (9)
AUH-0010	Tailgate Center right 1/2 (10)
AUH-0011	Alley left 2/3 (11)
AUH-0012	Alley right 2/3 (12)
AUH-0013	Alley left 1/2 (13)
AUH-0014	Alley right 1/2 (14)
AUH-0015	Mirror L-H side (15)
AUH-0016	Mirror R-H side (16)

AUH-0026	Windshield pointing forward (26)
AUH-0028	Windshield pointing towards driver (28)
AUH-0360	360 view - 4 cameras total (360)
BALS2510	Ground level grease points: for tailgate & hopper door hinges
BSAL2500	Auto-lube system for Helping Hand arm only - 13 points (full)
BPLS2500	Central grease point for packer shoes and rails
BRLS2500	Central grease point for follower panel rollers
BASB2500	Anti-sail bars on rear mudflaps (N/A with tag axle)
BCOT2500	Clean out tools (broom, hoe & shovel kit including brackets; installed at front-of-body)
BHRO2500	Hopper roof to protect against wind, rain or snow (Max Height: 13' 6") (Not available with roof mounted CNG)
BFEX2510	Fire Extinguisher- 20 lbs (standard position : body curbside unless specified otherwise by regulation)
BFEX2520	Two (2) Fire Extinguishers- 20 lbs (standard position : body streetside and curbside unless specified otherwise by regulation)
BHWS2500	Hopper floor liner: 0.250" Hardox 450 steel
BHSL2500	Hopper side wall liners: 4mm Hardox 450 steel
BSFL2510	Body floor liner at front-of-body: 0.160" Hardox 450 steel - 48" long
BSFL2520	Body floor liner: 0.160" Hardox 450 steel - full length
BSWL2535	Body Side Wall liners: 1/8" x 18" x 24" Hardox 450
BRTB2500	Retainer teeth under breaker bar
BWBT2500	Continuous body welding at specified points
BRWD2500	Display Signs - 32in H. x 84in L.
BRWD2510	Display Signs - 32in H. x 96in L.
BRWD2520	Display Signs - 48in H. x 96in L. (N/A on 20 cu.yds CNG roof mount)
BESK2500	Environmental spill kit installed on body
BESK2510	Spill kit, Inside toolbox (toolbox not included), BREG 9040
BBGA2500	Truck side guards (Bike guards)
BWCH2500	Wheel chocks (2) mounted curbside
BCHT2500	Cart holders on tailgate (2) (Subject to space availability)
BFBP2500	Front body panel, paper guard (Screen)
BFBP2510	Front body panel, splash guard (Solid panel)
BTDP2500	Tailgate drip pan (NOT available with tag axle)
BNLD2500	No logos or decals other than safety and Labrie Enviroquip Group logo on unit
BASN2500	Mud flaps w/o Logo
CRAD2500	Remote air drains petcock type
CCTB2500	Toolbox: Aluminium, chassis-mounted, size: 24" x 24" x 24" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated)

CCTB2530	Toolbox: Aluminum, chassis-mounted, size: 24" x 24" x 14" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated)
CBTB2540	Toolbox: Aluminum tool box mounted on ICC DOT bumper
CERM2520	Exhaust routing modification on International chassis - EPA2010.
CRTH2500	Rear tow hooks (2)
CBFH2500	Chassis, Holes filling, Grade 8 bolts in the holes without paint on the chassis
CFSS2500	Fire Suppression system Safecraft LT5
CWBM2500	Wheelbase modification: Lengthen single axle chassis WB (including longer ABS cable & drive shaft)
CWBM2505	Wheelbase modification: Shorten single axle chassis WB
CWBM2510	Wheelbase modification: Lengthen tandem axle chassis WB (including longer ABS cable & drive shaft)
CWBM2515	Wheelbase modification: Shorten tandem axle chassis WB
CHPA2510	13.5K Hendrickson Compositelite steerable tag axle (including steel wheels and tires)
CHPA2520	13.5K Hendrickson Compositelite steerable tag axle (including aluminum wheels and tires)
PCBP2510	Body: 1 Color Urethane Body Paint - Included in unit base price - Includes bolt-on parts painted body color
PCBP2500	Body: 1 Color Base Coat/Clear Coat Body Paint - Includes bolt-on parts painted body color
PCBP2520	Body: 2 Colors Urethane Body Paint - 1 color separation - Includes bolt-on parts painted body color
PCBP2525	Body: 2 Colors Base Coat/Clear Coat Body Paint - 1 color separation - Includes bolt-on parts painted body color
PPCE2520	Cab : Urethane Paint (Cab Exterior) 1 color (other than color supplied) - No paint scheme - Including doors jambs
PPCE2530	Cab : Base Coat/Clear Coat Paint (Cab Exterior) 1 color (other than color supplied) - No paint scheme - Including doors jambs
PPCE2525	Cab : Urethane Paint (Cab Exterior) 2 colors (other than color supplied) - With paint scheme (1 color separation) - Including doors jambs
PPCE2535	Cab : Base Coat/Clear Coat Paint (Cab Exterior) 2 colors (other than color supplied) - With paint scheme (1 color separation) - Including doors jambs
PZUC2500	Undercoating on cab: chassis & body

PSSS2510	CAUTION THIS VEHICLE STOPS AND BACKS FREQUENTLY, 74.5in x 23.5in (black on yellow background)
PSSS2520	CAUTION THIS VEHICLE MAKES FREQUENT STOPS STAY BACK 50 FEET, 65in x 20in (red on white background)
PSSD2530	SLOW DOWN TO GET AROUND, 36in x 18in
CACH0600	Auxiliary cab heater & glove dryer: on RH-side, stand-up drive - 12,500 BTU
CADS0600	Air driver's sliding seat: vinyl, no armrest - Bostrum type
CADS0610	Air driver and passenger sliding seats: vinyl, no armrest - Bostrum type
CADS0690	Air driver seat moved from LH-side to Sit-down drive conversion on RH-side
CANB0600	Auto-neutral on brake pedal
CCFR0620	Heated floor on RH-side cab conversion
CDMP0600	Deadman platform on low entry floor
CDPI0620	Dashboard package on cab conversion: engine temperature, engine-oil pressure & transmission temperature gauge on RH-side
CLRH0600	Low entry on RH-side ONLY: without pedals & steering; requires Deadman platform option (International and Freightliner cabs)
CSLH0600	Stand-up drive on LH-side: with pedals & lateral sliding seat (International cab only)
CSRH0600	Stand-up drive on RH-side: with pedals & steering (International and Freightliner cabs only)
CSRH0610	Sit-down drive on RH-side: with pedals & steering (International and Freightliner cabs only - Seat not included)
CWDF0600	Windshield defroster fans: Qty 2
CWFD0600	Windows in foldable door on RH-side: Qty 4
LWLM0600	Work light on cab conversion RH-side (4), in-cab manual switch, auto-activated by work brake, on Stand-up drive only - Bulb type
LWLM0610	Work light on cab conversion RH-side (4), in-cab manual switch, auto-activated by work brake, on Stand-up drive only - LED type
CRBR0600	Automatic retainer arm in RHSUD cab door
CRBL0610	Automatic retainer arm in LHSUD cab door
CHBM0600	Two (2) heated bus type mirrors on cab fenders (for International or Freightliner cab without Labrie cab conversion)
CHBM0610	One (1) Unheated bus type mirror on cab LH side (for Cab Over chassis without Labrie cab conversion)
CHBM0620	One (1) Heated bus type mirror on cab LH side (for Cab Over chassis without Labrie cab conversion)