Expert Manual (Do not share or reproduce unless approved by Labrie Group Management)

Category	Option	English description
Product Standards	STD0307	Tapered body
Product Standards	STD0304	Hopper floor and slope liners 1/4" Hardox 500 steel
Product Standards	STD0305	Hopper side walls liners 0.157" Hardox 450 steel
Product Standards	STD0306	Onboard diagnostic tool with LCD display
Product Standards	STD0310	Circuit breakers with manual reset
Product Standards	STD0311	Zinc-plated hydraulic tubing
Product Standards	STD0312	ANSI Z245.1-2012 compliant
Product Standards	STD0313	Body blasted with steel grit
Product Standards	STD0314	Marine rust inhibitor treatment on body
Product Standards	STD0315	Warranty on Body & Hydraulics: 1 Year
Body Size	XMCS0150	Total capacity 15 cu.yd. (15+0)
Body Size	XMCS0152	Total capacity 17 cu.yd. (15+2)
Body Size	XMCS0200	Total capacity 20 cu.yd. (20+0)
Body Size	XMCS0202	Total capacity 22 cu.yd. (20+2)
Body Size	XMCS0204	Total capacity 24 cu.yd. (20+4)
Body Size	XMCS0206	Total capacity 26 cu.yd. (20+6)
Body Size	XMCS0220	Total capacity 22 cu.yd. (22+0) - For Tag axle
Body Size	XMCS0222	Total capacity 24 cu.yd. (22+2) - For Tag axle
Body Size	XMCS0224	Total capacity 26 cu.yd. (22+4) - For Tag axle
Body Size	XMCS0224	Total capacity 28 cu.yd. (22+6) - For Tag axle
Body Size	XMCS0220	Total capacity 27 cu.yd. (27+0)
Body Size	XMCS0270 XMCS0272	Total capacity 27 cu.yd. (27+0)
Body Size	XMCS0272	Total capacity 31 cu.yd. (27+4)
Body Size	XMCS0274 XMCS0276	Total capacity 31 cu.yd. (27+4) Total capacity 33 cu.yd. (27+6)
Body Size	XMCS0270	Total capacity 33 cu.yd. (21+0) - For Tag axle or Telma
Body Size	XMCS0310 XMCS0312	Total capacity 31 cu.yd. (31+0) - For Tag axle or Telma
Body Size	XMCS0312 XMCS0314	Total capacity 35 cu.yd. (31+2) - For Tag axle or Telma
Body Size	XMCS0314 XMCS0316	Total capacity 35 cu.yd. (31+4) - For Tag axle or Telma
Body Size	AMICSUSTO	Drop-frame only by Labrie (Hydraulic and fuel tank not
Configurative Features	CDFL0301	included, must be selected separately)
Configurative Features	CHFT0300	Tanks, Saddle tanks: combo 65 gal. fuel / 71 gal. hydraulic
Comigarative r catales	0111 10000	(Cab-over Diesel)
Configurative Features	CHFT0310	Tanks, Saddle tanks: larger - combo 85 gal. fuel / 71 gal.
Configurative realtires	CHI 10310	Hydraulic (Cab-over Diesel)
Configurative Features	CHFT0320	Tank, Hydraulic tank in drop section - 65 gal. (All chassis
Configurative realtires	CHI 10320	Diesel or CNG)
Configurative Features	CHFT0330	Tank, Single hydraulic saddle tank - 65 gal. (Cab-over
Configurative Features	CHETUSSU	Diesel or CNG)
Configurative Features	CFTD0301	Tank, All chassis Diesel: Main Fuel tank in drop section - 65
Configurative Features	CFTD0301	gal. (If OEM tank cannot be used)
Configurative Features	BCPH0300	Deduct for no crusher panel
		Glass compartment in hopper - 3 cu. yd 2 compartments
Configurative Features	BGCB0300	(Crusher panel not available on street side) (Body size must
5		be 20 yds. minimum)
		Glass compartment in hopper - 3 cu. yd 1 compartment
Configurative Features	BGCB0310	(Crusher panel not available on street side) (Body size must
		be 20 yds. minimum)
	1	Glass compartment in body - 5 cu.yd 1 compartment
Configurative Features	BGCB0320	(With domestic cart attachment) (N/A with Co-mingle units)
- Collingulative r Catalos	50050020	(Body size must be 20 yds. minimum)
Compressed Natural gas	001100001	CNG neck-mounted fuel tank (Behind Cab) - Qty 3 tanks -
(CNG)	CCNG0301	50DGE
(00)	1	100001

1	
CCNG0300	CNG neck-mounted fuel tank (Behind Cab) - Qty 4 tanks - 66DGE
CCNG0303	CNG neck-mounted fuel tank (Behind Cab) - Qty 5 tanks - 82DGE
CCNG0305	CNG neck-mounted fuel tank (Roof Mounted) - Qty 4 tanks - 60DGE (Hopper Roof optional)
CCNG0310	CNG neck-mounted fuel tanks (Roof Mounted) - Qty 5 tanks - 75DGE (Hopper Roof optional)
CCNG0315	CNG neck-mounted fuel tanks (Roof Mounted) - Qty 4 tanks - 100DGE (Body size must be 27 yds. minimum) (Hopper
	Roof optional) CNG neck-mounted fuel tanks (Tailgate mounted) Qty 2
CCNG0320	tanks - 86DGE (Available with tailgate 0 cu. yds. only - Conditional to engineering approval)
CCNG0330	CNG neck-mounted fuel tanks (Tailgate mounted) Qty 3 tanks - 96DGE (Available with tailgate 0 cu. yds. only - Conditional to engineering approval)
CNGI0330	Ignition interlock on filling port cap (Street side port) (Not available on transit-style port)
CNGC0335	Ignition interlock on filling port cap (Front port)
CNGF0340	Transit style port on street side
CNGP0350	Filling port on street side front bumper
CNGA0300	In-cab CNG gas alarm system
CNGR0300	Hopper Roof for CNG Roof Mounted system
CNRD0300	Rear deflector for CNG Roof Mounted system
CNGW0300	CNG Winter Package
BCTR0300	R-H side cart tipper, Series 100 Actuator style (N/A with Comingle units)
BCTR0310	R-H side cart tipper, Series 220 Cylinder style
BCTR0320	R-H side cart tipper, Series 330 Hi-Lift, Cylinder style, single cart
BCTR0330	R-H side cart tipper plumbing only (Includes flow divider and control valve)
BCCR0300	Cart counter for cart tipper, right hand side
BCTL0300	L-H side cart tipper, Series 100 Actuator style, Includes Packer and Crusher panel controls (Not available with Dual Helping-Hand) (N/A with Co-mingle units)
BCTL0310	L-H side cart tipper, Series 220 Cylinder style, includes Packer and Crusher panel controls and Chute controls if equipped (Not available with Dual Helping-Hand) (N/A with Helping-Hand Co-mingle units)
BCTL0320	L-H side cart tipper, Series 330 Hi-Lift, Cylinder style, includes Packer and Crusher panel controls and Chute controls (Not available with Dual Helping-Hand) (Only model available with Helping Hand comingle units)
BCTL0330	L-H side cart tipper plumbing, includes Packer and Crusher panel controls and Chute controls if equipped (Not available with Dual Helping-Hand)
BCCL0300	Cart counter for cart tipper, left hand side
ECKA0340	LH-side outside controls : Additional Packer and Crusher panel controls (Included with cart tipper on L-H side. N/A with Co-mingle units with chute)
	CCNG0303 CCNG0305 CCNG0310 CCNG0315 CCNG0320 CCNG0330 CNG0335 CNGF0340 CNGP0350 CNGA0300 CNGR0300 CNGR0300 CNGR0300 CNRD0300 BCTR0310 BCTR0310 BCTR0320 BCTL0300 BCTL0300 BCTL0300 BCTL0300

	1	111 - 01111
Hydraulic Options	HPTO0340	Hot-Shift PTO with pump mounted on crossmember
Hydraulia Optiona	HHOH0300	(Automated or Manual) Hydraulic oil heater: in-tank (Electric 110V)
Hydraulic Options	HHOH0300 HHFD0320	
Hydraulic Options		High pressure filter with dirt alarm (body hydraulics only)
Hydraulic Options	HHPG0300	Hydraulic pressure gauge on main valve
Hydraulic Options	HHTG0300	Hydraulic temperature gauge in multiplex display
Hydraulic Options	HHFR0300	Alarm for hydraulic filter replacement on return line
Hydraulic Options	HHWK0310	Alarm for hydraulic oil temperature
Hydraulic Options	HHWK0320	Alarm for low hydraulic oil level
Hydraulic Options	HHWK0300	Alarm for low hydraulic oil level & hydraulic oil temperature
Hydraulic Options	HPCR0300	Packer cylinders hydraulic oil regeneration (not available with ISL-G or L9N engine)
Hydraulic Options	HPSO0300	Automatic pump shut off at 50 km/h- 32 mph
Hydraulic Options	HSPP0300	Snow plow provision - Additional valve (2 sections) and incab joystick
Electrical Options	EBCV0300	Body control valve: electric-over-hydraulic
Electrical Options	EPHM0300	Hour Meter connected to pump switch
		Global Search Eye Infra-Red Detection System (3 sensors)
Electrical Options	EGSE0320	w/o automatic braking system
		Global Search Eye Infra-Red Detection System (3 sensors)
Electrical Options	EGSE0330	with automatic braking system
Electrical Options	EGSE0310	Third Eye single sensor Radar Detection System
Electrical Options	MSPP0300	
Electrical Options	WISFFUSUU	Multiplex system password protection Light: amber strobe 6" Whelen L10 on cab; in-cab switch;
Lighting Options	CSLA0330	
		Qty 1
Lighting Options	CSLA0340	Light: amber strobe 6" Whelen L41, on cab: in-cab switch;
3 3 1		Qty 1
Lighting Options	LAFL0300	Lights: amber, alternating, flashing 4" LED in upper tailgate -
		Qty 2
		Lights: amber, alternating, flashing 4" LED in front-of-body -
Lighting Options	LAFF0350	Qty 2 (located in bulkhead except for CNG Behind Cab
		where it's a on a raised structure)
Lighting Options	LAFL0370	Lights: amber, alternating, strobing 4" LED in upper tailgate -
Lighting Options	LAFL0370	Qty 2
		Lights: amber, alternating, strobing 4" LED in front-of-body -
Lighting Options	LAFF0360	Qty 2 (located in bulkhead except for CNG Behind Cab
		where it's a on a raised structure)
		Back up lights: Qty 2 additional on tailgate, position 2/3 - 4"
Lighting Options	LBLT0300	Bulb type
		Back up lights: Qty 2 additional on tailgate position 2/3 - 4"
Lighting Options	LBLT0305	LED type
		Back up lights: Qty 2 additional on tailgate, position 1/2 - 4"
Lighting Options	LBLT0310	Bulb type
		Back up lights: Qty 2 additional on tailgate position 1/2 - 4"
Lighting Options	LBLT0315	, , ,
		LED type Back up lights: Qty 2 additional on mid-body rubrails - Bulb
Lighting Options	LBLR0320	
		type
Lighting Options	LBLR0325	Back up lights: Qty 2 additional on mid-body rubrails - LED
3 1 3 1 1 1 1 1		type
Lighting Options	LLPA0300	LED light package: Additional red central brake light, stop,
g.,g	221710000	turn & tail lights in special tailgate light box
Lighting Options	LLTD0325	Bar light 48" LED light traffic director: SWS Model
Lighting Options	LL I DUSZS	59050/59056 in middle of tailgate - in cab switch
Lighting Ontions	1.01.40220	Light: amber strobe 6" Whelen L10 in center of tailgate: in-
Lighting Options	LSLA0320	cab switch - Qty 1
Limbing Ontings	1.01.40000	Light: amber strobe 6" Whelen L41, in center of tailgate; in-
Lighting Options	LSLA0330	cab switch - Qty 1
I	<u> </u>	1

	T	History Visited Line Line Line Declared
		High Visibility Lighting Package:
		-Oval 6 inches red central brake light on tailgate. Qty 1
		-Round 4 inches red stop lights in upper tailgate light bar.
		Qty 2
		-Round 4 inches amber turn signals in upper tailgate light
		bar. Qty 2
		-Replacement of the STD red turn-tail lights by amber turn
		signals on tailgate lower light bar. Qty 2
		-Additional marker lights on each side of top body's rear.
Lighting Options	LBLP0310	Qty 2
		-Oval 6 inches amber Whelen strobe lights on additional
		light bar center of tailgate. Qty 5
		-Oval 6 inches amber Whelen strobe lights each side of
		additional tailgate light bar. Qty 2
		-Round 4 inches LED back up lights on tailgate. Qty 2
		-Round 4 inches LED back up lights on mid-body rubrails
		with guards. Qty 2
		-Round 4 inches LED work light, hopper and RH side rail.
		Qty 2
		-Strobe lights activated manually, hydraulics turned on, or Whelen Light Bar on Tailgate:
		- Amber Strobe Lights - on Additional Light Bar - Center of
Linktin o Ontino	LLTDooo	
Lighting Options	LLTD0320	Tailgate - Qty 5
		- Amber Strobe Lights - Each Side of Additional Tailgate
		Light Bar - Qtv 2
		Multifunction Lights Package:
Lighting Options	LLPA0310	-Multifunction round amber lights (4)
Lighting Options	LLF A0310	-Oval center brake light,red, in upper tailgate (1)
		-Round brake lights, red, in upper tailgate light bar (2)
Lighting Options	LWLK0310	Work light kit: single, in-cab single manual switch - Bulb type
	211210010	Trenk light title enligte, in east enligte manaar enlight. Balls type
Lighting Options	LWLK0315	Work light kit: single, in-cab single manual switch - LED type
Lighting Options	LWLK0320	Work light kit: dual, in-cab single manual switch - Bulb type
Lighting Options	LWLK0325	Work light kit: dual, in-cab single manual switch - LED type
Lighting Options	LWLK0330	Work light kit: triple, in-cab single manual switch - Bulb type
		1
Lighting Options	LWLK0335	Work light kit: triple, in-cab single manual switch - LED type
Lighting Options	LSSO0300	Automatic strobe lights shut-off at 50 km/h - 32 mph
Lighting Options	EXL-0001	LH-side hopper (1)
Lighting Options	EXL-0002	LH-side rail (2)
Lighting Options	EXL-0003	RH-side post (3)
Lighting Options	EXL-0004	RH-side rail (4)
		Single Safety Vision camera (with shutter) :
Camera Options	00000044	- Monitor must be selected separately
	CCCC0341	- Heater
		- Shutter
Camera Options		Dual Safety Vision cameras (with shutter) :
	00000015	- Monitor must be selected separately
	CCCC0342	- Heater
		- Shutter
		Triple Safety Vision cameras (with shutter) :
		- Monitor must be selected separately
Camera Options	CCCC0343	- Heater
		- Shutter
<u> </u>		i Oliuttoi

		Quadruple Safety Vision cameras (with shutter) :
		- Monitor must be selected separately
		- Heater
Camera Options	CCCC0344	- Shutter
		- Note : the shutter of the 4th camera (default camera - ex :
		hopper) will always stay opened Single 3rd Eye camera (no shutter) :
Carrage Ontions	00000004	- Monitor must be selected separately
Camera Options	CCCC0301	- Heater
		- No Shutter
		Dual 3rd Eye cameras (no shutter) :
Camera Options	CCCC0302	- Monitor must be selected separately
Camera Options	00000002	- Heater
		- No Shutter
		Triple 3rd Eye cameras (no shutter) :
Camera Options	CCCC0303	- Monitor must be selected separately
Camera Options	0000000	- Heater
		- No Shutter
		Quadruple 3rd Eye cameras (no shutter) :
Camera Options	CCCC0304	- Monitor must be selected separately
'		- Heater
		- No Shutter Single 3rd Eye camera - Wide angle (no shutter) :
Camera Options	CCCC0311	- Monitor must be selected separately
·		- Heater
		- No Shutter Dual 3rd Eye cameras - Wide angle (no shutter) :
		- Monitor must be selected separately
Camera Options	CCCC0312	- Heater
		- No Shutter
		Triple 3rd Eye cameras - Wide angle (no shutter) :
		- Monitor must be selected separately
Camera Options	CCCC0313	- Heater
		- No Shutter
		Quadruple 3rd Eye cameras - Wide angle (no shutter) :
0	00000044	- Monitor must be selected separately
Camera Options	CCCC0314	- Heater
		- No Shutter
		Single Zone Defense camera (with shutter) :
		(N/A with DVR monitor)
Camera Options	CCCC0321	- Monitor must be selected separately
		- Heater
		- Shutter
		Dual Zone Defense cameras (with shutter) :
		(N/A with DVR monitor)
Camera Options	CCCC0322	- Monitor must be selected separately
		- Heater
		- Shutter
		Triple Zone Defense cameras (with shutter) :
Camera Options	0000000	(N/A with DVR monitor)
	CCCC0323	- Monitor must be selected separately
		- Heater
		- Shutter
		Quadruple Zone Defense cameras (with shutter) :
0	00000000	(N/A with DVR monitor)
Camera Options	CCCC0324	- Monitor must be selected separately
		- Heater
		- Shutter

	ı	Single Zone Defense camera (no shutter) :
		` , ,
	0000007	(Only model available with DVR monitor)
Camera Options	CCCC0327	- Monitor must be selected separately
		- Heater
		- No Shutter
		Dual Zone Defense cameras (no shutter) :
		(Only model available with DVR monitor)
Camera Options	CCCC0328	- Monitor must be selected separately
•		- Heater
		- No Shutter
		Triple Zone Defense cameras (no shutter) :
		(Only model available with DVR monitor)
Camera Options	CCCC0329	- Monitor must be selected separately
Camera Options	0000020	- Heater
		- No Shutter
		Quadruple Zone Defense cameras (no shutter) :
		(Only model available with DVR monitor)
Comoro Ontiono	CCCC0330	
Camera Options	00000330	- Monitor must be selected separately
		- Heater
		- No Shutter
		Safety Vision 7" color LCD monitor :
Camera Options	CCCM0341	- Included in system base price for shuttered and non-
Camera Cp.none		shuttered cameras
		- Split screen
		3rd Eye 7" color LCD monitor :
Camera Options	CCCM0301	- Included in system base price
•		- Split screen
Carrage Cations	000140000	3rd Eye 7" color LCD monitor - AWT07MLEDT :
Camera Options	CCCM0303	- Split screen
0 0 1	000140004	3rd Eye 9" color LCD DVR monitor :
Camera Options	CCCM0304	- Split screen
		Zone Defense 7" color LCD monitor :
		- Included in system base price
Camera Options	CCCM0321	- Split screen
		- Touch screen
		Zone Defense 9" color LCD monitor :
Camara Ontions	CCCM0322	- Split screen
Camera Options	CCCIVIU322	1 .
		- Touch screen Zone Defense 9" color DVR monitor :
Camera Options	CCCM0323	- Split screen
Camera Spilone	0000020	- Touch screen
		- N/A with shuttered cameras
Camera Options	CCAW0300	3rd Eye Air Wash on backup camera
Camera Options	CCSB0300	Camera system: 3rd Eye, installed on body builder cable
Camera Options	CCPC0300	Protection cages on cameras
		No camera system. At customer request no camera
Camera Options	EX-0000	installed at Labrie but for safety and liability reasons camera
'		sytem will be retrofitted after delivery.
Camera Options	EX-0001	Tailgate center 2/3 (1)
Camera Options	EX-0002	Tailgate center 1/2 (2)
Camera Options	EX-0003	Center tailgate 1/3 (3)
Camera Options	EX-0004	Hopper LH-side (4)
Camera Options	EX-0004	RH-side post pointing curbside (5)
Camera Options	EX-0006	RH-side rail (6)
Camera Options	EX-0007	Tailgate center left 2/3 (7)
Camera Options	EX-0008	Tailgate center right 2/3 (8)
Camera Options	EX-0009	Tailgate center left 1/2 (9)
Camera Options	EX-0010	Tailgate Center right 1/2 (10)
Camera Options	EX-0011	Alley left 2/3 (11)

Camera Options EX-0013 Alley left 1/2 (12) Camera Options EX-0014 Alley right 1/2 (14) Camera Options EX-0016 EX-0016 Mirror R-H side (15) Camera Options EX-0016 Mirror R-H side (16) Camera Options EX-0017 LH-side right 1/2 (14) Camera Options EX-0017 LH-side right 1/2 (14) Camera Options EX-0018 Hopper Center Left (18) Camera Options EX-0018 Hopper Center Right (19) Camera Options EX-0018 Hopper Center Right (19) Camera Options EX-0028 Windshield pointing forward (26) Camera Options EX-0028 Windshield pointing forward (26) Camera Options EX-0028 Windshield pointing towards driver (28) Camera Options EX-0028 Central grease point for packer shoes and rails Body Options BASB0300 Central grease point for follower panel rollers Body Options BEX-0300 Central grease point for follower panel rollers Body Options BFEX0310 Fire Extinguishers-20 lbs (standard position : body curbside unless specified otherwise by requisition) Fire Extinguishers-20 lbs (standard position : body curbside unless specified otherwise by requisition) Fire Extinguishers-20 lbs (standard position : body curbside unless specified otherwise by requisition) Fire Extinguisher-20 lbs (standard position : body curbside unless specified otherwise by requisition) Fire Extinguisher-20 lbs (standard position			
Camera Options EX-0014 Alley right 1/2 (14) Camera Options EX-0015 Mirror LH side (15) Camera Options EX-0016 Mirror R-H side (16) Camera Options EX-0017 LH-side right (17) Camera Options EX-0018 Hopper Center Right (19) Camera Options EX-0018 Hopper Center Right (19) Camera Options EX-0018 Hopper Center Right (19) Camera Options EX-0028 Windshield pointing forward (26) Camera Options EX-0028 Windshield pointing forward (26) Camera Options EX-0360 360 view - 4 cameras total (360) Camera Options EX-0360 360 view - 4 cameras total (360) Camera Options BALS0310 Ground level grease points: for failgate & hopper door hinges Body Options BPLS0300 Central grease point for follower panel rollers Body Options BPLS0300 Central grease point for follower panel rollers Body Options BRS0300 Central grease point for follower panel rollers Body Options BRS0300 Central grease point for follower panel rollers Body Options BRS0300 Central grease point for follower panel rollers Body Options BRS0300 Central grease point for follower panel rollers Body Options BRS0300 Central grease point for follower panel rollers Body Options BRS0300 Central grease point for lollower panel rollers Body Options BRS0300 Respective to the follower panel rollers installed on LH-side body) Fire Extinguisher-20 lbs (standard position : body curbside unless specified otherwise by requiation) Two (2) Fire Extinguishers-20 lbs (standard position : body streetside and curbside unless specified otherwise by requisition) Body Options BRW0300 Respective follower panel be unless specified otherwise by requisition in body streetside and curbside unless specified otherwise by requisition in body streetside and curbside unless specified otherwise by requisition in body streetside and curbside unless specified otherwise by requisition in body streetside and curbside unless specified otherwise by requisition in body Streetside and curbside unless specified otherwise by requisition in body Streetside and curbside unless specified otherwise by requisition in the			
Camera Options EX-0016 Mirror L-H side (15) Camera Options EX-0017 (LH-side rail (17) Camera Options EX-0017 (H-side rail (17) Camera Options EX-0018 Hopper Center Left (18) Camera Options EX-0019 Hopper Center Left (18) Camera Options EX-0028 Windshield pointing forward (26) Camera Options EX-0028 Windshield pointing forward (26) Camera Options EX-0028 Windshield pointing forwards driver (28) Control options EX-0028 Central grease point for packer shoes and rails Central grease point for packer shoes and rails Central grease point for packer shoes and rails Central grease point for follower panel rollers Anti-sail bars on rear mudflaps (I/N/A with tag axie or comingle body) Celaen out tools (broom & shovel kit including brackets installed inside RH-side door; hoe including brackets installed inside RH-side door; hoe including bracket installed on LH-side body) Fire Extinguisher-2 ob its (Istandard position : body curbside unless specified otherwise by requiation) Fire Extinguishers-2 ob its (Istandard position : body curbside unless specified otherwise by requiation) Fire Extinguishers-2 ob its (Istandard position : body Cybions BABCA0300 Parions Day Deptions Day D			
Camera Options EX-0016 Mirror R-H side (16) Camera Options EX-0017 LH-side rail (17) Camera Options EX-0018 Hopper Center Left (18) Camera Options EX-0018 Hopper Center Right (19) Camera Options EX-0028 Windshield pointing forward (26) Camera Options EX-0028 Windshield pointing forward (26) Camera Options EX-0030 Windshield pointing forward (26) Camera Options EX-00300 EX-0360 360 view - 4 cameras total (360) Body Options BALS0310 Ground level grease points for tailgate & hopper door hinges Body Options BPLS0300 Central grease point for follower panel rollers Body Options BRLS0300 Central grease point for follower panel rollers Body Options BRS0300 Central grease point for follower panel rollers Body Options BRS0300 Central grease point for follower panel rollers Body Options BRS0300 Central grease point for follower panel rollers Body Options BRS0300 Central grease point for follower panel rollers Body Options BFEX0310 Fire Extinguisher- 20 lbs (standard position : body curbside unless specified otherwise by regulation) True (2) Fire Extinguishers- 20 lbs (standard position : body streetside and curbside unless specified otherwise by regulation) Body Options BSEN0300 Panic bars/limit switch kit/2nd hand enable button (MOL 2004) Body Options BPBK0300 Panic bars/limit switch kit/2nd hand enable button (MOL 2004) Body Options BRWD0310 Display Signs - 32in H. x 96in L. Body Options BRWD0310 Display Signs - 32in H. x 96in L. Body Options BRWD0300 Display Signs - 32in H. x 96in L. Body Options BRSK0300 Panic bars/limit switch kit/2nd hand enable button (MOL 2004) Body Options BRSK0300 Panic bars only be sides at hopper: also requires safety panic bars only be sides at hopper: also requires safety panic bars only be sides at hopper: also requires safety panic bars only be sides at hopper: also requires safety panic bars only be sides safety by the sides safety			Alley right 1/2 (14)
Camera Options EX-0018 Hopper Center Left (18) Camera Options EX-0018 Hopper Center Left (18) Camera Options EX-0018 Hopper Center Right (19) Camera Options EX-0026 Windshield pointing forward (26) Camera Options EX-0028 Windshield pointing towards driver (28) Camera Options EX-0028 Windshield pointing towards driver (28) Camera Options EX-0028 Windshield pointing towards driver (28) Camera Options EX-0030 Ground level grease points: for taligate & hopper door hinges Body Options BRLS0310 Ground level grease point for follower panel rollers Body Options BRLS0300 Central grease point for follower panel rollers Body Options BRLS0300 Central grease point for follower panel rollers Body Options BRS0300 Anti-sail bars on rear mudflaps (N/A with tag axle or comingle body) Clean out tools (broom & shovel kit including brackets installed inside RH-side door; hoe including bracket installed on LH-side body) BODY Options BFEX0310 Fire Extinguisher-2 0 lbs (standard position : body curbside unless specified otherwise by regulation) Two (2) Fire Extinguisher-2 0 lbs (standard position : body streetside and curbside unless specified otherwise by regulation) BODY Options BPBK0300 BPBK030			
Camera Options EX-0018 Hopper Center Left (18) Camera Options EX-0019 Hopper Center Right (19) Camera Options EX-0026 Windshield pointing forward (26) Camera Options EX-0028 EX-0026 Windshield pointing forward (26) Camera Options EX-0028 EX-0028 Windshield pointing towards driver (28) Camera Options EX-0028 Windshield pointing towards driver (28) Camera Options EX-0028 Windshield pointing towards driver (28) Camera Options BALS0310 Ground level grease points: for tallgate & hopper door hinges Body Options BPLS0300 Central grease point for packer shoes and rails Body Options BRIS0300 Central grease point for follower panel rollers Body Options BRIS0300 Central grease point for follower panel rollers Body Options BRIS0300 Central grease point for follower panel rollers Body Options BRIS0300 Central grease point for follower panel rollers Body Options BRIS0300 Central grease point for follower panel rollers BODY Options BRIS0300 Central grease point for follower panel rollers Installed inside RH-side door; hoe including brackets installed on LH-side body Clean out tools (broom & shovel kit including brackets installed on LH-side body) BODY Options BRIS0310 BRIS0300 Central grease point for packer shows and rails BODY Options BRIS0300 Central grease point for packer shows and rails BODY Options BRIS0300 Central grease point for packer shows and rails BODY Options BRIS0300 Central grease point for packer shows and rails BODY Options BRIS0300 Central grease point for packer shows and rails BODY Options BRIS0300 Central grease point for packer shows and rails BODY Options BRIS0300 Central grease point for packer shows and rails BODY Options BRIS0300 Central grease point for packer shows and rails BODY Options BRIS0300 Central grease point for packer shows and rails BODY Options BRIS0300 Central grease point for packer shows and rails BODY Options BRIS0300 Environmental spill kit installed on body BODY Options BRIS0300 Environmental spill kit installed on body BODY Options BRIS0300 Environmental spill kit installed o			
Camera Options EX-0019 Hopper Center Right (19) Camera Options EX-0026 Windshield pointing forward (26) Camera Options EX-0028 Windshield pointing forward (26) Camera Options EX-0028 EX-0028 Windshield pointing towards driver (28) Sadd Vew - 4 cameras total (360) Body Options BALS0310 Ground level grease points: for tallgate & hopper door hinges Body Options BPLS0300 Central grease point for follower panel rollers Body Options BRIS0300 Central grease point for follower panel rollers Body Options BRIS0300 Central grease point for follower panel rollers Body Options BRIS0300 Anti-sail bars on rear mudflaps (N/A with tag axle or comingle body) Clean out tools (broom & shovel kit including bracket installed on LH-side body) Body Options BFEX0310 Fire Extinguisher- 20 lbs (standard position : body curbside unless specified otherwise by regulation) Two (2) Fire Extinguishers 20 lbs (standard position : body streetside and curbside unless specified otherwise by regulation) Body Options BFEX0320 Loading step (2), both sides at hopper: also requires safety panic bars Body Options BPBK0300 Panic bars only Body Options BPBK0310 Panic bars only Body Options BRWD0300 Panic bars only Body Options BRWD0310 Panic bars only Body Options BRWD0310 Display Signs - 32in H. x 84in L. Body Options BRWD0310 Display Signs - 48in H. x 96in L. Body Options BRWD0310 BSFU0300			
Camera Options EX-0028 Windshield pointing forward (26) Camera Options EX-0360 360 view - 4 cameras total (360) Body Options BALS0310 BALS0310 Ground level grease points: for tailgate & hopper door hinges Body Options BPLS0300 Central grease point for packer shoes and rails Body Options BRLS0300 Central grease point for packer shoes and rails Body Options BRS0300 Central grease point for follower panel rollers Body Options BRS0300 Central grease point for follower panel rollers Body Options BRS0300 Central grease point for follower panel rollers Body Options BCOT0300 Central grease point for follower panel rollers Body Options BCOT0300 Central grease point for follower panel rollers Body Options BCOT0300 Central grease point for follower panel rollers Body Options BCOT0300 Central grease point for follower panel rollers BEX0310 Central grease point for follower panel rollers Anti-sail bars on rear mudflaps (N/A with tag axle or comindle body) Clean out tools (broom & shovel kit including bracket installed on LH-side body) Clean out tools (broom & shovel kit including bracket installed on LH-side body) BEX0310 BFEX0310 Fire Extinguishers-20 lbs (standard position : body curbside unless specified otherwise by requilation) Two (2) Fire Extinguishers-20 lbs (standard position : body streetside and curbside unless specified otherwise by requilation) BODY Options BPBK0300 BPBK0300 Panic bars only BODY Options BPBK0300 Panic bars only BODY Options BRWD0300 Panic bars only BODY Options BRWD0300 Display Signs - 32in H. x 84in L. BODY Options BRWD0300 Display Signs - 32in H. x 96in L. BODY Options BRWD0300 Centrolous body welding at specified points BODY Options BRWD0300 Centrolous body welding at specified points BODY Options BRSE0300 Environmental spill kit installed on body BODY Options BRSE0300 Environmental spill kit installed on body BODY Options BRSE0300 Retainer teeth under breaker bar BODY Options BRSE0300 Fire pan (NOT available with tag axle) Chassis Options BRSE0300 Centrolous Auditional charges may			
Camera Options EX-0028 Windshield pointing towards driver (28) Camera Options EX-0360 360 wiew - 4 cameras total (360) Body Options BALS0310 Ground level grease points: for tailgate & hopper door hinges Body Options BPLS0300 Central grease point for follower panel rollers Body Options BRLS0300 Central grease point for follower panel rollers Body Options BRLS0300 Anti-sail bars on rear mudflaps (N/A with tag axle or comingle body) Clean out tools (broom & shovel kit including brackets installed inside RH-side door; hoe including bracket installed on LH-side body) Body Options BFEX0310 Fire Extinguisher- 20 lbs (standard position : body curbside unless specified otherwise by regulation) Two (2) Fire Extinguishers- 20 lbs (standard position : body streetside and curbside unless specified otherwise by regulation) Body Options BLSH0300 Extinguishers 20 lbs (standard position : body streetside and curbside unless specified otherwise by regulation) Body Options BPBK0310 Loading step (2), both sides at hopper: also requires safety panic bars in the bars in the safety panic bars only Body Options BPBK0310 Panic bars only Body Options BRWD0310 Display Signs - 32in H. x 96in L. Body Options BRWD0310 Display Signs - 32in H. x 96in L. Body Options BRWD0310 Display Signs - 32in H. x 96in L. Body Options BSFU0300 Hardox 450 body floor upgrade Body Options BESK0300 Environmental spill kit installed on body Body Options BESK0301 Spill kit, Inside toolbox (toolbox not included), BREG 9040 Body Options BRD0300 Talgate drip pan (NOT available with tag axle) Body Options BND0300 Talgate drip pan (NOT available with tag axle) Chassis Options CRAD0300 Remainer teeth under breaker bar Body Options BND0300 Talgate drip pan (NOT available with tag axle) Chassis Options CERM0300 Remainer teeth under breaker bar Body Options BND0300 Talgate drip pan (NOT available with tag axle) Chassis Options CERM0300 Remainer and cab conversion) CCTB0330 CRAD0300 Remainer and cab conversion on International chassis types)			
Gamera Options		-	
Body Options BALS0310 Ground level grease points: for tailgate & hopper door hinggs Body Options BPLS0300 Central grease point for packer shoes and rails BRLS0300 Central grease point for packer shoes and rails BRLS0300 Central grease point for follower panel rollers Central grease point for follower panel rollers BASB0300 Annual Parkers Central grease point for follower panel rollers Central grease point for fol			
Body Options BPLS0300 Central grease point for packer shoes and rails	Camera Options	EX-0360	
Body Options BRLS0300 Central grease point for follower panel rollers	Body Options	BALS0310	• • • • • • • • • • • • • • • • • • • •
Body Options BASB0300 Anti-sail bars on rear mudflaps (N/A with tag axle or comingle body) Clean out tools (broom & shovel kit including brackets installed on LH-side body) Fire Extinguisher-20 lbs (standard position: body curbside unless specified otherwise by regulation) Two (2) Fire Extinguisher-20 lbs (standard position: body streetside and curbside unless specified otherwise by regulation) Two (2) Fire Extinguishers-20 lbs (standard position: body streetside and curbside unless specified otherwise by regulation) Evaluation Two (2) Fire Extinguishers-20 lbs (standard position: body streetside and curbside unless specified otherwise by regulation) Evaluation Eva			
Body Options BCOT0300 Comingle body)	Body Options	BRLS0300	
Clean out tools (broom & shovel kit including brackets installed inside RH-side door; hoe including bracket installed on LH-side body)	Body Options	BASB0300	comingle body)
Body Options BFEX0310 Body Options BFEX0320 BODY Options BFEX0320 BODY Options BLSH0300 BODY Options BUSH0300 BODY Options BPBK0300 BODY Options BPBK0300 BODY Options BPBK0300 BODY Options BPBK0300 BODY Options BPBK0310 BODY Options BPBK0310 BODY Options BPBK0310 BODY Options BRWD0300 BODY Options BRWD0300 Display Signs - 32in H. x 84in L. BODY Options BRWD0301 Display Signs - 32in H. x 96in L. BODY Options BRWD0300 Display Signs - 32in H. x 96in L. BODY Options BRWD0300 Display Signs - 48in H. x 96in L. BODY Options BRWD0300 Display Signs - 48in H. x 96in L. BODY Options BRWD0300 Display Signs - 48in H. x 96in L. BODY Options BRWD0300 Display Signs - 48in H. x 96in L. BODY Options BRWD0300 Continuous body welding at specified points BODY Options BESK0300 BESK0300 BODY Options BESK03010 BESK03010 BODY Options	Body Options	BCOT0300	installed inside RH-side door; hoe including bracket installed on LH-side body)
Two (2) Fire Extinguishers- 20 lbs (standard position : body streetside and curbside unless specified otherwise by regulation)	Body Options	BFEX0310	
Body Options BODY	Body Options	BFEX0320	streetside and curbside unless specified otherwise by
Body Options BPBK0300 BOdy Options BPBK0310 Body Options BRWD0300 BRWD0300 BRWD0310 Body Options BRWD0320 BryD0300 BryD030	Body Options	BLSH0300	Loading step (2), both sides at hopper: also requires safety
Body Options BPBK0310 Panic bars only	Body Options	BPBK0300	Panic bars/limit switch kit/2nd hand enable button (MOL
Body Options BRWD0300 Display Signs - 32in H. x 84in L.	Body Options	BPBK0310	Panic bars only
Body Options BRWD0310 Display Signs - 32in H. x 96in L.		BRWD0300	Display Signs - 32in H. x 84in L.
Body Options BRWD0320 Display Signs - 48in H. x 96in L. Body Options BWBT0300 Continuous body welding at specified points Body Options BSFU0300 Hardox 450 body floor upgrade Body Options BESK0300 Environmental spill kit installed on body Body Options BESK0310 Spill kit, Inside toolbox (toolbox not included), BREG 9040 Body Options BRTB0300 Retainer teeth under breaker bar Body Options BBGA0300 Truck side guards (Bike guards) Body Options BCHT0300 Cart holders on tailgate (2) (Subject to space availability) Body Options BWCH0300 Wheel chocks (2) mounted curbside Body Options BTDP0300 Tailgate drip pan (NOT available with tag axle) Body Options BNLD0300 No logos or decals other than safety and Labrie Enviroquip Group logo on unit Body Options BASN0300 Mud flaps w/o Logo Chassis Options CRAD0300 Remote air drains petcock type Chassis Options CCTB0320 Toolbox: Aluminum, chassis-mounted, size: 18" x 24" x 43", lydraulic tank shape (fits in-drop; n/a on all chassis types) Chassis Options CBTB0340 Too		BRWD0310	
Body Options BSFU0300 Hardox 450 body floor upgrade	Body Options	BRWD0320	Display Signs - 48in H. x 96in L.
Body Options BESK0300 Environmental spill kit installed on body Body Options BESK0310 Spill kit, Inside toolbox (toolbox not included), BREG 9040 Body Options BRTB0300 Retainer teeth under breaker bar Body Options BBGA0300 Truck side guards (Bike guards) Body Options BCHT0300 Cart holders on tailgate (2) (Subject to space availability) Body Options BWCH0300 Wheel chocks (2) mounted curbside Body Options BTDP0300 Tailgate drip pan (NOT available with tag axle) Body Options BNLD0300 No logos or decals other than safety and Labrie Enviroquip Group logo on unit Body Options BASN0300 Mud flaps w/o Logo Chassis Options CRAD0300 Remote air drains petcock type Toolbox: Aluminum, chassis-mounted, size 18" x 24" x 43", hydraulic tank shape (fits in-drop; n/a on all chassis types) Chassis Options CCTB0330 Toolbox: Aluminum, chassis-mounted, size: 24" x 24" x 14" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated) Chassis Options CBTB0340 Toolbox: Aluminum tool box mounted on ICC DOT bumper Exhaust routing modification on Freightliner M2-112 and Chassis Options	Body Options	BWBT0300	Continuous body welding at specified points
Body Options BESK0310 Spill kit, Inside toolbox (toolbox not included), BREG 9040 Body Options BRTB0300 Retainer teeth under breaker bar Body Options BBGA0300 Truck side guards (Bike guards) Body Options BCHT0300 Cart holders on tailgate (2) (Subject to space availability) Body Options BWCH0300 Wheel chocks (2) mounted curbside Body Options BTDP0300 Tailgate drip pan (NOT available with tag axle) Body Options BNLD0300 No logos or decals other than safety and Labrie Enviroquip Group logo on unit Body Options BASN0300 Mud flaps w/o Logo Chassis Options CRAD0300 Remote air drains petcock type Toolbox: Aluminum, chassis-mounted, size 18" x 24" x 43", hydraulic tank shape (fits in-drop; n/a on all chassis types) Chassis Options CCTB0330 Toolbox: Aluminum, chassis-mounted, size: 24" x 24" x 14" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated) Chassis Options CBTB0340 Toolbox: Aluminum tool box mounted on ICC DOT bumper Exhaust routing modification on Freightliner M2-112 and 114SD - CNG chassis only (for drop frame and cab conversion) Chassis Options CERM0320 Exhaust routing modification on Intern	Body Options	BSFU0300	Hardox 450 body floor upgrade
Body Options BESK0310 Spill kit, Inside toolbox (toolbox not included), BREG 9040 Body Options BRTB0300 Retainer teeth under breaker bar Body Options BBGA0300 Truck side guards (Bike guards) Body Options BCHT0300 Cart holders on tailgate (2) (Subject to space availability) Body Options BWCH0300 Wheel chocks (2) mounted curbside Body Options BTDP0300 Tailgate drip pan (NOT available with tag axle) Body Options BNLD0300 No logos or decals other than safety and Labrie Enviroquip Group logo on unit Body Options BASN0300 Mud flaps w/o Logo Chassis Options CRAD0300 Remote air drains petcock type Toolbox: Aluminum, chassis-mounted, size 18" x 24" x 43", hydraulic tank shape (fits in-drop; n/a on all chassis types) Chassis Options CCTB0330 Toolbox: Aluminum, chassis-mounted, size: 24" x 24" x 14" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated) Chassis Options CBTB0340 Toolbox: Aluminum tool box mounted on ICC DOT bumper Exhaust routing modification on Freightliner M2-112 and 114SD - CNG chassis only (for drop frame and cab conversion) Chassis Options CERM0320 Exhaust routing modification on Intern		BESK0300	
Body OptionsBRTB0300Retainer teeth under breaker barBody OptionsBBGA0300Truck side guards (Bike guards)Body OptionsBCHT0300Cart holders on tailgate (2) (Subject to space availability)Body OptionsBWCH0300Wheel chocks (2) mounted curbsideBody OptionsBTDP0300Tailgate drip pan (NOT available with tag axle)Body OptionsBNLD0300No logos or decals other than safety and Labrie Enviroquip Group logo on unitBody OptionsBASN0300Mud flaps w/o LogoChassis OptionsCRAD0300Remote air drains petcock typeChassis OptionsCCTB0320Toolbox: Aluminum, chassis-mounted, size 18" x 24" x 43", hydraulic tank shape (fits in-drop; n/a on all chassis types)Chassis OptionsCCTB0330Toolbox: Aluminum, chassis-mounted, size: 24" x 24" x 14" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated)Chassis OptionsCBTB0340Toolbox: Aluminum tool box mounted on ICC DOT bumperExhaust routing modification on Freightliner M2-112 andChassis OptionsCERM0300114SD - CNG chassis only (for drop frame and cab conversion)Chassis OptionsCERM0320Exhaust routing modification on International chassis -			Spill kit, Inside toolbox (toolbox not included), BREG 9040
Body Options BBGA0300 Truck side guards (Bike guards) Body Options BCHT0300 Cart holders on tailgate (2) (Subject to space availability) Body Options BWCH0300 Wheel chocks (2) mounted curbside Body Options BTDP0300 Tailgate drip pan (NOT available with tag axle) Body Options BNLD0300 No logos or decals other than safety and Labrie Enviroquip Group logo on unit Body Options BASN0300 Mud flaps w/o Logo Chassis Options CRAD0300 Remote air drains petcock type Chassis Options CCTB0320 Toolbox: Aluminum, chassis-mounted, size 18" x 24" x 43", hydraulic tank shape (fits in-drop; n/a on all chassis types) Chassis Options CCTB0330 Toolbox: Aluminum, chassis-mounted, size: 24" x 24" x 14" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated) Chassis Options CBTB0340 Toolbox: Aluminum tool box mounted on ICC DOT bumper Exhaust routing modification on Freightliner M2-112 and 114SD - CNG chassis only (for drop frame and cab conversion) Chassis Options CERM0320 Exhaust routing modification on International chassis -		BRTB0300	
Body OptionsBCHT0300Cart holders on tailgate (2) (Subject to space availability)Body OptionsBWCH0300Wheel chocks (2) mounted curbsideBody OptionsBTDP0300Tailgate drip pan (NOT available with tag axle)Body OptionsBNLD0300No logos or decals other than safety and Labrie Enviroquip Group logo on unitBody OptionsBASN0300Mud flaps w/o LogoChassis OptionsCRAD0300Remote air drains petcock typeChassis OptionsCCTB0320Toolbox: Aluminum, chassis-mounted, size 18" x 24" x 43", hydraulic tank shape (fits in-drop; n/a on all chassis types)Chassis OptionsCCTB0330Toolbox: Aluminum, chassis-mounted, size: 24" x 24" x 14" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated)Chassis OptionsCBTB0340Toolbox: Aluminum tool box mounted on ICC DOT bumper Exhaust routing modification on Freightliner M2-112 andChassis OptionsCERM0300114SD - CNG chassis only (for drop frame and cab conversion)Chassis OptionsCERM0320Exhaust routing modification on International chassis -	Body Options	BBGA0300	Truck side guards (Bike guards)
Body Options BWCH0300 Wheel chocks (2) mounted curbside Body Options BTDP0300 Tailgate drip pan (NOT available with tag axle) Body Options BNLD0300 No logos or decals other than safety and Labrie Enviroquip Group logo on unit Body Options BASN0300 Mud flaps w/o Logo Chassis Options CRAD0300 Remote air drains petcock type Chassis Options Toolbox: Aluminum, chassis-mounted, size 18" x 24" x 43", hydraulic tank shape (fits in-drop; n/a on all chassis types) Chassis Options CCTB0330 Toolbox: Aluminum, chassis-mounted, size: 24" x 24" x 14" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated) Chassis Options CBTB0340 Toolbox: Aluminum tool box mounted on ICC DOT bumper Exhaust routing modification on Freightliner M2-112 and 114SD - CNG chassis only (for drop frame and cab conversion) Chassis Options CERM0320 Exhaust routing modification on International chassis -			Cart holders on tailgate (2) (Subject to space availability)
Body Options BTDP0300 Tailgate drip pan (NOT available with tag axle)		BWCH0300	
Body Options BASN0300 Mud flaps w/o Logo		BTDP0300	Tailgate drip pan (NOT available with tag axle)
Body Options	Body Options	BNLD0300	
Chassis Options CCTB0320 CCTB0330 CCTB0330 CCTB0330 CCTB0330 CCTB0330 CCTB0330 CCTB0330 CCTB0330 CCTB0340	Body Options	BASN0300	
Chassis Options CCTB0320 Toolbox: Aluminum, chassis-mounted, size 18" x 24" x 43", hydraulic tank shape (fits in-drop; n/a on all chassis types) Toolbox: Aluminum, chassis-mounted, size: 24" x 24" x 14" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated) Chassis Options CBTB0340 CBTB0340 CBTB0340 CBTB0340 CERM0300 CERM0300 CERM0320 CHASSIS Options CERM0320 CERM0320 CERM0320 CERM0320 Exhaust routing modification on International chassis -			
Chassis Options CCTB0330 (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated) Chassis Options CBTB0340 CBTB0340 CBTB0340 CBTB0340 Toolbox: Aluminum tool box mounted on ICC DOT bumper Exhaust routing modification on Freightliner M2-112 and 114SD - CNG chassis only (for drop frame and cab conversion) Chassis Options CERM0320 Exhaust routing modification on International chassis -			Toolbox: Aluminum, chassis-mounted, size 18" x 24" x 43",
Chassis Options CBTB0340 Toolbox: Aluminum tool box mounted on ICC DOT bumper Exhaust routing modification on Freightliner M2-112 and Chassis Options CERM0300 Chassis Options CERM0320 Exhaust routing modification on International chassis -	Chassis Options	CCTB0330	(Location TBD, depending on space availability, Additional charges may apply if chassis components need to be
Exhaust routing modification on Freightliner M2-112 and Chassis Options CERM0300 CERM0300 CHASSIS Options CERM0320 Exhaust routing modification on International chassis -	Chassis Options	CBTB0340	
Chassis Ontions CERM0320 Exhaust routing modification on International chassis -			Exhaust routing modification on Freightliner M2-112 and 114SD - CNG chassis only (for drop frame and cab conversion)
	Chassis Options	CERM0320	Exhaust routing modification on International chassis -

Chassis Options	CRTH0300	Rear tow hooks (2)
Chassis Options	CBFH0300	Chassis, Holes filling, Grade 8 bolts in the holes without
·	021110000	paint on the chassis
Chassis Options	CFSS0300	Fire Suppression system Safecraft LT5
Chassis Options	CWBM0300	Wheelbase modification: Lenghten single axle chassis WB (including longer ABS cable & drive shaft)
Chassis Options	CWBM0305	Wheelbase modification: Shorten single axle chassis WB
Chassis Options	CWBM0310	Wheelbase modification: Lenghten tandem axle chassis WB (including longer ABS cable & drive shaft)
Chassis Options	CWBM0315	Wheelbase modification: Shorten tandem axle chassis WB
Chassis Options	CHPA0310	13.5K Hendrickson Composilite steerable tag axle (including steel wheels and tires)
Chassis Options	CHPA0320	13.5K Hendrickson Composilite steerable tag axle (including aluminum wheels and tires)
Paint Options	PCBP0310	Body: 1 Color Urethane Body Paint - Included in unit base price - Includes bolt-on parts painted body color
Paint Options	PCBP0300	Body: 1 Color Base Coat/Clear Coat Body Paint - Includes bolt-on parts painted body color
Paint Options	PCBP0320	Body: 2 Colors Urethane Body Paint - 1 color separation - Includes bolt-on parts painted body color
Paint Options	PCBP0325	Body: 2 Colors Base Coat/Clear Coat Body Paint - 1 color separation
Paint Options	PPCE0350	 Includes bolt-on parts painted body color Cab: Urethane Paint (Cab Exterior) 1 color (other than color supplied) No paint scheme Including doors jambs
Paint Options	PPCE0360	Cab : Base Coat/Clear Coat Paint (Cab Exterior) 1 color (other than color supplied) - No paint scheme - Including doors jambs
Paint Options	PPCE0370	Cab: Urethane Paint (Cab Exterior) 2 colors (other than color supplied) - With paint scheme (1 color separation) - Including doors jambs
Paint Options	PPCE0380	Cab: Base Coat/Clear Coat Paint (Cab Exterior) 2 colors (other than color supplied) - With paint scheme (1 color separation) - Including doors jambs
Paint Options	PZUC0300	Undercoating on cab: chassis & body
Paint Options	PSSS0310	CAUTION THIS VEHICLE STOPS AND BACKS FREQUENTLY, 74.5in x 23.5in (black on yellow background)
Paint Options	PSSS0320	CAUTION THIS VEHICLE MAKES FREQUENT STOPS STAY BACK 50 FEET, 65in x 20in (red on white background)
Paint Options	PSSD0330	SLOW DOWN TO GET AROUND, 36in x 18in
Cab Conversion	CACH0600	Auxiliary cab heater & glove dryer: on RH-side, stand-up drive - 12,500 BTU
Cab Conversion	CADS0600	Air driver's sliding seat: vinyl, no armrest - Bostrum type
Cab Conversion	CADS0610	Air driver and passenger sliding seats: vinyl, no armrest - Bostrum type
Cab Conversion	CADS0690	Air driver seat moved from LH-side to Sit-down drive conversion on RH-side
Cab Conversion	CANB0600	Auto-neutral on brake pedal
Cab Conversion	CCFR0620	Heated floor on RH-side cab conversion
Cab Conversion	CDMP0600	Deadman platform on low entry floor

		Dashboard package on cab conversion: engine
Cab Conversion	CDPI0620	temperature, engine-oil pressure & transmission temperature gauge on RH-side
Cab Conversion	CLRH0600	Low entry on RH-side ONLY: without pedals & steering; requires Deadman platform option (International and
Cab Conversion	CSLH0600	Freightliner cabs) Stand-up drive on LH-side: with pedals & lateral sliding seat (International cab only)
Cab Conversion	CSRH0600	Stand-up drive on RH-side: with pedals & steering (International and Freightliner cabs only)
Cab Conversion	CSRH0610	Sit-down drive on RH-side: with pedals & steering (International and Freightliner cabs only - Seat not included)
Cab Conversion	CWDF0600	Windshield defroster fans: Qty 2
Cab Conversion	CWFD0600	Windows in foldable door on RH-side: Qty 4
Cab Conversion	LWLM0600	Work light on cab conversion RH-side (4), in-cab manual switch, auto-activated by work brake, on Stand-up drive only - Bulb type
Cab Conversion	LWLM0610	Work light on cab conversion RH-side (4), in-cab manual switch, auto-activated by work brake, on Stand-up drive only - LED type
Cab Conversion	CRBR0600	Automatic retainer arm in RHSUD cab door
Cab Conversion	CRBL0610	Automatic retainer arm in LHSUD cab door
Cab Conversion	CHBM0600	Two (2) heated bus type mirrors on cab fenders (for International or Freightliner cab without Labrie cab conversion)
Cab Conversion	CHBM0610	One (1) Unheated bus type mirror on cab LH side (for Cab Over chassis without Labrie cab conversion)
Cab Conversion	CHBM0620	One (1) Heated bus type mirror on cab LH side (for Cab Over chassis without Labrie cab conversion)
Body Warranty (PARTS AND LABOR)	FEWA0350-1	PLAN A1 - Add 1 year on body & hydraulics for a total of 2 years (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	FEWA0350-2	PLAN A2 - Add 2 years on body & hydraulics for a total of 3 years (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	FEWA0350-3	PLAN A3 - Add 3 years on body & hydraulics for a total of 4 years (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	FEWA0350-4	PLAN A4 - Add 4 years on body & hydraulics for a total of 5 years (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	HEWA0350-1	PLAN B1 - Add 1 year on hydraulics PUMPS AND VALVES only for a total of 2 years (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	HEWA0350-2	PLAN B2 - Add 2 years on hydraulics PUMPS AND VALVES only for a total of 3 years (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	HEWA0350-3	PLAN B3 - Add 3 years on hydraulics PUMPS AND VALVES only for a total of 4 years (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	HEWA0350-4	PLAN B4 - Add 4 years on hydraulics PUMPS AND VALVES only for a total of 5 years (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	CEWA0350-1	PLAN C1 - Add 1 year on hydraulic CYLINDERS only for a total of 2 years (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	CEWA0350-2	PLAN C2 - Add 2 years on hydraulic CYLINDERS only for a total of 3 years (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	CEWA0350-3	PLAN C3 - Add 3 years on hydraulic CYLINDERS only for a total of 4 years (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	CEWA0350-4	PLAN C4 - Add 4 years on hydraulic CYLINDERS only for a total of 5 years (PARTS AND LABOR)

ļ	
<u> </u>	 <u> </u>
ļ	
1	
1	
1	
1	
1	
1	
1	
1	
ļ	
<u> </u>	 <u> </u>
<u> </u>	
ļ	
1	
1	
ļ	
1	

ļ	
<u> </u>	 <u> </u>
ļ	
1	
1	
1	
1	
1	
1	
1	
1	
ļ	
<u> </u>	 <u> </u>
<u> </u>	
ļ	
1	
1	
ļ	
1	

ļ	
<u> </u>	 <u> </u>
ļ	
1	
1	
1	
1	
1	
1	
1	
1	
ļ	
<u> </u>	 <u> </u>
<u> </u>	
ļ	
1	
1	
ļ	
1	

ļ	
<u> </u>	 <u> </u>
ļ	
1	
1	
1	
1	
1	
1	
1	
1	
ļ	
<u> </u>	 <u> </u>
<u> </u>	
ļ	
1	
1	
ļ	
1	

ļ	
<u> </u>	 <u> </u>
ļ	
1	
1	
1	
1	
1	
1	
1	
1	
ļ	
<u> </u>	 <u> </u>
<u> </u>	
ļ	
1	
1	
ļ	
1	

ļ	
<u> </u>	 <u> </u>
ļ	
1	
1	
1	
1	
1	
1	
1	
1	
ļ	
<u> </u>	 <u> </u>
<u> </u>	
ļ	
1	
1	
ļ	
1	

ļ	
<u> </u>	 <u> </u>
ļ	
1	
1	
1	
1	
1	
1	
1	
1	
ļ	
<u> </u>	 <u> </u>
<u> </u>	
ļ	
1	
1	
ļ	
1	

ļ	
<u> </u>	 <u> </u>
ļ	
1	
1	
1	
1	
1	
1	
1	
1	
ļ	
<u> </u>	 <u> </u>
<u> </u>	
ļ	
1	
1	
ļ	
1	

·	