Prepared for: Jason Bennett NC SHERIFFS ASSOCIATION PO BOX 20049

RALEIGH, NC 27619 Phone: 919.459.6471



Prepared by: Tony Lyerly EXCEL TRUCK GROUP. 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

## A proposal for NC SHERIFFS ASSOCIATION

Prepared by **EXCEL TRUCK GROUP**Tony Lyerly

Apr 17, 2023

Freightliner 108SD





Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX
20049
RALEIGH, NC 27619

Phone: 919.459.6471

TRUCK GROUP

NCSA Bid# 24-08-0421

Prepared by: Tony Lyerly EXCEL TRUCK GROUP. 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

## SPECIFICATION PROPOSAL

	Data Code	Description	Weight Front	Weight Rear	
Price L	_evel				
	PRL-27D	SD PRL-27D (EFF:MY24 ORDERS)			
Data V	ersion				
	DRL-037	SPECPRO21 DATA RELEASE VER 037			
Vehicle	e Configuration	on			
	001-176	108SD PLUS CONVENTIONAL CHASSIS	6,829	3,748	
	004-224	2024 MODEL YEAR SPECIFIED			
	002-004	SET BACK AXLE - TRUCK			
	019-004	STRAIGHT TRUCK PROVISION, NON-TOWING			
	003-001	LH PRIMARY STEERING LOCATION			
Genera	al Service				
	AA1-002	TRUCK CONFIGURATION			
	AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
	A85-002	PICKUP AND DELIVERY/SHORT HAUL SERVICE			
	A84-1GM	GOVERNMENT BUSINESS SEGMENT			
	AA4-001	GENERAL FREIGHT COMMODITY			
	AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
	AB1-008	MAXIMUM 8% EXPECTED GRADE			
	AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
	995-1A0	FREIGHTLINER SD VOCATIONAL WARRANTY			
	A66-99D	EXPECTED FRONT AXLE(S) LOAD: 10000.0 lbs			
	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 21000.0 lbs			
	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 31000.0 lbs			
Truck	Service				
	AA3-001	DRY VAN BODY			





Prepared by: Tony Lyerly EXCEL TRUCK GROUP. 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

	Data Code	Description	Weight Front	Weight Rear	
	AF3-037	SUPREME CORP.			
Engine					
	101-21P	CUM B6.7 220 HP @ 2400 RPM, 2600 GOV, 520 LB-FT @ 1600 RPM	-640	-30	
Electro	nic Paramete	ers			
	79A-070	70 MPH ROAD SPEED LIMIT			
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			
	79K-013	PTO MODE ENGINE RPM LIMIT - 1600 RPM			
	79Q-007	PTO RPM WITH CRUISE RESUME SWITCH - 1100 RPM			
	79U-001	PTO GOVERNOR RAMP RATE - 25 RPM PER SECOND			
	80G-002	PTO MINIMUM RPM - 700			
	80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			
	80V-001	ENGINE MOUNT PTO, DASH SWTICH ENGAGES PTO MODE, STATIONARY OPERATION			
Engine	Equipment				
	99C-021	2010 EPA/CARB/GHG21 CONFIGURATION			
	99D-010	NO 2008 CARB EMISSION CERTIFICATION			
	13E-001	STANDARD OIL PAN			
	105-001	ENGINE MOUNTED OIL CHECK AND FILL			
	014-1B5	SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH SAFETY ELEMENT, FIREWALL MOUNTED			
	124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			
	292-235	(2) DTNA GENUINE, FLOODED STARTING, MIN 2000CCA, 370RC, THREADED STUD BATTERIES			
	290-017	BATTERY BOX FRAME MOUNTED			
	281-001	STANDARD BATTERY JUMPERS			
	282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB			
	291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
	289-001	NON-POLISHED BATTERY BOX COVER			
	306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS			
	107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			



Prepared for: Jason Bennett NC SHERIFFS ASSOCIATION PO BOX 20049 RALEIGH, NC 27619

Phone: 919.459.6471



Prepared by: Tony Lyerly EXCEL TRUCK GROUP. 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

NCSA Bid# 24-08-0421

Data C	ode Desc	ription	Weight Front	Weight Rear	
152-04		TRONIC ENGINE INTEGRAL SHUTDOWN FECTION SYSTEM			
128-99	8 NO R	ETARDER/ENGINE BRAKE	-5		
016-10	HOR	UTBOARD UNDER STEP MOUNTED ZONTAL AFTERTREATMENT SYSTEM EMBLY WITH RH HORIZONTAL TAILPIPE			
28F-01	AUTO AND	NE AFTERTREATMENT DEVICE, DMATIC OVER THE ROAD REGENERATION VIRTUAL REGENERATION REQUEST TCH IN CLUSTER			
239-00	1 STAN	IDARD EXHAUST SYSTEM LENGTH			
237-05	2 RHS	TANDARD HORIZONTAL TAILPIPE			
23U-00	1 6 GA	LLON DIESEL EXHAUST FLUID TANK	-35	-10	
30N-00	3 100 F	PERCENT DIESEL EXHAUST FLUID FILL			
23Y-00	_	IDARD DIESEL EXHAUST FLUID PUMP NTING			
43X-00	<del>_</del>	EDIUM DUTY STANDARD DIESEL EXHAUST D TANK LOCATION			
43Y-00	1 STAN	IDARD DIESEL EXHAUST FLUID TANK CAP			
273-05	8 AIR F	POWERED ON/OFF ENGINE FAN CLUTCH			
276-00		DMATIC FAN CONTROL WITHOUT DASH CH, NON ENGINE MOUNTED			
110-00	3 CUM	MINS SPIN ON FUEL FILTER			
118-00	1 FULL	FLOW OIL FILTER			
266-10	4 1115	SQUARE INCH ALUMINUM RADIATOR			
103-03		FREEZE TO -34F, OAT (NITRITE AND ATE FREE) EXTENDED LIFE COOLANT			
171-00		ES BLUE STRIPE COOLANT HOSES OR VALENT			
172-00		STANT TENSION HOSE CLAMPS FOR LANT HOSES			
270-01	6 RADI	ATOR DRAIN VALVE			
132-00	4 ELEC	CTRIC GRID AIR INTAKE WARMER			
155-05	-	CO 12V 38MT HD STARTER WITH GRATED MAGNETIC SWITCH			
Transmission					
342-1N		SON 2500 RDS AUTOMATIC TRANSMISSION I PTO PROVISION	-190	-70	



**Transmission Equipment** 



Prepared by:
Tony Lyerly
EXCEL TRUCK GROUP.
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	
343-301	ALLISON VOCATIONAL PACKAGE 354 - AVAILABLE ON 1000/2000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, EVS, HS, MH, PTS AND SPS			
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			
84C-003	PRIMARY MODE GEARS, 5 FORWARD GEARS WITH MANUAL SELECTION FOR 3, 2 AND 1, AVAILABLE FOR 1000/2000 PRODUCT FAMILIES ONLY			
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED			
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES			
85B-004	4TH RANGE INDICATION ON TCM OUTPUT C - ALLISON 5TH GEN TRANSMISSIONS			
353-073	QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH CAP			
34C-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR			
362-802	CUSTOMER INSTALLED CHELSEA 442 SERIES PTO			
363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON			
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			
345-072	DASH MOUNTED T-HANDLE CABLE SHIFT CONTROL WITHOUT PARK BRAKE POSITION			
97G-006	TRANSMISSION PROGNOSTICS - DISABLED (N/A) 2013, FOR USE IN 1000/2000 ONLY			
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK			



Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX
20049

20049 RALEIGH, NC 27619 Phone: 919.459.6471



Prepared by: Tony Lyerly EXCEL TRUCK GROUP. 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	
346-001	TRANSMISSION OIL CHECK AND FILL			
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)			
Front Axle and Equ	ipment			
400-1A6	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE			
402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES			
403-002	NON-ASBESTOS FRONT BRAKE LINING			
419-023	CONMET CAST IRON FRONT BRAKE DRUMS			
409-006	FRONT OIL SEALS			
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			
406-001	STANDARD KING PIN BUSHINGS			
536-050	TRW THP-60 POWER STEERING			
539-003	POWER STEERING PUMP			
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			
40T-001	MINERAL SAE 80/90 FRONT AXLE LUBE			
Front Suspension				
620-1E9	12,000# MONO TAPERLEAF FRONT SUSPENSION			
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			
410-001	FRONT SHOCK ABSORBERS			
Rear Axle and Equi	pment			
420-1C8	DETROIT DA-RS-21.0-4 21,000# R-SERIES SINGLE REAR AXLE			
421-456	4.56 REAR AXLE RATIO			
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
386-079	MXL 16T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	-20	-20	
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			
433-002	NON-ASBESTOS REAR BRAKE LINING			
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)			



Prepared for: Jason Bennett NC SHERIFFS ASSOCIATION PO BOX

20049 RALEIGH, NC 27619 Phone: 919.459.6471



Prepared by: Tony Lyerly EXCEL TRUCK GROUP. 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	
451-001	CAST IRON OUTBOARD REAR BRAKE DRUMS			
440-006	REAR OIL SEALS			
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			
41T-001	MINERAL SAE 80/90 REAR AXLE LUBE			
42T-001	STANDARD REAR AXLE BREATHER(S)			
Rear Suspension				
622-1MF	21,000# 52 INCH VARIABLE RATE MULTI-LEAF SPRING REAR SUSPENSION		-30	
621-001	SPRING SUSPENSION - NO AXLE SPACERS			
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			
Brake System				
490-100	WABCO 4S/4M ABS			
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			
904-001	FIBER BRAID PARKING BRAKE HOSE			
412-001	STANDARD BRAKE SYSTEM VALVES			
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			
413-002	STD U.S. FRONT BRAKE VALVE			
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER			
479-015	AIR DRYER FRAME MOUNTED			
460-001	STEEL AIR BRAKE RESERVOIRS			
477-011	PETCOCK DRAIN VALVES ON ALL AIR TANK(S)			
Wheelbase & Frame				
545-402	4025MM (158 INCH) WHEELBASE			
546-102	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI	110	170	
552-037	1775MM (70 INCH) REAR FRAME OVERHANG			
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH			
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 92.91 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 89.91 in			






Prepared by: Tony Lyerly EXCEL TRUCK GROUP. 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269

Phone: 704-597-1110

	Data Code	Description	Weight Front	Weight Rear
	AE4-99D	CALC'D FRAME LENGTH - OVERALL: 267.74 in		
	FSS-0LH	CALCULATED FRAME SPACE LH SIDE: 61.8 in		
	FSS-0RH	CALCULATED FRAME SPACE RH SIDE: 40.48 in		
	553-001	SQUARE END OF FRAME		
	550-001	FRONT CLOSING CROSSMEMBER		
	559-001	STANDARD WEIGHT ENGINE CROSSMEMBER		
	562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
	572-001	STANDARD REARMOST CROSSMEMBER		
	565-001	STANDARD SUSPENSION CROSSMEMBER		
Chassi	s Equipment			
	556-1CP	14 INCH PAINTED STEEL CUTOFF BUMPER	-35	
	574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
	551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS		
	44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE		
Fuel Ta	anks			
	204-215	50 GALLON/189 LITER SHORT RECTANGULAR ALUMINUM FUEL TANK - LH	-10	
	218-005	RECTANGULAR FUEL TANK(S)		
	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
	212-007	FUEL TANK(S) FORWARD		
	664-001	PLAIN STEP FINISH		
	205-001	FUEL TANK CAP(S)		
	122-1J2	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR AND HAND PRIMER	-5	
	216-020	EQUIFLO INBOARD FUEL SYSTEM		
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
Tires				
	093-2G9	BRIDGESTONE ECOPIA R268 11R22.5 14 PLY RADIAL FRONT TIRES	12	
	094-2EU	HANKOOK DH06 11R22.5 14 PLY RADIAL REAR TIRES		64
Hubs				
	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS		



Data Version PRL-

BID MY24 NC Sheriff 108+

27D.037





Prepared by: Tony Lyerly EXCEL TRUCK GROUP. 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

	Data Code	Description	Weight Front	Weight Rear	
	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			
Wheels					
	502-1DN	ACCURIDE 51637 ACCU-LITE 22.5X8.25 10-HUB PILOT 6.16 INSET 10-HAND STEEL DISC FRONT WHEELS	-12		
	505-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2- HAND HD STEEL DISC REAR WHEELS		52	
	496-011	FRONT WHEEL MOUNTING NUTS			
	497-011	REAR WHEEL MOUNTING NUTS			
Cab Ex	terior				
	829-1A5	108 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			
	650-008	AIR CAB MOUNTING			
	648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			
	667-004	FRONT FENDERS SET-BACK AXLE			
	678-051	SAFETY YELLOW INTERIOR GRAB HANDLES			
	646-041	STATIONARY BLACK GRILLE			
	65X-004	BLACK HOOD MOUNTED AIR INTAKE GRILLE			
	644-004	FIBERGLASS HOOD			
	727-1AH	SINGLE 14 INCH ROUND POLISHED AIR HORN ROOF MOUNTED			
	726-001	SINGLE ELECTRIC HORN			
	728-001	SINGLE HORN SHIELD			
	575-001	REAR LICENSE PLATE MOUNT END OF FRAME			
	312-068	HALOGEN COMPOSITE HEADLAMPS WITH BLACK BEZELS			
	302-047	LED AERODYNAMIC MARKER LIGHTS			
	311-001	DAYTIME RUNNING LIGHTS			
	294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			
	300-015	STANDARD FRONT TURN SIGNAL LAMPS			
	744-1BK	DUAL WEST COAST MOLDED-IN COLOR HEATED MIRRORS WITH LH AND RH REMOTE			
	797-001	DOOR MOUNTED MIRRORS			
	796-001	102 INCH EQUIPMENT WIDTH			
	743-1AP	LH AND RH 8 INCH MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			
	729-001	STANDARD SIDE/REAR REFLECTORS			
	768-043	63X14 INCH TINTED REAR WINDOW			





Prepared by: Tony Lyerly EXCEL TRUCK GROUP. 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	
661-004	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS			
654-003	MANUAL DOOR WINDOW REGULATORS			
663-013	1-PIECE SOLAR GREEN GLASS WINDSHELD			
659-007	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR			
Cab Interior				
055-017	PROFESSIONAL TRIM PACKAGE			
707-105	MIST AND CARBON CLOTH INTERIOR "PROFESSIONAL"			
70K-016	CARBON WITH BASE BLACK ACCENT			
706-013	MOLDED PLASTIC DOOR PANEL			
708-013	MOLDED PLASTIC DOOR PANEL			
772-006	BLACK MATS WITH SINGLE INSULATION			
785-998	NO DASH MOUNTED ASH TRAYS AND LIGHTER			
691-001	FORWARD ROOF MOUNTED CONSOLE			
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS			
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY			
742-007	(2) CUP HOLDERS LH AND RH DASH			
680-029	M2/SD DASH			
720-002	2-1/2 LB. FIRE EXTINGUISHER	5		
700-002	HEATER, DEFROSTER AND AIR CONDITIONER			
701-001	STANDARD HVAC DUCTING			
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			
170-015	STANDARD HEATER PLUMBING			
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			
702-002	BINARY CONTROL, R-134A			
739-033	STANDARD INSULATION			
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			
324-1B3	STANDARD LED CAB LIGHTING			
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			
78G-002	KEY QUANTITY OF 2			
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS			





Prepared by: Tony Lyerly EXCEL TRUCK GROUP. 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

		Weight	Weight	
Data Co	de Description	Front	Rear	
722-002	TRIANGULAR REFLECTORS WITHOUT FLARES	10		
756-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WTIH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	30		
760-335	BASIC ISRI HIGH BACK NON SUSPENSION PASSENGER SEAT			
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS	;		
758-036	VINYL WITH VINYL INSERT DRIVER SEAT			
761-036	VINYL WITH VINYL INSERT PASSENGER SEAT			
763-101	BLACK SEAT BELTS			
532-001	FIXED STEERING COLUMN			
540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES			
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			
Instruments &	Controls			
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			
106-002	ELECTRONIC ACCELERATOR CONTROL			
732-998	NO INSTRUMENT PANEL-DRIVER			
734-023	CONFIGURABLE LOWER PANEL WITH			

	DRIVER DISPLAT
106-002	ELECTRONIC ACCELERATOR CONTROL
732-998	NO INSTRUMENT PANEL-DRIVER
734-023	CONFIGURABLE LOWER PANEL WITH INTEGRATED UPPER STORAGE
87L-001	ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK
870-001	BLACK GAUGE BEZELS
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH
844-001	2 INCH ELECTRIC FUEL GAUGE





Prepared by: Tony Lyerly EXCEL TRUCK GROUP. 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	
148-074	ENGINE REMOTE INTERFACE NOT CONFIGURED			
48H-001	QUICKFIT POWERTRAIN INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH CAPS			
48C-001	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) BETWEEN SEATS WITH CAP			
163-014	ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR			
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			
864-998	NO TRANSMISSION TEMPERATURE GAUGE			
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE			
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			
679-998	NO OVERHEAD INSTRUMENT PANEL			
35M-010	QUICKFIT PROGRAMMABLE INTERFACE MODULE	10		
746-136	AM/FM/WB WORLD TUNER RADIO WITH AUXILIARY INPUT, J1939	10		
747-001	DASH MOUNTED RADIO			
750-002	(2) RADIO SPEAKERS IN CAB			
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF			
74D-006	STANDARD RADIO WIRING WITH STEERING WHEEL CONTROLS			
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			
817-001	STANDARD VEHICLE SPEED SENSOR			
812-001	ELECTRONIC 3000 RPM TACHOMETER			
813-1C8	DETROIT CONNECT PLATFORM HARDWARE			
8D1-303	3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT			
6TS-005	TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL			
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			



Prepared for: Jason Bennett NC SHERIFFS ASSOCIATION PO BOX 20049 RALEIGH, NC 27619

Phone: 919.459.6471



Prepared by: Tony Lyerly EXCEL TRUCK GROUP. 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

NCSA BIO# 24-08-0421

	Data Code	Description	Weight Front	Weight Rear	
	264-030	(1) OVERHEAD MOUNTED LANYARD CONTROL FOR DRIVER AIR HORN	110111	Real	
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			
	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			
	304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS			
	882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			
	299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT			
	298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY			
Design	ı				
	065-000	PAINT: ONE SOLID COLOR			
Color					
	980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY			
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			
	962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			
	966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			
	964-020	STANDARD BLACK BUMPER PAINT			
	963-003	STANDARD E COAT/UNDERCOATING			
Certification / Compliance					
	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			

Weight Summary						
	Weight	Weight	Total			
	Front	Rear	Weight			
Factory Weight <sup>+</sup>	6064 lbs	3874 lbs	9938 lbs			

VEHICLE

S U M M A R Y

Application Version 11.8.006 Data Version PRL-27D.037 BID MY24 NC Sheriff 108+

TOTAL





Prepared by: Tony Lyerly EXCEL TRUCK GROUP. 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

Total Weight <sup>+</sup>	6064 lbs	3874 lbs	9938 lbs

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(\*\*\*) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

