

**Prepared for:**  
Jason Bennett  
NC SHERIFFS ASSOCIATION  
PO BOX  
20049  
RALEIGH, NC 27619  
Phone: 919.459.6471




**Prepared by:**  
Tony Lyerly  
EXCEDL TRUCK GROUP  
4633 EQUIPMENT DRIVE  
CHARLOTTE, NC 28269  
Phone: 704-597-1110

*A proposal for*  
**NC SHERIFFS ASSOCIATION**

*Prepared by*  
**EXCEL TRUCK GROUP**  
*Tony Lyerly*

*Apr 17, 2023*

**Freightliner M2 106**



Prepared for:  
Jason Bennett  
NC SHERIFFS ASSOCIATION  
PO BOX  
20049  
RALEIGH, NC 27619  
Phone: 919.459.6471



NCSA BID# 24-08-0421

Prepared by:  
Tony Lyerly  
EXCEDL TRUCK GROUP  
4633 EQUIPMENT DRIVE  
CHARLOTTE, NC 28269  
Phone: 704-597-1110

## SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear	Retail Price
<b>Price Level</b>				
PRL-27M	M2 PRL-27M (EFF:MY24 ORDERS)			
<b>Data Version</b>				
DRL-038	SPECPRO21 DATA RELEASE VER 038			
<b>Vehicle Configuration</b>				
001-172	M2 106 PLUS CONVENTIONAL CHASSIS	5,709	3,450	
004-224	2024 MODEL YEAR SPECIFIED			
002-004	SET BACK AXLE - TRUCK			
019-004	STRAIGHT TRUCK PROVISION, NON-TOWING			
003-001	LH PRIMARY STEERING LOCATION			
<b>General Service</b>				
AA1-002	TRUCK CONFIGURATION			
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
A85-002	PICKUP AND DELIVERY/SHORT HAUL SERVICE			
A84-1GF	GENERAL FREIGHT BUSINESS SEGMENT			
AA4-001	GENERAL FREIGHT COMMODITY			
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
AB1-008	MAXIMUM 8% EXPECTED GRADE			
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
995-091	MEDIUM TRUCK WARRANTY			
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 8000.0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 17500.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 25500.0 lbs			
<b>Truck Service</b>				



Prepared for:  
Jason Bennett  
NC SHERIFFS ASSOCIATION  
PO BOX  
20049  
RALEIGH, NC 27619  
Phone: 919.459.6471



NCSA BID# 24-08-0421

Prepared by:  
Tony Lyerly  
EXCEDL TRUCK GROUP  
4633 EQUIPMENT DRIVE  
CHARLOTTE, NC 28269  
Phone: 704-597-1110

	Data Code	Description	Weight Front	Weight Rear	Retail Price
	AA3-001	DRY VAN BODY			
N	AF3-2CP	DEALER STOCK TRUCK - UPFIT UNDETERMINED			
	AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES : 32.0 in			

### Engine

101-21N CUM B6.7 200 HP @ 2400 RPM, 2600 GOV, 520  
LB-FT @ 1600 RPM

### Electronic Parameters

79A-070 70 MPH ROAD SPEED LIMIT  
79F-004 CUMMINS TRIP INFORMATION REPORTS  
ENABLED; LEVEL 1: 4 MPH, LEVEL 2: 7 MPH  
ABOVE ROAD SPEED LIMIT  
79K-002 PTO MODE ENGINE RPM LIMIT - 700 RPM  
79M-001 PTO MODE BRAKE OVERRIDE - SERVICE  
BRAKE APPLIED  
79N-001 PTO MODE CLUTCH OVERRIDE - CLUTCH  
ENABLED  
79P-002 PTO RPM WITH CRUISE SET SWITCH - 700 RPM  
79Q-002 PTO RPM WITH CRUISE RESUME SWITCH - 700  
RPM  
79S-001 PTO MODE CANCEL VEHICLE SPEED - 5 MPH  
79V-001 FUEL DOSING OF AFTERTREATMENT ENABLED  
IN PTO MODE-CLEANS HYDROCARBONS AT  
HIGH TEMPERATURES ONLY  
79W-001 ONE REMOTE PTO SPEED  
79X-001 PTO SPEED 1 SETTING - 700 RPM  
80G-002 PTO MINIMUM RPM - 700  
80J-002 REGEN INHIBIT SPEED THRESHOLD - 5 MPH  
80S-001 PTO 1, DASH SWITCH, STATIONARY  
OPERATION

### Engine Equipment

99C-021 2010 EPA/CARB/GHG21 CONFIGURATION  
99D-010 NO 2008 CARB EMISSION CERTIFICATION  
13E-001 STANDARD OIL PAN  
105-001 ENGINE MOUNTED OIL CHECK AND FILL  
014-099 SIDE OF HOOD AIR INTAKE WITH FIREWALL  
MOUNTED DONALDSON AIR CLEANER  
124-1D7 DR 12V 160 AMP 28-SI QUADRAMOUNT PAD  
ALTERNATOR WITH REMOTE BATTERY VOLT  
SENSE



Prepared for:  
 Jason Bennett  
 NC SHERIFFS ASSOCIATION  
 PO BOX  
 20049  
 RALEIGH, NC 27619  
 Phone: 919.459.6471



NCSA BID# 24-08-0421

Prepared by:  
 Tony Lyerly  
 EXCEDL TRUCK GROUP  
 4633 EQUIPMENT DRIVE  
 CHARLOTTE, NC 28269  
 Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	Retail Price
292-205	(2) DTNA GENUINE, FLOODED STARTING, MIN 1900CCA, 350RC, THREADED STUD BATTERIES			
290-017	BATTERY BOX FRAME MOUNTED			
281-001	STANDARD BATTERY JUMPERS			
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB			
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
289-001	NON-POLISHED BATTERY BOX COVER			
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS			
180-063	EATON FULLER 365MM CERAMIC 1 PLATE MAINTENANCE FREE WEAR-THROUGH CLUTCH			
182-005	HYDRAULIC CLUTCH CONTROL			
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR			
131-013	AIR COMPRESSOR DISCHARGE LINE			
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE			
28F-014	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER			
239-001	STANDARD EXHAUST SYSTEM LENGTH			
237-052	RH STANDARD HORIZONTAL TAILPIPE			
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK			
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			
273-004	BORG WARNER VISCOUS FAN DRIVE			
110-003	CUMMINS SPIN ON FUEL FILTER			
118-001	FULL FLOW OIL FILTER			
266-100	700 SQUARE INCH ALUMINUM RADIATOR			



Prepared for:  
Jason Bennett  
NC SHERIFFS ASSOCIATION  
PO BOX  
20049  
RALEIGH, NC 27619  
Phone: 919.459.6471



NCSA BID# 24-08-0421

Prepared by:  
Tony Lyerly  
EXCEDL TRUCK GROUP  
4633 EQUIPMENT DRIVE  
CHARLOTTE, NC 28269  
Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	Retail Price
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			
270-016	RADIATOR DRAIN VALVE			
168-002	LOWER RADIATOR GUARD			
134-001	ALUMINUM FLYWHEEL HOUSING			
132-004	ELECTRIC GRID AIR INTAKE WARMER			
155-057	DELCO 12V 29MT STARTER WITH INTEGRATED MAGNETIC SWITCH			

#### Transmission

342-1CA	EATON FULLER FS-5406A TRANSMISSION	40	20	
---------	------------------------------------	----	----	--

#### Transmission Equipment

353-073	QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH CAP			
347-002	ALUMINUM CLUTCH HOUSING			
362-1T7	CUSTOMER INSTALLED CHELSEA 221 SERIES PTO			
363-003	PTO MOUNTING, BOTTOM OF MAIN TRANSMISSION DETROIT & EATON FULLER TRANSMISSION			
341-017	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN			
345-001	PAINTED SHIFT LEVER, SOLID LINKAGE			
370-998	NO TRANSMISSION OIL COOLER	-15		
35T-003	SYNTHETIC TRANSMISSION LUBE			

#### Front Axle and Equipment

400-1EW	DETROIT DA-F-8.0-3 8,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE			
402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES			
403-002	NON-ASBESTOS FRONT BRAKE LINING			
419-023	CONMET CAST IRON FRONT BRAKE DRUMS			
409-006	FRONT OIL SEALS			
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			



Prepared for:  
Jason Bennett  
NC SHERIFFS ASSOCIATION  
PO BOX  
20049  
RALEIGH, NC 27619  
Phone: 919.459.6471



NCSA BID# 24-08-0421

Prepared by:  
Tony Lyerly  
EXCEDL TRUCK GROUP  
4633 EQUIPMENT DRIVE  
CHARLOTTE, NC 28269  
Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	Retail Price
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			
536-050	TRW THP-60 POWER STEERING			
539-003	POWER STEERING PUMP			
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			
40T-001	MINERAL SAE 80/90 FRONT AXLE LUBE			
<b>Front Suspension</b>				
620-032	8,000# TAPERLEAF FRONT SUSPENSION	-30		
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			
410-001	FRONT SHOCK ABSORBERS			
<b>Rear Axle and Equipment</b>				
420-1C6	DETROIT DA-RS-17.5-2 17,500# R-SERIES SINGLE REAR AXLE		-170	
421-430	4.30 REAR AXLE RATIO			
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
386-055	SPL100 DANA SPICER MAIN DRIVELINE WITH HALF ROUND YOKES	-15	-15	
423-032	MERITOR 16.5X7 Q+ STAMPED SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		-10	
433-002	NON-ASBESTOS REAR BRAKE LINING			
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)			
451-001	CAST IRON OUTBOARD REAR BRAKE DRUMS			
440-006	REAR OIL SEALS			
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			
<b>Rear Suspension</b>				
622-1MD	18,000# 52 INCH VARIABLE RATE MULTI-LEAF SPRING REAR SUSPENSION		40	
621-001	SPRING SUSPENSION - NO AXLE SPACERS			
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			



Prepared for:  
Jason Bennett  
NC SHERIFFS ASSOCIATION  
PO BOX  
20049  
RALEIGH, NC 27619  
Phone: 919.459.6471



NCSA BID# 24-08-0421

Prepared by:  
Tony Lyerly  
EXCEDL TRUCK GROUP  
4633 EQUIPMENT DRIVE  
CHARLOTTE, NC 28269  
Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	Retail Price
<b>Brake System</b>				
018-002	AIR BRAKE PACKAGE			
490-121	WABCO 4S/4M ABS WITH TRACTION CONTROL			
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			
904-001	FIBER BRAID PARKING BRAKE HOSE			
412-001	STANDARD BRAKE SYSTEM VALVES			
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			
413-002	STD U.S. FRONT BRAKE VALVE			
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			
480-998	NO BRAKE LINE AIR DRYER	-20		
460-001	STEEL AIR BRAKE RESERVOIRS			
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS			
<b>Wheelbase &amp; Frame</b>				
545-472	<b>4725MM (186 INCH) WHEELBASE</b>			
546-020	1/4X3.00X10.00 INCH STEEL FRAME (6.35MMX254.0MM/0.250X10.00 INCH) 50KSI	-40	-70	
552-030	1600MM (63 INCH) REAR FRAME OVERHANG			
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH			
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 120.47 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 117.47 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 287.99 in			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 91.52 in			
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 68.04 in			
553-001	SQUARE END OF FRAME			
550-001	FRONT CLOSING CROSSMEMBER			
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION			
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			
572-001	STANDARD REARMOST CROSSMEMBER			
565-001	STANDARD SUSPENSION CROSSMEMBER			
<b>Chassis Equipment</b>				



Prepared for:  
Jason Bennett  
NC SHERIFFS ASSOCIATION  
PO BOX  
20049  
RALEIGH, NC 27619  
Phone: 919.459.6471



NCSA BID# 24-08-0421

Prepared by:  
Tony Lyerly  
EXCEDL TRUCK GROUP  
4633 EQUIPMENT DRIVE  
CHARLOTTE, NC 28269  
Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	Retail Price
556-1AN	THREE-PIECE 14 INCH STEEL CENTER BUMPER WITH FLEXIBLE PLASTIC ENDS			
574-011	SINGLE LICENSE PLATE BUMPER MOUNTING ON LH SIDE			
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS			
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			
44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE			
<b>Fuel Tanks</b>				
204-216	28 GALLON/106 LITER SHORT RECTANGULAR ALUMINUM FUEL TANK - LH			
218-005	RECTANGULAR FUEL TANK(S)			
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			
212-007	FUEL TANK(S) FORWARD			
664-001	PLAIN STEP FINISH			
205-001	FUEL TANK CAP(S)			
122-1J2	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR AND HAND PRIMER	-5		
216-020	EQUIFLO INBOARD FUEL SYSTEM			
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			
<b>Tires</b>				
093-12C	HANKOOK AL21 11R22.5 14 PLY RADIAL FRONT TIRES	12		
094-2EU	HANKOOK DH06 11R22.5 14 PLY RADIAL REAR TIRES		64	
<b>Hubs</b>				
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			
<b>Wheels</b>				
502-753	MAXION WHEELS 91262 22.5X8.25 10-HUB PILOT 6.20 INSET 5-HAND STEEL DISC FRONT WHEELS	10		
505-753	MAXION WHEELS 91262 22.5X8.25 10-HUB PILOT 5-HAND STEEL DISC REAR WHEELS		20	





Prepared for:  
Jason Bennett  
NC SHERIFFS ASSOCIATION  
PO BOX  
20049  
RALEIGH, NC 27619  
Phone: 919.459.6471



NCSA BID# 24-08-0421

Prepared by:  
Tony Lyerly  
EXCEDL TRUCK GROUP  
4633 EQUIPMENT DRIVE  
CHARLOTTE, NC 28269  
Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	Retail Price
496-011	FRONT WHEEL MOUNTING NUTS			
497-011	REAR WHEEL MOUNTING NUTS			
<b>Cab Exterior</b>				
829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			
650-009	RUBBER CAB MOUNTS			
678-998	NO GRAB HANDLES			
646-045	MOLD-IN COLOR GRILLE			
65X-011	MOLD-IN COLOR HOOD MOUNTED AIR INTAKE GRILLE			
644-004	FIBERGLASS HOOD			
726-001	SINGLE ELECTRIC HORN			
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			
312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY			
302-047	LED AERODYNAMIC MARKER LIGHTS			
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			
300-015	STANDARD FRONT TURN SIGNAL LAMPS			
744-1BK	DUAL WEST COAST MOLDED-IN COLOR HEATED MIRRORS WITH LH AND RH REMOTE			
797-001	DOOR MOUNTED MIRRORS			
796-001	102 INCH EQUIPMENT WIDTH			
743-1AP	LH AND RH 8 INCH MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			
729-001	STANDARD SIDE/REAR REFLECTORS			
768-043	63X14 INCH TINTED REAR WINDOW			
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS			
654-011	RH AND LH ELECTRIC POWERED WINDOWS	4		
663-013	1-PIECE SOLAR GREEN GLASS WINDSHIELD			
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED			
<b>Cab Interior</b>				
055-017	PROFESSIONAL TRIM PACKAGE			
707-105	MIST AND CARBON CLOTH INTERIOR "PROFESSIONAL"			
70K-016	CARBON WITH BASE BLACK ACCENT			
706-013	MOLDED PLASTIC DOOR PANEL			



Prepared for:  
 Jason Bennett  
 NC SHERIFFS ASSOCIATION  
 PO BOX  
 20049  
 RALEIGH, NC 27619  
 Phone: 919.459.6471



NCSA BID# 24-08-0421

Prepared by:  
 Tony Lyerly  
 EXCEDL TRUCK GROUP  
 4633 EQUIPMENT DRIVE  
 CHARLOTTE, NC 28269  
 Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	Retail Price
708-013	MOLDED PLASTIC DOOR PANEL			
772-006	BLACK MATS WITH SINGLE INSULATION			
691-001	FORWARD ROOF MOUNTED CONSOLE			
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS			
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY			
742-007	(2) CUP HOLDERS LH AND RH DASH			
680-029	M2/SD DASH			
700-002	HEATER, DEFROSTER AND AIR CONDITIONER			
701-001	STANDARD HVAC DUCTING			
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			
170-015	STANDARD HEATER PLUMBING			
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			
702-002	BINARY CONTROL, R-134A			
739-033	STANDARD INSULATION			
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			
324-1B3	STANDARD LED CAB LIGHTING			
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			
78G-002	KEY QUANTITY OF 2			
655-005	LH AND RH ELECTRIC DOOR LOCKS			
756-336	BASIC ISRI HIGH BACK NON SUSPENSION DRIVERS SEAT W/FORE & AFT ADJUSTMENT			
760-335	BASIC ISRI HIGH BACK NON SUSPENSION PASSENGER SEAT			
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			
758-036	VINYL WITH VINYL INSERT DRIVER SEAT			
761-036	VINYL WITH VINYL INSERT PASSENGER SEAT			
763-101	BLACK SEAT BELTS			
532-001	FIXED STEERING COLUMN			
540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES			
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			

## Instruments & Controls



Prepared for:  
 Jason Bennett  
 NC SHERIFFS ASSOCIATION  
 PO BOX  
 20049  
 RALEIGH, NC 27619  
 Phone: 919.459.6471



NCSA BID# 24-08-0421

Prepared by:  
 Tony Lyerly  
 EXCEDL TRUCK GROUP  
 4633 EQUIPMENT DRIVE  
 CHARLOTTE, NC 28269  
 Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	Retail Price
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			
732-998	NO INSTRUMENT PANEL-DRIVER			
734-022	FULLY CONFIGURABLE CENTER INSTRUMENT PANELS			
87L-001	ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK			
870-001	BLACK GAUGE BEZELS			
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE			
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			
149-998	NO SPEED CONTROL			
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY			
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			
844-001	2 INCH ELECTRIC FUEL GAUGE			
148-072	ENGINE REMOTE INTERFACE WITH MULTIPLE SET SPEEDS			
48H-001	QUICKFIT POWERTRAIN INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH CAPS			
48C-001	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) BETWEEN SEATS WITH CAP			
163-014	ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR			
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE			
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			
679-998	NO OVERHEAD INSTRUMENT PANEL			



Prepared for:  
Jason Bennett  
NC SHERIFFS ASSOCIATION  
PO BOX  
20049  
RALEIGH, NC 27619  
Phone: 919.459.6471



NCSA BID# 24-08-0421

Prepared by:  
Tony Lyerly  
EXCEDL TRUCK GROUP  
4633 EQUIPMENT DRIVE  
CHARLOTTE, NC 28269  
Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	Retail Price
74D-006	STANDARD RADIO WIRING WITH STEERING WHEEL CONTROLS			
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			
817-001	STANDARD VEHICLE SPEED SENSOR			
812-001	ELECTRONIC 3000 RPM TACHOMETER			
813-1C8	DETROIT CONNECT PLATFORM HARDWARE			
6TS-005	TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL			
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			
264-033	STEERING WHEEL MOUNTED ELECTRIC HORN CONTROL			
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			
304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS			
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			
299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT			
298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY			

## Design

065-000	PAINT: ONE SOLID COLOR
---------	------------------------

## Color

980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
964-6Z7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX
963-003	STANDARD E COAT/UNDERCOATING



Prepared for:  
 Jason Bennett  
 NC SHERIFFS ASSOCIATION  
 PO BOX  
 20049  
 RALEIGH, NC 27619  
 Phone: 919.459.6471



NCSA BID# 24-08-0421

Prepared by:  
 Tony Lyerly  
 EXCEDL TRUCK GROUP  
 4633 EQUIPMENT DRIVE  
 CHARLOTTE, NC 28269  
 Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	Retail Price
<b>Certification / Compliance</b>				

996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
---------	---

#### Sales Programs

NO SALES PROGRAMS HAVE BEEN SELECTED

### TOTAL VEHICLE SUMMARY

#### Adjusted List Price

#### Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight <sup>+</sup>	5650 lbs	3329 lbs	8979 lbs
Total Weight <sup>+</sup>	5650 lbs	3329 lbs	8979 lbs

### ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

#### Other Factory Charges

PMV-021	GHG21 ENHANCEMENT PRICE
RAC-42N	M2/SD PLUS ESCALATOR
RAG-020	CUMMINS TARIFF CHARGE - \$205
RFY-022	FRONT TIRE SURCHARGE
RFU-022	REAR TIRE SURCHARGE
RFZ-024	MY24/CY23 PRICING SURCHARGE
P73-2FT	STANDARD DESTINATION CHARGE



**Prepared for:**  
Jason Bennett  
NC SHERIFFS ASSOCIATION  
PO BOX  
20049  
RALEIGH, NC 27619  
Phone: 919.459.6471



**Prepared by:**  
Tony Lyerly  
EXCEDL TRUCK GROUP  
4633 EQUIPMENT DRIVE  
CHARLOTTE, NC 28269  
Phone: 704-597-1110

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(\*\*) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.

(\*\*\*) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

