RALEIGH, NC 27619 Phone: 919.459.6471 TRUCK GROUP

NCSA Bid# 24-08-0421

Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

A proposal for NC SHERIFFS ASSOCIATION

Prepared by **EXCEL TRUCK GROUP**Tony Lyerly

Apr 17, 2023

Freightliner M2 112





RALEIGH, NC 27619 Phone: 919.459.6471



Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

SPECIFICATION PROPOSAL

Data (Code	Description	Weight Front	Weight Rear	
Price Level					
PRL-2	?7M	M2 PRL-27M (EFF:MY24 ORDERS)			
Data Version					
DRL-0	38	SPECPRO21 DATA RELEASE VER 038			
Vehicle Conf	igurati	on			
001-17	75	M2 112 PLUS CONVENTIONAL CHASSIS	8,244	6,026	
004-22	24	2024 MODEL YEAR SPECIFIED			
002-00	04	SET BACK AXLE - TRUCK			
019-00	04	STRAIGHT TRUCK PROVISION, NON-TOWING			
003-00	01	LH PRIMARY STEERING LOCATION			
General Serv	ice				
AA1-0	02	TRUCK CONFIGURATION			
AA6-0	02	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
A85-0	02	PICKUP AND DELIVERY/SHORT HAUL SERVICE			
A84-1	GM	GOVERNMENT BUSINESS SEGMENT			
AA4-0	01	GENERAL FREIGHT COMMODITY			
AA5-0	02	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
AB1-0	80	MAXIMUM 8% EXPECTED GRADE			
AB5-0	01	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
995-1	AD	FREIGHTLINER LEVEL I WARRANTY			
A66-9	9D	EXPECTED FRONT AXLE(S) LOAD: 10000.0 lbs			
A68-9	9D	EXPECTED REAR DRIVE AXLE(S) LOAD : 23000.0 lbs			
A67-9	9D	EXPECTED PUSHER AXLE(S) LOAD: 0.0 lbs			
A63-9	9D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 33000.0 lbs			
Truck Service					

Truck Service



PO BOX 20049

RALEIGH, NC 27619 Phone: 919.459.6471



Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

Data	Code	Description	Weight Front	Weight Rear	
AA3-	001	DRY VAN BODY			
AF3-	037	SUPREME CORP.			
AF7-	99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES: 32.0 in			
Engine					
101-3	3BK	CUM L9 260 HP @ 2200 RPM; 2200 GOV RPM, 860 LB-FT @ 1200 RPM	640	30	
Electronic P	aramete	ers			
79A-	070	70 MPH ROAD SPEED LIMIT			
79B-	000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			
79N-	001	PTO MODE CLUTCH OVERRIDE - CLUTCH ENABLED			
80J-0	002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			
Engine Equi	pment				
99C-	021	2010 EPA/CARB/GHG21 CONFIGURATION			
99D-	010	NO 2008 CARB EMISSION CERTIFICATION			
13E-	001	STANDARD OIL PAN			
105-0	001	ENGINE MOUNTED OIL CHECK AND FILL			
014-0	099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER			
124-	1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			
292-2	235	(2) DTNA GENUINE, FLOODED STARTING, MIN 2000CCA, 370RC, THREADED STUD BATTERIES	-40	-10	
290-0	017	BATTERY BOX FRAME MOUNTED			
281-0	001	STANDARD BATTERY JUMPERS			
282-0	003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB			
291-0	017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
289-0	001	NON-POLISHED BATTERY BOX COVER			
306-0	015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS			
180-1	100	EATON ADVANTAGE 15-1/2 INCH SELF ADJUSTING CLUTCH			
183-0	800	TORQUE LIMITING CLUTCH BRAKE			
181-0	002	ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING			





Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	
182-005	HYDRAULIC CLUTCH CONTROL			
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR			
131-013	AIR COMPRESSOR DISCHARGE LINE			
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
128-076	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	20		
016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE			
28F-014	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER			
239-001	STANDARD EXHAUST SYSTEM LENGTH			
237-052	RH STANDARD HORIZONTAL TAILPIPE			
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK			
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH			
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			
110-003	CUMMINS SPIN ON FUEL FILTER			
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			
266-017	1300 SQUARE INCH ALUMINUM RADIATOR	-20		
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			
270-016	RADIATOR DRAIN VALVE			
134-001	ALUMINUM FLYWHEEL HOUSING			
132-004	ELECTRIC GRID AIR INTAKE WARMER			



PO BOX 20049

RALEIGH, NC 27619 Phone: 919.459.6471



Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269

Phone: 704-597-1110

Data Co	ode l	Description	Weight Front	Weight Rear	
155-058	3 [DELCO 12V 38MT HD STARTER WITH NTEGRATED MAGNETIC SWITCH	-10		
Transmission					
342-399) <u>I</u>	EATON FULLER FR-9210B TRANSMISSION			
Transmission	Equipm	ent			
347-002	2	ALUMINUM CLUTCH HOUSING			
341-017	-	MAGNETIC PLUGS, ENGINE DRAIN, FRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN			
345-001	I I	PAINTED SHIFT LEVER, SOLID LINKAGE			
35T-003	3	SYNTHETIC TRANSMISSION LUBE			
Front Axle and	d Equipr	nent			
400-1A5	-	DETROIT DA-F-10.0-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE			
402-020) (MERITOR 15X4 Q+ CAM FRONT BRAKES			
403-002	2 1	NON-ASBESTOS FRONT BRAKE LINING			
419-001	1 (CAST IRON OUTBOARD FRONT BRAKE DRUMS			
409-006	6 I	FRONT OIL SEALS			

Front		

408-004

416-022

405-002

536-050 539-003

534-015

40T-001

620-1E9	12,000# MONO TAPERLEAF FRONT
	SUSPENSION

MAINTENANCE FREE RUBBER BUSHINGS -619-005 FRONT SUSPENSION

CR STEEL VENTED FRONT HUB CAPS WITH

STANDARD SPINDLE NUTS FOR ALL AXLES MERITOR AUTOMATIC FRONT SLACK

2 QUART SEE THROUGH POWER STEERING

MINERAL SAE 80/90 FRONT AXLE LUBE

WINDOW AND CENTER PLUG - OIL

TRW THP-60 POWER STEERING

POWER STEERING PUMP

410-001 FRONT SHOCK ABSORBERS

ADJUSTERS

RESERVOIR

Rear Axle and Equipment

RS-23-160 23,000# R-SERIES QUIET RIDE 420-1FX -2,330

SINGLE REAR AXLE

421-373 3.73 REAR AXLE RATIO



RALEIGH, NC 27619 Phone: 919.459.6471



Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269

Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	
424-001	IRON REAR AXLE CARRIER WITH STANDARD	FIOIIL	Neai	
121 001	AXLE HOUSING			
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	60	60	
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		10	
433-002	NON-ASBESTOS REAR BRAKE LINING			
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)			
451-001	CAST IRON OUTBOARD REAR BRAKE DRUMS		-10	
440-006	REAR OIL SEALS			
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		-20	
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			
Rear Suspension				
622-1MJ	23,000# 52 INCH VARIABLE RATE MULTI-LEAF SPRING REAR SUSPENSION WITH LEAF SPRING HELPER		50	
621-001	SPRING SUSPENSION - NO AXLE SPACERS			
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			
Brake System				
018-002	AIR BRAKE PACKAGE			
490-100	WABCO 4S/4M ABS			
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			
904-001	FIBER BRAID PARKING BRAKE HOSE			
412-001	STANDARD BRAKE SYSTEM VALVES			
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			
413-002	STD U.S. FRONT BRAKE VALVE			
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER			
479-012	AIR DRYER MOUNTED UNDER HOOD			
460-001	STEEL AIR BRAKE RESERVOIRS			



Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

NCSA Bid# 24-08-0421

Data Code	Description	Weight Front	Weight Rear	
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS			
Wheelbase & Frame				
545-662	6625MM (261 INCH) WHEELBASE			
546-099	9/32X3-7/16X10-1/16 INCH STEEL FRAME (7.14MMX255.6MM/0.281X10.06 INCH) 120KSI	230	-20	
552-030	1600MM (63 INCH) REAR FRAME OVERHANG			
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH			
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 195.28 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 192.28 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 353.93 in			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE: 137.35 in			
FSS-0RH	CALCULATED FRAME SPACE RH SIDE: 142.84 in			
553-001	SQUARE END OF FRAME			
550-001	FRONT CLOSING CROSSMEMBER			
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION			
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			
572-001	STANDARD REARMOST CROSSMEMBER			
565-001	STANDARD SUSPENSION CROSSMEMBER			
Chassis Equipment				
556-1AP	THREE-PIECE 14 INCH PAINTED STEEL BUMPER WITH COLLAPSIBLE ENDS			
574-011	SINGLE LICENSE PLATE BUMPER MOUNTING ON LH SIDE			
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS			
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			
44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE			
Fuel Tanks				
204-215	50 GALLON/189 LITER SHORT RECTANGULAR ALUMINUM FUEL TANK - LH	-10		
218-005	RECTANGULAR FUEL TANK(S)			



RALEIGH, NC 27619 Phone: 919.459.6471



Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

	Data Code	Description	Weight Front	Weight Rear	
	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			
	212-007	FUEL TANK(S) FORWARD			
	664-001	PLAIN STEP FINISH			
	205-001	FUEL TANK CAP(S)			
	122-1H3	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR	10		
	216-020	EQUIFLO INBOARD FUEL SYSTEM			
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			
Tires					
	093-12C	HANKOOK AL21 11R22.5 14 PLY RADIAL FRONT TIRES	12		
	094-2EU	HANKOOK DH06 11R22.5 14 PLY RADIAL REAR TIRES		64	
Hubs					
	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			
	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			
Wheels	3				
	502-752	MAXION WHEELS 91541 22.5X8.25 10-HUB PILOT 6.20 INSET 2-HAND STEEL DISC FRONT WHEELS			
	505-752	MAXION WHEELS 91541 22.5X8.25 10-HUB PILOT 2-HAND STEEL DISC REAR WHEELS			
	496-011	FRONT WHEEL MOUNTING NUTS			
	497-011	REAR WHEEL MOUNTING NUTS			
Cab Ex	terior				
	829-072	112 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			
	650-008	AIR CAB MOUNTING			
	678-001	LH AND RH GRAB HANDLES			
	646-045	MOLD-IN COLOR GRILLE			
	65X-011	MOLD-IN COLOR HOOD MOUNTED AIR INTAKE GRILLE			
	644-004	FIBERGLASS HOOD			
	726-001	SINGLE ELECTRIC HORN			
	575-001	REAR LICENSE PLATE MOUNT END OF FRAME			





Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

	Data Code	Description	Weight Front	Weight Rear
	312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY		
	302-047	LED AERODYNAMIC MARKER LIGHTS		
	311-001	DAYTIME RUNNING LIGHTS		
	294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS		
	300-015	STANDARD FRONT TURN SIGNAL LAMPS		
	744-1BK	DUAL WEST COAST MOLDED-IN COLOR HEATED MIRRORS WITH LH AND RH REMOTE		
	797-001	DOOR MOUNTED MIRRORS		
	796-001	102 INCH EQUIPMENT WIDTH		
	743-1AP	LH AND RH 8 INCH MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
	729-001	STANDARD SIDE/REAR REFLECTORS		
	768-043	63X14 INCH TINTED REAR WINDOW		
	661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS		
	654-003	MANUAL DOOR WINDOW REGULATORS		
	663-013	1-PIECE SOLAR GREEN GLASS WINDSHELD		
	659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED		
Cab Int	terior			
	055-017	PROFESSIONAL TRIM PACKAGE		
	707-105	MIST AND CARBON CLOTH INTERIOR "PROFESSIONAL"		
	70K-016	CARBON WITH BASE BLACK ACCENT		
	706-013	MOLDED PLASTIC DOOR PANEL		
	708-013	MOLDED PLASTIC DOOR PANEL		
	772-006	BLACK MATS WITH SINGLE INSULATION		
	785-998	NO DASH MOUNTED ASH TRAYS AND LIGHTER		
	691-001	FORWARD ROOF MOUNTED CONSOLE		
	693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS		
	738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY		
	742-007	(2) CUP HOLDERS LH AND RH DASH		
	680-029	M2/SD DASH		
	700-002	HEATER, DEFROSTER AND AIR CONDITIONER		
	701-001	STANDARD HVAC DUCTING		
	703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		





Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269

Phone: 704-597-1110

ı	Data Code	Description	Weight Front	Weight Rear
	170-015	STANDARD HEATER PLUMBING		
1	130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR		
7	702-002	BINARY CONTROL, R-134A		
7	739-033	STANDARD INSULATION		
2	285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES		
2	280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM		
3	324-1B3	STANDARD LED CAB LIGHTING		
6	657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME		
7	78G-002	KEY QUANTITY OF 2		
6	655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS		
7	756-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WTIH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	30	
7	760-335	BASIC ISRI HIGH BACK NON SUSPENSION PASSENGER SEAT		
7	711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
7	758-036	VINYL WITH VINYL INSERT DRIVER SEAT		
7	761-036	VINYL WITH VINYL INSERT PASSENGER SEAT		
7	763-101	BLACK SEAT BELTS		
Ę	532-001	FIXED STEERING COLUMN		
Ę	540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES		
7	765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		
Instrume	ents & Contro	ols		
3	31B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY		
7	732-998	NO INSTRUMENT PANEL-DRIVER		
7	734-023	CONFIGURABLE LOWER PANEL WITH INTEGRATED UPPER STORAGE		
3	37L-001	ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK		
3	370-001	BLACK GAUGE BEZELS		
2	486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM		
8	340-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE		





Prepared by:
Tony Lyerly
EXCEL TRUCK GROUP
4633 EQUIPMENT DRIVE
CHARLOTTE, NC 28269
Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS		
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES		
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY		
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH		
844-001	2 INCH ELECTRIC FUEL GAUGE		
148-074	ENGINE REMOTE INTERFACE NOT CONFIGURED		
48H-003	QUICKFIT POWERTRAIN INTERFACE CONNECTOR UNDER CAB WITH CAPS		
48C-003	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) UNDER CAB WITH CAP		
163-014	ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR		
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER		
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
679-998	NO OVERHEAD INSTRUMENT PANEL		
35M-010	QUICKFIT PROGRAMMABLE INTERFACE MODULE	10	
746-136	AM/FM/WB WORLD TUNER RADIO WITH AUXILIARY INPUT, J1939	10	
747-001	DASH MOUNTED RADIO		
750-002	(2) RADIO SPEAKERS IN CAB		
753-007	AM/FM ANTENNA MOUNTED ON RH SIDE MIRROR	2	
74D-006	STANDARD RADIO WIRING WITH STEERING WHEEL CONTROLS		
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
817-001	STANDARD VEHICLE SPEED SENSOR		



Prepared for:
Jason Bennett
NC SHERIFFS ASSOCIATION
PO BOX
20049
ALEICH NC 27640

RALEIGH, NC 27619 Phone: 919.459.6471



Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

Weight Weight **Data Code** Description Front Rear 812-001 **ELECTRONIC 3000 RPM TACHOMETER** DETROIT CONNECT PLATFORM HARDWARE 813-1C8 8D1-303 3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT 6TS-005 TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL 162-002 IGNITION SWITCH CONTROLLED ENGINE STOP STEERING WHEEL MOUNTED ELECTRIC HORN 264-033 CONTROL 836-015 DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY SINGLE ELECTRIC WINDSHIELD WIPER MOTOR 660-008 WITH DELAY ROTARY HEADLAMP SWITCH, MARKER 304-030 LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS 882-009 ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR SELF CANCELING TURN SIGNAL SWITCH WITH 299-020 DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT INTEGRAL ELECTRONIC TURN SIGNAL 298-046 FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY Design 065-000 PAINT: ONE SOLID COLOR Color CAB COLOR A: L0006EY WHITE ELITE EY 980-5F6 986-020 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS **PAINT** 962-972 POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW) POWDER WHITE (N0006EA) REAR 966-972 WHEELS/RIMS (PKWHT21, TKWHT21, W, TW) BUMPER PAINT: FP24812 ARGENT SILVER 964-6Z7 DUPONT FLEX 963-003 STANDARD E COAT/UNDERCOATING **Certification / Compliance**

Application Version 11.8.006 Data Version PRL-27M.038 BID MY24 NC SHERIFF M2 112+ BASE SPEC

996-001



U.S. FMVSS CERTIFICATION, EXCEPT SALES

CABS AND GLIDER KITS



Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

TOTAL VEHICLE SUMMARY

Weight Summary			
	Weight Front	Weight Rear	Total Weight
Factory Weight ⁺	9188 lbs	3850 lbs	13038 lbs
Total Weight ⁺	9188 lbs	3850 lbs	13038 lbs

(+) Weights shown are estimates only.
If weight is critical, contact Customer Application Engineering.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

