Prepared for: Jason Bennett NC SHERIFFS ASSOCIATION PO BOX 20049

RALEIGH, NC 27619 Phone: 919.459.6471



Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

A proposal for NC SHERIFFS ASSOCIATION

Prepared by **EXCEL TRUCK GROUP**Tony Lyerly

Apr 17, 2023

Western Star 47X





Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear	
Price Level				
PRL-27X	WST 47X/49X PRL-27X (EFF:MY24 ORDERS)			
Data Version				
DRL-037	SPECPRO21 DATA RELEASE VER 037			
Vehicle Configura	ation			
001-470	WESTERN STAR 47X	9,050	6,525	
004-224	2024 MODEL YEAR SPECIFIED			
002-004	SET BACK AXLE - TRUCK			
019-004	STRAIGHT TRUCK PROVISION, NON-TOWING			
003-001	LH PRIMARY STEERING LOCATION			
General Service				
AA1-002	TRUCK CONFIGURATION			
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
A85-011	CONSTRUCTION SERVICE			
A84-1GM	GOVERNMENT BUSINESS SEGMENT			
AA4-010	DIRT/SAND/ROCK COMMODITY			
AA5-006	TERRAIN/DUTY: 10% (SOME) OF THE TIME, IN TRANSIT, IS SPENT ON NON-PAVED ROADS			
AB1-008	MAXIMUM 8% EXPECTED GRADE			
AB5-003	MAINTAINED GRAVEL OR CRUSHED ROCK - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
995-1A5	WESTERN STAR VOCATIONAL WARRANTY			
A66-99D	EXPECTED FRONT AXLE(S) LOAD: 12000.0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 21000.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 33000.0 lbs			
Truck Service				
AF3-1H9	AMICK EQUIPMENT			



Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

	Data Code	Description	Weight Front	Weight Rear	
Engine					
	101-3BK	CUM L9 260 HP @ 2200 RPM; 2200 GOV RPM, 860 LB-FT @ 1200 RPM	-850	-70	
Electro	nic Paramete	ers			
	79A-075	75 MPH ROAD SPEED LIMIT			
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			
	79K-013	PTO MODE ENGINE RPM LIMIT - 1600 RPM			
	79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED			
	79P-028	PTO RPM WITH CRUISE SET SWITCH - 1450 RPM			
	79U-001	PTO GOVERNOR RAMP RATE - 25 RPM PER SECOND			
	79V-001	FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TEMPERATURES ONLY			
	79W-008	ONE DASH MOUNTED PTO SPEED WITH PTO SWITCH ENGAGEMENT			
	79X-012	PTO SPEED 1 SETTING - 1400 RPM			
	80G-002	PTO MINIMUM RPM - 700			
	80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			
	80V-001	ENGINE MOUNT PTO, DASH SWTICH ENGAGES PTO MODE, STATIONARY OPERATION			
Engine	Equipment				
	99C-021	2010 EPA/CARB/GHG21 CONFIGURATION			
	99D-010	NO 2008 CARB EMISSION CERTIFICATION			
	13E-001	STANDARD OIL PAN			
	105-001	ENGINE MOUNTED OIL CHECK AND FILL			
	014-116	SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED AIR CLEANER			
	124-105	LN 12V 170 AMP AVI 160 PAD MOUNT ALTERNATOR			
	292-236	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES	-10		
	290-1CD	BATTERY BOX WITH ALUMINUM COVER MOUNTED SHORT SIDE TO RAIL	-50	10	
	282-003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB			
	291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			



Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	
289-020	UNPOLISHED ALUMINUM WST BATTERY BOX COVER			
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS	2		
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
128-998	NO RETARDER/ENGINE BRAKE			
016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE	-30	-20	
28F-014	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER			
239-001	STANDARD EXHAUST SYSTEM LENGTH			
237-052	RH STANDARD HORIZONTAL TAILPIPE			
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK	9	3	
23Z-005	UNPOLISHED ALUMINUM WST DIESEL EXHAUST FLUID TANK COVER			
43X-001	LH HEAVY DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH			
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			
122-1H3	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR	10		
110-003	CUMMINS SPIN ON FUEL FILTER			
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			
266-107	1400 SQUARE INCH VOCATIONAL RADIATOR			
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			
261-001	STANDARD CHARGE AIR COOLER PLUMBING			
270-016	RADIATOR DRAIN VALVE			
168-002	LOWER RADIATOR GUARD			
361-100	NO REPTO, EXTENDED FLYWHEEL HOUSING, CUML9 REQUIRED FOR PACKAGING			
132-004	ELECTRIC GRID AIR INTAKE WARMER			



Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	
155-055	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	-45		
Transmission				
342-415	EATON FULLER FRO-14210C TRANSMISSION	60	20	
Transmission Eq	<mark>uipment</mark>			
353-073	QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH CAP			
180-100	EATON ADVANTAGE 15-1/2 INCH SELF ADJUSTING CLUTCH			
183-008	TORQUE LIMITING CLUTCH BRAKE			
181-002	ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING			
182-005	HYDRAULIC CLUTCH CONTROL			
347-002	ALUMINUM CLUTCH HOUSING			
362-1PB	CUSTOMER INSTALLED CHELSEA 541 SERIES REAR MOUNT PTO			
363-012	PTO MOUNTING, LH REAR FOR A REAR MOUNTED PTO EATON FULLER TRANSMISSION	15		
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			
345-001	PAINTED SHIFT LEVER, SOLID LINKAGE			
370-002	AIR TO OIL TRANSMISSION COOLER			
35T-003	SYNTHETIC TRANSMISSION LUBE			
Front Axle and Ed	quipment			
400-1A6	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE			
418-058	CONMET PRESET PLUS PREMIUM ALUMINUM FRONT HUBS			
402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES			
403-002	NON-ASBESTOS FRONT BRAKE LINING			
419-027	CONMET CASTLITE CAST IRON FRONT BRAKE DRUMS	-20		
427-998	NO FRONT BRAKE DUST SHIELDS			
409-006	FRONT OIL SEALS			
408-017	SKF SCOTSEAL TF VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			



Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	
536-102	SINGLE POWER STEERING GEAR, BENDIX, 12- 13.3K			
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			
40T-001	MINERAL SAE 80/90 FRONT AXLE LUBE			
Front Suspension				
620-1F0	12,000# DUAL TAPERLEAF FRONT SUSPENSION			
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			
410-001	FRONT SHOCK ABSORBERS			
Rear Axle and Equip	oment			
420-009	RS-21-160 21,000# R-SERIES SINGLE REAR AXLE		-2,250	
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS		30	
421-358	3.58 REAR AXLE RATIO			
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
386-094	RPL14 MERITOR SERVICE-FREE MAIN DRIVELINE WITH HALF ROUND (17T) YOKES	-30	-30	
388-998	NO INTERAXLE (#3) DRIVELINE			
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			
433-002	NON-ASBESTOS REAR BRAKE LINING			
434-012	BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S)			
451-021	GUNITE CAST IRON REAR BRAKE DRUMS		-10	
425-998	NO REAR BRAKE DUST SHIELDS			
440-006	REAR OIL SEALS			
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		-20	
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			
41T-001	MINERAL SAE 80/90 REAR AXLE LUBE			
42T-001	STANDARD REAR AXLE BREATHER(S)			
Rear Suspension				
622-003	23,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD		90	
621-114	8.5 INCH NOMINAL RIDE HEIGHT (430MM GLOBAL REFERENCE HEIGHT)			



Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			
623-005	FORE/AFT CONTROL RODS			
439-998	NO REAR SHOCK ABSORBERS		-60	
Brake System				
490-1AU	WABCO 4S/4M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH			
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			
480-040	WABCO SYSTEM SAVER 1200 HEATED AIR DRYER WITH PRESSURE CONTROL VALVE			
483-004	WABCO OIL COALESCING FILTER FOR AIR DRYER			
479-012	AIR DRYER MOUNTED UNDER HOOD			
460-001	STEEL AIR BRAKE RESERVOIRS			
477-011	PETCOCK DRAIN VALVES ON ALL AIR TANK(S)			
Wheelbase & Frame				
545-547	5475MM (216 INCH) WHEELBASE			
546-108	8.0MM X 82.0MM X 281.0MM STEEL FRAME (0.32X3.23X11.06 INCH) 120 KSI	70	-30	
552-037	1775MM (70 INCH) REAR FRAME OVERHANG			
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH	-30	60	
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 150.39 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 330.61 in			
ZF1-99D	FRAME HEIGHT TOP FRONT UNLADEN: 41.05 in			
ZF2-99D	FRAME HEIGHT TOP FRONT LADEN: 39.13 in			
ZF3-99D	FRAME HEIGHT TOP REAR UNLADEN: 42.08 in			
ZF4-99D	FRAME HEIGHT TOP REAR LADEN: 28.08 in			
553-001	SQUARE END OF FRAME			
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			
561-015	STANDARD CAST ALUMINUM CROSSMEMBER BACK OF TRANSMISSION			
562-063	STANDARD CAST ALUMINUM MIDSHIP			
572-078	HEAVY DUTY REAR C-CHANNEL CROSSMEMBER, NON-TOWING		70	
565-001	STANDARD SUSPENSION CROSSMEMBER		20	



Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

	Data Code	Description	Weight Front	Weight Rear
	568-012	CAST ALUMINUM REAR SUSPENSION CROSSMEMBER		
Chassi	s Equipment			
	025-001	UNPOLISHED ALUMINUM WST EQUIPMENT COVERS		
	556-127	BRIGHT STEEL 1/8 INCH VOCATIONAL BUMPER		
	558-070	REMOVABLE FRONT TOW/RECOVERY DEVICE,STORED ON CHASSIS FRAME		
	574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
	551-034	CLASS 10.9 THREADED METRIC FASTENERS		
	44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE		
	924-007	LEFT HAND SIDE HEAVY DUTY BRACKETS REQUIRED		
	928-007	RIGHT HAND SIDE HEAVY DUTY BRACKETS REQUIRED		
Fuel Ta	anks			
	204-152	70 GALLON/264 LITER ALUMINUM FUEL TANK - LH		
	218-006	25 INCH DIAMETER FUEL TANK(S)		
	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
	212-007	FUEL TANK(S) FORWARD		
	664-001	PLAIN STEP FINISH		
	205-001	FUEL TANK CAP(S)		
	216-020	EQUIFLO INBOARD FUEL SYSTEM		
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
Tires				
	093-1YX	CONTINENTAL HSC3 11R22.5 16 PLY RADIAL FRONT TIRES	48	
	094-1RB	CONTINENTAL HDL2 11R22.5 14 PLY RADIAL REAR TIRES		44
Wheels	.			
	502-753	MAXION WHEELS 91262 22.5X8.25 10-HUB PILOT 6.20 INSET 5-HAND STEEL DISC FRONT WHEELS	10	
	505-545	MAXION WHEELS 90260 22.5X8.25 10-HUB PILOT 2-HAND HD STEEL DISC REAR WHEELS		80



Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

	Data Code	Description	Weight Front	Weight Rear
	50T-998	NO FRONT AXLE WHEEL/HUB COVER		
	496-011	FRONT WHEEL MOUNTING NUTS		
	497-011	REAR WHEEL MOUNTING NUTS		
Cab Ext	terior			
	829-053	111.6 INCH BBC CONVENTIONAL ALUMINUM CAB		
	82A-029	PAINTED CAB ACCENT MOLDING		
	705-054	CLEAR DASH FLEX PANEL FOR CUSTOMER/TEM INSTALLED DEVICE		
	667-001	FRONT FENDERS		
	678-053	INTERIOR GRAB HANDLES WITH ADDED LOWER LH AND RH A PILLAR GRAB HANDLES		
	65X-010	BRIGHT HOOD MOUNTED AIR INTAKE GRILLE, BLACK SCREEN, WITH LED ACCENT LIGHTS		
	640-016	X-SERIES STEEL REINFORCED ALUMINUM CAB		
	644-048	X-SERIES VOCATIONAL HOOD		
	67U-001	HOOD OPENING ASSIST WITH LOCKING STRUT		
	652-021	PAINTED WESTERN STAR NAMEPLATES		
	727-1AY	SINGLE AIR HORN UNDER LH DECK	-4	
	726-001	SINGLE ELECTRIC HORN		
	575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
	327-012	SWITCH, INDICATOR LIGHT AND WIRING FOR (2) CUSTOMER FURNISHED BEACONS	2	
	312-075	LED LOW BEAM AND HIGH BEAM HEADLIGHTS		
	302-072	ROOF MOUNTED LED MARKER LIGHTS		
	311-001	DAYTIME RUNNING LIGHTS		
	294-1AY	INTEGRAL LED STOP/TAIL/BACKUP LIGHTS		
	300-043	LED SIDE TURN SIGNAL		
	744-106	C-BAR MIRROR SYSTEM WITH DUAL HEATED MIRRORS WITH INTEGRAL HEATED CONVEX, DUAL REMOTE, STAINLESS STEEL BACK COVER, AND BLACK C-BAR		
	796-001	102 INCH EQUIPMENT WIDTH		
	743-209	LH AND RH CONVEX MIRRORS INTEGRAL WITH PRIMARY MIRRORS		
	74A-001	RH DOWN VIEW MIRROR		
	729-001	STANDARD SIDE/REAR REFLECTORS		
	677-098	UNPOLISHED ALUMINUM WST AFTERTREATMENT SYSTEM COVER		
	768-998	NO REAR WINDOW	-20	



Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

	Data Code	Description	Weight Front	Weight Rear	
	663-019	1-PIECE ROPED-IN SOLAR GREEN GLASS WINDSHIELD			
	659-006	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR			
Cab Inte	erior				
	055-015	X-SERIES BASE INTERIOR TRIM LEVEL PACKAGE			
	707-1C3	CHARCOAL BLACK VINYL BASE LEVEL INTERIOR			
	70K-016	CARBON WITH BASE BLACK ACCENT			
	772-001	BLACK MATS			
	785-014	(2) DASH MOUNTED POWER OUTLETS AND COIN TRAY			
	691-001	FORWARD ROOF MOUNTED CONSOLE			
	693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS			
	741-015	(2) COAT HOOKS ON BACKWALL OF CAB			
	738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY			
	170-015	STANDARD HEATER PLUMBING			
	698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER			
	739-033	STANDARD INSULATION			
	324-1B3	STANDARD LED CAB LIGHTING			
	787-998	NO SECURITY DEVICE			
	657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			
	78G-002	KEY QUANTITY OF 2			
	655-028	LH AND RH ELECTRIC DOOR LOCKS WITH AUTO UNLOCK FEATURE WHEN DOOR IS SET FROM OPEN TO CLOSED POSITION			
	64C-003	BLACK DOOR HANDLES			
	756-1J5	BASIC 2.0 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND TILT			
	760-1J4	BASIC 2.0 HIGH BACK NON SUSPENSION PASSENGER SEAT			
	759-009	INBOARD DRIVER SEAT ARMREST, NO PASSENGER SEAT ARMREST	2		
	758-139	BLACK VINYL DRIVER SEAT COVER WITH NO LOGO			
	761-139	BLACK VINYL PASSENGER SEAT COVER WITH NO LOGO			



Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	
763-1AA	3 POINT ADJUSTABLE D-RING RETRACTOR DRIVER AND FIXED D-RING RETRACTOR PASSENGER SEAT BELTS			
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			
540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES			
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			
Instruments & Cont	rols			
185-009	EXTRA GRIP FOOT CLUTCH PEDAL PAD, NON- ADJUSTABLE SUSPENDED PEDALS			
106-002	ELECTRONIC ACCELERATOR CONTROL			
87L-001	ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK			
870-001	BLACK GAUGE BEZELS			
734-018	STANDARD CENTER INSTRUMENT PANEL			
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE			
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES			
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY			
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			
160-045	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR WITH DUST CAP LOCATED BELOW LH DASH			
844-001	2 INCH ELECTRIC FUEL GAUGE			
148-073	ENGINE REMOTE INTERFACE FOR REMOTE THROTTLE			
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			
854-998	NO ENGINE OIL TEMPERATURE GAUGE			
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			
864-998	NO TRANSMISSION TEMPERATURE GAUGE			
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			



Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

Data Code	Description	Weight Front	Weight Rear	
830-031	ENGINE, TRIP AND PTO HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE			
736-998	NO OBSTACLE DETECTION SYSTEM			
49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL			
73B-998	NO LANE DEPARTURE WARNING SYSTEM			
6TS-005	TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL			
746-136	AM/FM/WB WORLD TUNER RADIO WITH AUXILIARY INPUT, J1939			
747-001	DASH MOUNTED RADIO			
750-041	STANDARD SPEAKER SYSTEM			
753-998	NO AM/FM RADIO ANTENNA			
748-002	POWER AND GROUND STUDS ON TOP OF DASH			
749-006	TOP OF DASH MOUNT CB RADIO PROVISION WITH PLATE AND STRAPS	2		
751-998	NO SPEAKER/LEAD FOR 2-WAY RADIO			
752-004	SINGLE FIBERGLASS LH MIRROR MOUNTED CB ANTENNA WITH BRACKET AND LEAD			
75W-001	HEADLINER MULTI-BAND ANTENNA: AM/FM/WEATHERBAND, WIFI/BLUETOOTH, GNSS/GPS			
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			
812-032	ELECTRONIC 2500 RPM TACHOMETER			
813-1C8	DETROIT CONNECT PLATFORM HARDWARE			
8D1-305	5 YEARS DAIMLER CONNECTIVITY BASE PACKAGE (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT			
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			
81Y-998	NO PRE TRIP SYSTEM TEST			
842-006	DIGITAL TURBO AIR PRESSURE IN DRIVER DISPLAY			
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			
304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS			
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			

Prepared for: Jason Bennett NC SHERIFFS ASSOCIATION PO BOX 20049 RALEIGH, NC 27619

Phone: 919.459.6471



Prepared by: Tony Lyerly EXCEL TRUCK GROUP 4633 EQUIPMENT DRIVE CHARLOTTE, NC 28269 Phone: 704-597-1110

Weight Weight **Data Code** Description Front Rear 299-020 SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT QUICKFIT POWERTRAIN INTERFACE 48H-003 CONNECTOR UNDER CAB WITH CAPS Design 065-000 PAINT: ONE SOLID COLOR Color 980-5F6 CAB COLOR A: L0006EY WHITE ELITE EY 986-020 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS **PAINT** POWDER WHITE (N0006EA) FRONT 962-972 WHEELS/RIMS (PKWHT21, TKWHT21, W, TW) 966-972 POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW) **Certification / Compliance** 996-001 U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS

Weight Summary			
	Weight Front	Weight Rear	Total Weight
Factory Weight ⁺	8191 lbs	4462 lbs	12653 lbs
Total Weight ⁺	8191 lbs	4462 lbs	12653 lbs

VEHICLE

SUMMARY

If weight is critical, contact Customer Application Engineering.

TOTAL

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

⁽⁺⁾ Weights shown are estimates only.