

www.InfraSolutionsGroup.com



Quote To:

NCSA

Mooreville, NC 28115

Atten:

Product ID	Description	Quantity	Unit Price
Dump Bodies	16' Magnum Dump Body		\$34,066.00
	10' Mark-E Dump Body		\$17,702.00
	9' Mark-III Dump Body		\$11,224.00
	12' Mark-IV Dump Body		\$14,300.00
	10' Munibody 22 Dump Body		\$35,505.00
	10' Munibody Flat Floor Dump Body		\$38,118.00



SALES QUOTATION

DATE	PAGE

QUANTITY	DESCRIPTION	LIST PRICE EACH	EXT. LIST PRICE
1	QUOTE 161278-4: 16' MAG BASIC ISG CONFIGURATION 1-1: MAGNUM rock and demolition dump body DESCRIPTION: DBE 16' body length Standard vertical tailgate style Straight sides : Body Size/Shape Body Length: 16' body length Rear Body Design: Standard vertical tailgate style Side Style: Straight sides Materials/Construction Floor Material: 3/16" AR 400 Side and Headsheet Material: 3/16" AR 400 (standard) Tailgate Options Tailgate Material: Standard 3/16" AR400 Tailgate Style: Standard Tailgate Bracing: Triple horizontal (standard 4 panel) Asphalt Lip: None Coal Chute: No Air Tailgate Release Valve: Standard Air release valve Lighting Lighting Package: Standard Rear Light Holes: One oval in each rear bolster Options/Accessories Cabshield: Standard cabshield, 10 GA GR50 steel Cabshield Size: 22" X 78" (1/2 cab) Factory Cabshield Installed: No Fenders: Standard 9' length Side Ladder: None Rubber Mounting Pads: No Hoist/Hydraulics Hoist Type: Telescopic Trunion Mount Hoist with Internal Doghouse Cylinder Type: Trunnion mount single acting hoist (G150-5.7-4)		



SALES QUOTATION

DATE	PAGE

QUANTITY	DESCRIPTION	LIST PRICE EACH	EXT. LIST PRICE
	Install Hoist Cylinder: No Hydraulic Reservoir: 30 gal. side mount Hydraulic Pump: C102 direct mount ccw manual trans. Body Hinge Body Hinge Type: Greaseless Composite Bushing Hinge Blocks (I) Body Hinge Paint: Yes, Rear Hinge Painted @ Factory		



SALES QUOTATION

DATE	PAGE

QUANTITY	DESCRIPTION	LIST PRICE EACH	EXT. LIST PRICE
1	QUOTE 161266-4: 10' MKE 24 side CONFIGURATION 1-1: HPI Marke DESCRIPTION: HPI USA/ENGLISH MARK E, CLASSIC 10' FLOOR LENGTH : MARK E PRODUCT FAMILY COUNTRY/LANGUAGE: USA/ENGLISH FAMILY: MARK E, CLASSIC BODY SIZE/SHAPE FLOOR LENGTH: 10' FLOOR LENGTH SIDE HEIGHT: 24" SIDE HEIGHT MATERIAL/CONSTRUCTION BODY MATERIAL(SIDES/HEADSHEET): 10GA GR50 SIDES/HEADSHEET SIDE BRACES: NO SIDE BRACES TOP RAIL/RUB RAIL MATERIAL: 10GA GR50 TOP & RUB RAILS REAR BOLSTER HEIGHT: 8" BOLSTER, 2-1/8" POCKETS REAR BOLSTER MATERIAL: 10GA GR50 REAR BOLSTERS FRONT BOLSTER: NO FRONT BOLSTERS FLOOR MATERIAL: 7GA GR50 FLOOR HOIST HOIST TYPE: 8/17 UNDERBODY HOIST W/SF CYLINDER MODEL: 8/17 UB, 1YR WTY HOIST MOUNT TYPE: STANDARD SUBFRAME INSTALL HOIST & CRADLE: UPFITTER INSTALLED H&C LONGSILLS LONGSILLS: 8" I-BEAM LONGSILLS, SKIP WELD MAINTENANCE UB HOIST MAINTENANCE: GREASELESS BUSHINGS BODY HINGE MAINTENANCE: GREASEABLE PINS, NO BUSHINGS TAILGATE TAILGATE STYLE: CONFIGURABLE STANDARD TAILGATE TAILGATE SHEET MATERIAL: 10GA GR50 TAILGATE SHEET TAILGATE LINER: NO TAILGATE LINER		



SALES QUOTATION

DATE	PAGE

QUANTITY	DESCRIPTION	LIST PRICE EACH	EXT. LIST PRICE
	COAL CHUTE: NO COAL CHUTE TAILGATE BRACE: NO TAILGATE BRACES TAILGATE LIFT STYLE/LOCATION: FORMED LIFT LOOP, TOP BRACE TAILGATE RELEASE & CONTROL: MANUAL TAILGATE RELEASE TAILGATE HINGE: STD, 1-1/4" PIN, 1" PLT TAILGATE CHAINS: ZINC TAILGATE CHAINS HORIZONTAL J-HOOKS: NO HORIZONTAL J-HOOKS TAILGATE PIN LANYARDS: NO TAILGATE PIN LANYARDS TAILGATE AIR VALVE: NO TG AIR VALVE LUBRICATION LUBRICATION: GREASELESS PINS, JAWS, & SHAFT CAB SHIELD CABSHIELD STYLE/WIDTH/OVERHANG: WELD-ON, 16"x78", NO TARP SHROUD CABSHIELD MATERIAL: GR50, 10GA PANEL, 7GA ENDS CABSHIELD INSTALLATION: CABSHIELD SHIPS LOOSE CABSHIELD OFFSET: OFFSET NOT APPLICABLE CABSHIELD LIGHTING: NO CABSHIELD LIGHTS ACCESSORIES & ATTACHMENTS ASPHALT LIP: NO ASPHALT LIP SIDE BOARDS: NO SIDEBORDS SIDE LADDER LOCATION: NO LADDER SIDE LADDER TYPE: NO LADDER INTERIOR STEPS: NO INTERIOR STEPS ELECTRICAL & LIGHTS RUB RAIL LIGHTING: NO RUB RAIL LIGHTING REAR BOLSTER MARKER LIGHTING: 2.5" RED REAR BLSTR LIGHT REAR FACING REAR BOLSTER LIGHT: 1 OBROUND LIGHT LIGHTING ADD ONS: NO BOLT-ON LIGHT BOX LIGHTING PACKAGE: FACTORY INCANDESCENT LIGHT PICK HARNESS CONNECTION POINT: HARNESS CONNECT: CHASSIS REAR LIQUID APPLICATION PWS TANKS: NO PREWET TANKS		



SALES QUOTATION

DATE	PAGE

QUANTITY	DESCRIPTION	LIST PRICE EACH	EXT. LIST PRICE
	PREWET PREP: NO PREWET BOX BRACKET ACCESSORIES & ATTACHMENTS WALK RAILS: NO WALK RAILS TARP RAILS: NO TARP RAILS VIBRATOR LOCATION: NO VIBRATOR TGS INSTALLATION: NO FACTORY INSTALLED TGS TGS INTEGRATION: NO TGS SPILL SHIELDS TGS/ASPHALT LIP MOUNT HOLES: NO MOUNT HOLES IN BOLSTER PAINT & FINISH FINISH PREP: WASH & PRIME BODY (NO BLAST) PAINT/FINISH: NO FINISH CUSTOM, NON-DEFINED NOTE 1:: ADDITIONAL CUSTOM OPTION CUSTOM OFFERING: OPTION: 201 Stainless Add 3380 NOTE 2:: ADDITIONAL CUSTOM OPTION CUSTOM OFFERING 2: NOTE 3:: NO ADDITIONAL CUSTOM OPTIONS NOTE 4: NO ADDITIONAL CUSTOM OPTIONS NOTE 5: NO ADDITIONAL CUSTOM OPTIONS NOTE 6: NO ADDITIONAL CUSTOM OPTIONS NOTE 7: NO ADDITIONAL CUSTOM OPTIONS NOTE 8: NO ADDITIONAL CUSTOM OPTIONS		



SALES QUOTATION

DATE	PAGE

QUANTITY	DESCRIPTION	LIST PRICE EACH	EXT. LIST PRICE
1	QUOTE 161272-4: 9' MK3 basic ISG CONFIGURATION 1-1: Mark III utility sized single axle dump body DESCRIPTION: DB3 9' body length 13" side height / 19" tailgate height 2.5/3.7 yd Telescopic hoist, trunion mount (Req's Min 2000 PSI) Body Size / Style Body Length: 9' body length Side / Tailgate Height: 13" side height / 19" tailgate height 2.5/3.7 yd Hoist Type: Telescopic hoist, trunion mount (Req's Min 2000 PSI) Hydraulics Hoist Cylinder: M80-3.5-3 single acting cylinder standard Install Cylinder and Subframe: No Pump Pack: Single acting electric/hydraulic pump pack Sides / Ends / Floor Side Construction: Double Wall 12 ga FIXED Sides Optional Sides/Ends Materials: Standard 12 ga Grade 50 Optional Floor Materials: 3/16" std grade 50 Sloped Steel Side Boards: No Tailgate Options Tailgate Style: Standard Dump Tailgate-Requires Pin Removal for Lay Down Coal Chute: No Light Options Front Amber Marker Lights: No LED Light Kit ILO Standard: No Cabshield Options Headsheet Type: Straight headsheet with integral 53" cabshield clearance Integral Cabshield Notice: !!!DEALER TO VERIFY CHASSIS CAB CLEARANCE PRIOR TO ORDER!!! Custom Options		



SALES QUOTATION

DATE	PAGE

QUANTITY	DESCRIPTION	LIST PRICE EACH	EXT. LIST PRICE
1	QUOTE 161273-4: 12' MK4 BASIC ISG CONFIGURATION 1-1: Mark IV contractor dump body DESCRIPTION: DBM4 12' body length 13" side height, fixed sides None : Body Size / Style Body Length: 12' body length Body Side Style: 13" side height, fixed sides Sloped Steel Side Boards: None Hoist/Hydraulics Hoist: Trunion Mount Tele Hoist M110-4.5-3 (17.1T Class 60) Hydraulics: Direct mount pump & 20 gal. side-mount reservoir Body Hinge Body Hinge Paint: Yes, Rear Hinge Painted @ Factory Materials/Construction Floor Material: Standard 3/16" GR50 steel Tailgate Options Tailgate Latch: Standard tailgate requires pin removal for laydown Tailgate Dump Release: Manual Over-Center release Coal Chute: No Cabshield Options Weld-on Cabshield: 16" x 78" carbon steel Install Cabshield: No Cabshield Window, 12" x 24": 12 GA carbon steel, punched Miscellaneous Options Stake Pockets (shipped loose): No Rubber Mounting Pads: No		



SALES QUOTATION

DATE	PAGE

QUANTITY	DESCRIPTION	LIST PRICE EACH	EXT. LIST PRICE
1	QUOTE 161279-5: 10' MUNI22 BASIC ISG CONFIGURATION 1-2: MUNIBody II multi-task body DESCRIPTION: MUNI Rear discharge only External with 60" headsheet 9' / 10' body length, 36" sides, 48" tailgate : Conveyor Discharge Discharge Options: Rear discharge only Body Size / Style Doghouse Type: External with 60" headsheet Body Length: 9' / 10' body length, 36" sides, 48" tailgate Side Height: 36" High Sides with pockets for 12" boards Side to Floor Transition: Standard 22 Degree from Horizontal Slope on Sides Tailgate/Rear Body Style: Standard Rear Discharge Apron 48" Tailgate Body Capacity Granular Capacity: 6.2 yd Sides 8.8 yd Ends Cabshield Cabshield: Yes Body Material/Construction Sides / Ends: Standard 7 GA GR50 sides, ends Cabshield Cabshield Material: 10 ga. with 7 ga. endplates, Carbon Steel Body Material/Construction Floor: 1/4" AR400 Cabshield Cabshield Size: 22" X 78" (1/2 cab) Grade 50 Body Material/Construction Rear Apron / Bolsters: Standard G50 Tailgate Bracing: Standard G50 Body Hinge Body Hinge Type: Greaseless Composite Bushing Hinge Blocks (I)		



SALES QUOTATION

DATE	PAGE

QUANTITY	DESCRIPTION	LIST PRICE EACH	EXT. LIST PRICE
	Body Hinge Paint: Yes, Rear Hinge Painted @ Factory Cabshield Factory Cabshield Installed: No Top Grate Screens Top Grate Screens: No Sideboards Sloped Steel Sideboards: No Conveyor Options Conveyor Motor with Integral Speed Sensor: No Conveyor Motor and Gearcase Location: Rear Mounted Motor and Gearcase Rubber Belt Over Chain Conveyor: No Double Conveyor Cross Bars: No 3/16" AR 400 Steel Conveyor Cover: No Conveyor Chain Oiling System: No Hydraulic Reservoir: Cradle mount reservoir Side Ladder Fold-up Side Ladder: No Spinner & Chute Options Polyurethane spinner disk: No Spinner / Chute / Asphalt Pan Options: None Underbody Pans, 304 SS: No Lighting Lighting Package: Standard lights Extra Light Holes in Rear Bolster: None Fenders Drivers Side Fender: Platform Fenders for Toolbox or Tanks Passengers Side Fender: Platform Fenders for Toolbox or Tanks Tool Box Drivers Side Fender Accessory: None - Fender Shelf for Future Application		



SALES QUOTATION

DATE	PAGE

QUANTITY	DESCRIPTION	LIST PRICE EACH	EXT. LIST PRICE
	Special Fender Options Special Fender Options - Drivers Side: None needed Tool Box Passengers Side Fender Accessory: None - Fender Shelf for Future Application Special Fender Options Special Fender Options - Passengers Side: None needed Custom Options		



SALES QUOTATION

DATE	PAGE

QUANTITY	DESCRIPTION	LIST PRICE EACH	EXT. LIST PRICE
1	QUOTE 161281-4: 10' MUNIFF BASIC ISG CONFIGURATION 1-1: MUNIBody II multi-task body DESCRIPTION: MUNI Rear discharge only External with 60" headsheet 9' / 10' body length, 36" sides, 48" tailgate : Conveyor Discharge Discharge Options: Rear discharge only Body Size / Style Doghouse Type: External with 60" headsheet Body Length: 9' / 10' body length, 36" sides, 48" tailgate Side Height: 36" High Sides with pockets for 12" boards Side to Floor Transition: Standard 22 Degree from Horizontal Slope on Sides Tailgate/Rear Body Style: Standard Rear Discharge Apron 48" Tailgate Body Capacity Granular Capacity: 6.2 yd Sides 8.8 yd Ends Cabshield Cabshield: No Body Material/Construction Sides / Ends: Standard 7 GA GR50 sides, ends Floor: 1/4" AR400 Rear Apron / Bolsters: Standard G50 Tailgate Bracing: Standard G50 Body Hinge Body Hinge Type: Greaseless Composite Bushing Hinge Blocks (I) Body Hinge Paint: Yes, Rear Hinge Painted @ Factory Top Grate Screens Top Grate Screens: No Sideboards Sloped Steel Sideboards: No		



SALES QUOTATION

DATE	PAGE

QUANTITY	DESCRIPTION	LIST PRICE EACH	EXT. LIST PRICE
	Conveyor Options Conveyor Motor with Integral Speed Sensor: No Conveyor Motor and Gearcase Location: Rear Mounted Motor and Gearcase Rubber Belt Over Chain Conveyor: No Double Conveyor Cross Bars: No 3/16" AR 400 Steel Conveyor Cover: No Conveyor Chain Oiling System: No Hydraulic Reservoir: Cradle mount reservoir Side Ladder Fold-up Side Ladder: No Spinner & Chute Options Polyurethane spinner disk: No Spinner / Chute / Asphalt Pan Options: None Underbody Pans, 304 SS: No Lighting Lighting Package: Standard lights Extra Light Holes in Rear Bolster: None Fenders Drivers Side Fender: Platform Fenders for Toolbox or Tanks Passengers Side Fender: Platform Fenders for Toolbox or Tanks Tool Box Drivers Side Fender Accessory: None - Fender Shelf for Future Application Special Fender Options Special Fender Options - Drivers Side: None needed Tool Box Passengers Side Fender Accessory: None - Fender Shelf for Future Application Special Fender Options Special Fender Options - Passengers Side: None needed		



SALES QUOTATION

DATE	PAGE

QUANTITY	DESCRIPTION	LIST PRICE EACH	EXT. LIST PRICE
	Custom Options Custom Options Option 1: MUNI FLAT FLOOR, INCLUDES 3/8 AR FLOOR O/S CON. 1 HOR. BRACE Option 2: DOUBLE ACTING HOIST		