

Factory Options

S/O	Subcategory	Description	Qty.
Series			
S	Model Year and Price List	24.1 MY Price List	1
S	Series	L Series	1
Base Mode	el		
S	Model Year	2024 Model Year	1
S	Base Model	L6	1
0	Major Model	L6	1
S	Axle Configuration	4X2 Axle Configuration	1
Vocation			
S	Application	Straight Truck-Delivery	1
S	Vocation	Dry Freight Body	1
0	Cab Type	Galvanized Steel Reinforced Crew Cab	1
S	Weight Rating Vehicle	23,000 Lbs.	1
0	Weight Rating Combination	26,000 Lbs.	1
S	Weight Rating Front	Front 8,000 Lbs.	1
S	Weight Rating Rear	Rear 17,500 Lbs.	1
Frame & V	Vheelbase		
0	Wheelbase	253.00 In. Wheelbase	1
0	Useable Cab To Axle/Trunnion Dimension	140.8 In. Cab To Axle/Trunnion Dimension	1
S	Frame Rear Overhang	97.00 In.	1
S	Front Bumper	Single Piece White Painted Steel Bumper	1
S	Front Tow Hook	LH And RH Frame Mounted Front Tow Hooks	1
0	Frame Rail	Single Frame .37X10.3X3.1 In., 80Kpsi (RBM 1,280,800/Rail)	1
S	Battery Box	Integrated In Drivers Side Step	1



S/O	Subcategory	Description	Qty.
S	Chassis Type	Clean Chassis Frame	1
ingine			
S	Engine	Cummins B6.7, 6.7 Liter, 240HP, 560 Ft/Lbs. Torque	1
S	Turbocharger	VGT Turbocharger	1
S	Engine Starter	Starter Delco Remy 31MT (12 V-4.8KW)	1
S	Alternator	Delco Remy 24 Si Brush Type (12V-130A)	1
S	Power Steering Pump	Power Steering Pump	1
S	Engine Oil Type	Shell Oil	1
S	Oil Filter	Oil Filter	1
S	Engine Drain Plug	Non-Magnetic Engine Oil Drain Plug	1
S	Engine Air Compressor	Gear Driven Engine Air Compressor	1
S	Air Dryer	Bendix AD-IS Air Dryer	1
S	Intake Air Warmer	Intake Air Warmer	1
S	Intake Air Filter	Donaldson Intake Air Filter and Service Indicator	1
S	Cold Package	Engine Block Heater With Cable and Cover	1
ooling Sy	vstem		
S	Engine Cooling System	Engine Cooling System And Intercooler	1
S	Cooling System Hose Clamps	Band Type Hose Clamp	1
S	Engine Coolant	Engine Coolant	1
S	Engine Fan	Engine Cooling Fan	1
S	Fan Clutch	Electronically Controlled Engine Fan Drive	1
xhaust			
S	Exhaust System Regulation	Cummins EPA 2021 GHG Phase 2 Regulation Exhaust DPR-SCR	1
S	Exhaust System	Cummins Inline DOC, DPF and SCR Beneath Cab RH Horizontal Tailpipe	1
S	Exhaust Brake	Cummins VGT Exhaust Brake	1
S	DEF Tank	Heated DEF Tank 7.4 Gallon Frame Mounted Forward of Passenger Steps	1
S	DEF Tank Cap	DEF Tank Cap	1



S/O	Subcategory	Description	Qty.
Transmissi	on		
S	Transmission Shift Type	Automatic Shift	1
S	Transmission	Allison 2200 HS Automatic Transmission No PTO Provision	1
S	Transmission Shift Selector	T-Handle Lever Shift Selector - Dash Mounted	1
S	Allison FuelSense®	GHG-21 Allison Neutral At Stop	1
S	Allison Vocational Package	Allison Vocational Package Number 354	1
S	Transmission Fluid	Synthetic Transmission Fluid - Automatic Transmission	1
S	Transmission Oil Cooler	Transmission Oil Cooler- Separate Type	1
Driveline			
S	Drive Shaft	Dana Spicer SPL 100 Main Driveline With Half Round Yokes	1
Suspensio	n - Front		
S	Front Suspension	8K Lbs. Tapered Leaf	1
S	Front Suspension Shock Absorber	Shock Absorber	1
Front Axle			
S	Front Axle	Meritor MFS8 8K Lbs. Front Axle	1
S	Front Axle Lubrication	Synthetic Front Axle Lubrication	1
S	Front Axle Hub Bearing	Front Axle Hub Bearing- Torque Type	1
S	Power Steering Reservoir	3.29 Qt. Power Steering Reservoir	1
S	Steering Gear	Single ZF TRW TAS 85 Steering Gear	1
Suspensio	n - Rear		
0	Rear Suspension	Hendrickson Comfort Air 19K Lbs. Air Suspension	1
0	Rear Suspension Shock Absorber	Shock Absorber	1
0	Rear Height Control Valve	Single Rear Height Control Valve	1
Rear Axle			
S	Rear Axle	Meritor MS17-13X 17,5K Lbs. Rear Axle	1
S	Rear Axle Lubrication	Conventional Rear Differential Gear Lubricant	1



S/O	Subcategory	Description	Qty.
S	Rear Axle Ratio	5.29 Rear Axle Ratio	1
Brakes			
S	ABS And Safety Systems	Wabco Hydraulic ABS Without Automatic Traction Control System	1
S	Service Brake System Type	Hydraulic Brake - Hydro Max	1
S	Front Axle Brake Type	Hydraulic 64mmX4 Conventional Disc	1
S	Rear Axle Brake Type	Hydraulic 64mmX4 Conventional Disc	1
S	Service Brakes Circuit	Service Brakes Circuit - Straight Truck	1
S	Parking And Emergency Brake	Lever Type Mechanical Parking Brake	1
S	Air Reservoirs	Single 9 Gallon Steel Air Tank	1
S	Air Reservoir Drain Valves	Petcock Valve On All Tanks	1
Electrical			
S	Battery	(2) Exide Group 31 Batteries (600 CCA X 2)	1
S	Chassis Wiring	Chassis Wiring	1
S	Cruise Control	Cruise Control Without Adaptive Cruise Control	1
S	Headlights	Halogen Headlights	1
S	Clearance And Identification Lights	Clearance And Identification Lights	1
S	Stop/Turn/Tail And Back Up Lights	Combination Type Stop/Turn/Tail/Back-Up Lights	1
S	License Plate Bracket	License Plate Bracket Lamp	1
S	Reverse Lamp	Reverse Lamp - Straight Truck	1
Fuel Syste	m		
S	Fuel Tank	Rectangular 50 Gallon Aluminum Fuel Tank Driver's Side	1
S	Fuel Tank Cap	Non Locking Fuel Tank Cap	1
S	Fuel Water Separator Promotion	Fuel Water Separator - 24MY Promotion	1
S	Fuel Water Separator	Davco Fuel Pro® 245 Fuel Water Separator With Electric Pre-Heater	1
Wheels Ar	nd Tires		
S	Front Tire	Bridgestone Rib 10R22.5 R268FZ G-Load Range - 14	2
S	Front Wheel	22.5x8.25 White Powdered Coated Steel Accuride	2



S/O	Subcategory	Description	Qty.
S	Rear Tire	Bridgestone Lug 10R22.5 M726ELA G-Load Range - 14	4
S	Rear Wheel	22.5x8.25 White Powder Coated Steel/White Powder Coated Steel Accuride	4
S	Valve Caps	Nickel-Plated Brass Valve Caps	1
ab Exteri	or		
S	Exterior Cab Accessories	Paint Protection Tape	1
0	Exterior Grab Handle	Driver's And Passenger Side Exterior Entry Grab Handle -Front and Rear	1
S	Hood	Single Piece Polyester And Glass Sheet Molded	1
S	Grille	Grille Chrome Plated Plastic Horizontal Bar	1
S	Hood Tilt and Latch	Hood Tilt Assist And Latch	1
S	Cab Suspension	Cab Suspension Mounting - Rubber	1
S	Fender Mounted Turn Lamp	Front Fender Mounted Turn Lamp	1
S	Windshield	Laminated Windshield	1
S	Windshield Wipers	Intermittent Windshield Wipers	1
S	Windshield Washer Fluid Reservoir	Washer Fluid Reservoir	1
S	Rear Window	Rear Window	1
S	Primary Side View Mirrors	Black Primary Side View Mirror Upper Flat Lower Convex	1
S	Mirror Stay	Black Primary Side View Mirror Stay (Mounting Bracket) - Fixed	1
ab Interio	or		
S	Interior Cab Trim	Full Interior Cab Trim With Lower Rear Trim	1
S	Center Dash Panel	Center Dash Switch Panel	1
S	Overhead Storage	Overhead Storage Driver And Passenger Side	1
S	Sun Visors	Driver and Passenger Interior Sun Visors	1
S	Door Locks and Window Controls	Manual Door Locks and Window Controls	1
S	Floor Mat	Vinyl Floor Mat And Heat/Noise Insulation	1
S	Interior Door Handle	Interior Door Handles-Black	1
0	Exterior Door	Four Exterior Cab Doors	1



S/O	Subcategory	Description	Qty.
S	Horn	Electric Horn	1
S	Entertainment System	Denso Ten Radio CD,FM,AM,Bluetooth, Clarion Antenna	1
S	Steering Wheel	Steering Wheel	1
S	Speakers	Denso Ten 10 Watt Speakers - Driver And Passenger	1
S	Cup Holders	Dash Mount Medium Cup Holder	1
S	Steering Column	Steering Column With Tilt And Lock	1
S	Cigarette Lighter	Center Mount 12V/120W Accessory Receptacle	1
S	USB Charging Port	Dash Mounted 2.1 Amp USB Charging Port	1
S	Cab Heater And Air Conditioning Controls	Heater And Air Conditioning Controls	1
S	Cab Air Inlet Filter	Cab Air Inlet Filter	1
S	Cab Heater	Cab Heater	1
S	Drivers Seat	National 4 Way Adjustable High Back Vinyl Air Suspension RH Arm Rest	1
S	Passenger Seat	CVG 2/3 Width Vinyl Two Man Bench	1
0	Rear Seat	Vinyl Rear Bench Seat	1
S	Front Seat Belts	Driver And Passenger 3-Point Seat Belt Black, Center Black	1
0	Rear Seat Belts	3-Point Seat Belt Gray, Center 3-Point Gray	1
S	Seat Belt Warning	Seat Belt Warning - Driver's Seat	1
0	Interior Dome Lamp	Interior Dome Lamps Crew Cab	1
S	Number Of Keys	Two Keys	1
Ο	Interior Grab Handle	Interior Grab Handles 26 In. A Pillar RH/LH And 14 In. B Pillar RH/LH-Front/Rear	1

Instruments And Controls

S	Instrument Cluster	Electronic Instrument Cluster	1
S	Hour Meter	Hour Meter	1
S	Parking Brake Warning Alarm	Parking Brake Warning Lamp	1
S	Coolant Level Warning Alarm	Coolant Level Warning	1

Paint



S/O	Subcategory	Description	Qty.
S	Primary Cab Paint Color	Hino Nippon Bright White (HVJ)	1
S	Secondary Paint Color	Secondary Paint Color Match Primary Cab Paint Color	1
S	Bumper Color	Hino Nippon Bright White (HVJ)	1
S	Paint Process	Hino Factory Cab Paint	1
S	Chassis Paint	Powder Coat - No Chassis Paint	1
ales Adm	inistration		
0	Dealership	TRANSOURCE - RALEIGH - 83204	0
S	Freight	L Series Freight Charge	1
S	Cummins Material Surcharge	Cummins B6.7 Material Surcharge	1
S	Owner's Manual	Owners Manual	1
S	Freight and Material Surcharge	Material and Freight Surcharge	1
S	Hino Freight Surcharge	No Hino Freight Surcharge	1
S	Price Protection	No Price Protection	1
arranty /	And Additional Services		
S	Chassis Warranty	Base Chassis Warranty - 2 Years / Unlimited Mileage	1
S	Engine Warranty - Extended Warranty Prices Subject To Change At Time Of DTU.	Engine Warranty - Cummins B6.7 - 3 Years/Unlimited Mileage	1
S	Emissions Warranty Type	Non-CARB State Emissions Warranty	1
S	Emissions System Warranty	EPA Emissions System Warranty - 5 Years / 100,000 Miles	1
S	Aftertreatment Warranty - Extended Warranty Prices Subject To Change At Time Of DTU.	Aftertreatment System Warranty - Cummins B6.7 - 3 Years/Unlimited Miles -(EPA)	1
S	Cab Warranty	Cab Warranty - 5 Years / Unlimited Mileage	1
0	Transmission Warranty	Allison HS Transmission Warranty - 5 Years / Unlimited Mileage	1
S	Frame Rail and Crossmember Warranty	Frame Rails and Crossmember Warranty - 5 Years / Unlimited Mileage	1
S	HinoWatch Roadside Assistance Program	HinoWatch Roadside Assistance Program - 3 Years	1