

Quote Id 04F74E3D

Factory Options

| S/O | Subcategory | Description | Qty. |
|-----------|--|--|------|
| Series | | | |
| S | Model Year and Price List | 24.1 MY Price List | 1 |
| S | Series | L Series | 1 |
| Base Mode | el | | |
| 0 | Major Model | L7 | 1 |
| 0 | Base Model | L7 | 1 |
| S | Model Year | 2024 Model Year | 1 |
| S | Axle Configuration | 4X2 Axle Configuration | 1 |
| Vocation | | | |
| S | Application | Straight Truck-Delivery | 1 |
| S | Vocation | Dry Freight Body | 1 |
| Ο | Cab Type | Galvanized Steel Reinforced Crew Cab | 1 |
| 0 | Weight Rating Vehicle | 33,000 Lbs. | 1 |
| S | Weight Rating Combination | 33,000 Lbs. | 1 |
| Ο | Weight Rating Front | Front 10,000 Lbs. | 1 |
| Ο | Weight Rating Rear | Rear 23,000 Lbs. | 1 |
| Frame & W | Vheelbase | | |
| 0 | Wheelbase | 253.00 In. Wheelbase | 1 |
| Ο | Useable Cab To Axle/Trunnion Dimension | 140.8 In. Cab To Axle/Trunnion Dimension | 1 |
| S | Frame Rear Overhang | 97.00 ln. | 1 |
| S | Front Bumper | Single Piece White Painted Steel Bumper | 1 |
| S | Front Tow Hook | LH And RH Frame Mounted Front Tow Hooks | 1 |
| Ο | Frame Rail | Single Frame .37X10.3X3.1 In., 80Kpsi (RBM 1,280,800/Rail) | 1 |
| S | Battery Box | Integrated In Drivers Side Step | 1 |
| | | | |



| S/O | Subcategory | Description | Qty. |
|-----------|----------------------------|---|------|
| S | Chassis Type | Clean Chassis Frame | 1 |
| ingine | | | |
| 0 | Engine | Cummins B6.7, 6.7 Liter, 260HP, 660 Ft/Lbs.Torque | 1 |
| S | Turbocharger | VGT Turbocharger | 1 |
| S | Engine Starter | Starter Delco Remy 31MT (12 V-4.8KW) | 1 |
| S | Alternator | Delco Remy 24 Si Brush Type (12V-130A) | 1 |
| S | Power Steering Pump | Power Steering Pump | 1 |
| S | Engine Oil Type | Shell Oil | 1 |
| S | Oil Filter | Oil Filter | 1 |
| S | Engine Drain Plug | Non-Magnetic Engine Oil Drain Plug | 1 |
| S | Engine Air Compressor | Gear Driven Engine Air Compressor | 1 |
| S | Air Dryer | Bendix AD-IS Air Dryer | 1 |
| S | Intake Air Warmer | Intake Air Warmer | 1 |
| S | Intake Air Filter | Donaldson Intake Air Filter and Service Indicator | 1 |
| S | Cold Package | Engine Block Heater With Cable and Cover | 1 |
| ooling Sy | /stem | | |
| S | Engine Cooling System | Engine Cooling System And Intercooler | 1 |
| S | Cooling System Hose Clamps | Band Type Hose Clamp | 1 |
| S | Engine Coolant | Engine Coolant | 1 |
| S | Engine Fan | Engine Cooling Fan | 1 |
| S | Fan Clutch | Electronically Controlled Engine Fan Drive | 1 |
| xhaust | | | |
| S | Exhaust System Regulation | Cummins EPA 2021 GHG Phase 2 Regulation Exhaust DPR-SCR | 1 |
| S | Exhaust System | Cummins Inline DOC, DPF and SCR Beneath Cab RH Horizontal Tailpipe | 1 |
| S | Exhaust Brake | Cummins VGT Exhaust Brake | 1 |
| S | DEF Tank | Heated DEF Tank 7.4 Gallon Frame Mounted Forward of Passenger Steps | 1 |
| S | DEF Tank Cap | DEF Tank Cap | 1 |



| S/O | Subcategory | Description | Qty. |
|------------|---------------------------------|---|------|
| Transmissi | on | | |
| S | Transmission Shift Type | Automatic Shift | 1 |
| Ο | Transmission | Allison 2500 HS Automatic Transmission No PTO Provision | 1 |
| 0 | Transmission Shift Selector | T-Handle Lever Shift Selector - Dash Mounted | 1 |
| S | Allison FuelSense® | GHG-21 Allison Neutral At Stop | 1 |
| S | Allison Vocational Package | Allison Vocational Package Number 354 | 1 |
| S | Transmission Fluid | Synthetic Transmission Fluid - Automatic Transmission | 1 |
| S | Transmission Oil Cooler | Transmission Oil Cooler- Separate Type | 1 |
| Driveline | | | |
| Ο | Drive Shaft | Dana Spicer SPL 140 Main Driveline With Half Round Yokes | 1 |
| Suspensio | n - Front | | |
| 0 | Front Suspension | 12K Lbs. Tapered Leaf | 1 |
| S | Front Suspension Shock Absorber | Shock Absorber | 1 |
| Front Axle | | | |
| 0 | Front Axle | Meritor MFS10 10k Lbs. Front Axle | 1 |
| S | Front Axle Lubrication | Synthetic Front Axle Lubrication | 1 |
| S | Front Axle Hub Bearing | Front Axle Hub Bearing-Torque Type | 1 |
| Ο | Power Steering Reservoir | 2.44 Qt. Power Steering Reservoir | 1 |
| S | Steering Gear | Single ZF TRW TAS 85 Steering Gear | 1 |
| Suspensio | n - Rear | | |
| 0 | Rear Suspension | Hendrickson Comfort Air 23K Lbs Air Suspension | 1 |
| Ο | Rear Suspension Shock Absorber | Shock Absorber | 1 |
| Ο | Rear Height Control Valve | Single Rear Height Control Valve | 1 |
| Rear Axle | | | |
| 0 | Rear Axle | Meritor RS23-160 23K Lbs. Rear Axle | 1 |
| S | Rear Axle Lubrication | Conventional Rear Differential Gear Lubricant | 1 |



| S/O | Subcategory | Description | Qty. |
|------------|-------------------------------------|--|------|
| 0 | Rear Axle Ratio | 5.38 Rear Axle Ratio | 1 |
| Brakes | | | |
| Ο | ABS And Safety Systems | Wabco 4S/4M ABS Without Automatic Traction Control System | 1 |
| Ο | Service Brake System Type | Air Brake | 1 |
| Ο | Front Axle Brake Type | Air Meritor Q+ 15.0X4 Conventional Drum | 1 |
| Ο | Front Axle Brake Chambers | Type 20 Wabco Service Chambers | 1 |
| Ο | Front Axle Slack Adjusters | 5.50 Inch Bendix Slack Adjusters | 1 |
| Ο | Rear Axle Brake Type | Air Meritor Q+ Conventional Drum 16.5X7 | 1 |
| Ο | Rear Axle Brake Chambers | Type 30/30 Wabco DDSB Chambers | 1 |
| Ο | Rear Slack Adjusters | 6.00 Inch Bendix Slack Adjusters | 1 |
| S | Service Brakes Circuit | Service Brakes Circuit - Straight Truck | 1 |
| Ο | Parking And Emergency Brake | Parking and Emergency Brake 4X2 Straight Truck | 1 |
| Ο | Air Reservoirs | Dual 9 Gallon Steel Air Tanks | 1 |
| S | Air Reservoir Drain Valves | Petcock Valve On All Tanks | 1 |
| Electrical | | | |
| S | Battery | (2) Exide Group 31 Batteries (600 CCA X 2) | 1 |
| S | Chassis Wiring | Chassis Wiring | 1 |
| S | Cruise Control | Cruise Control Without Adaptive Cruise Control | 1 |
| S | Headlights | Halogen Headlights | 1 |
| S | Clearance And Identification Lights | Clearance And Identification Lights | 1 |
| S | Stop/Turn/Tail And Back Up Lights | Combination Type Stop/Turn/Tail/Back-Up Lights | 1 |
| S | License Plate Bracket | License Plate Bracket Lamp | 1 |
| S | Reverse Lamp | Reverse Lamp - Straight Truck | 1 |
| uel Syste | m | | |
| S | Fuel Tank | Rectangular 50 Gallon Aluminum Fuel Tank Driver's Side | 1 |
| S | Fuel Tank Cap | Non Locking Fuel Tank Cap | 1 |
| S | Fuel Water Separator Promotion | Fuel Water Separator - 24MY Promotion | 1 |



| S/O | Subcategory | Description | Qty. |
|-------------|-----------------------------------|---|------|
| S | Fuel Water Separator | Davco Fuel Pro® 245 Fuel Water Separator With Electric Pre-Heater | 1 |
| Vheels Ar | nd Tires | | |
| 0 | Front Tire | Bridgestone Rib 11R22.5 R268 H-Load Range -16 | 2 |
| S | Front Wheel | 22.5x8.25 White Powdered Coated Steel Accuride | 2 |
| Ο | Rear Tire | Bridgestone Rib 11R22.5 R268 H-Load Range - 16 | 4 |
| S | Rear Wheel | 22.5x8.25 White Powder Coated Steel/White Powder Coated Steel Accuride | 4 |
| S | Valve Caps | Nickel-Plated Brass Valve Caps | 1 |
| Cab Exteri | or | | |
| S | Exterior Cab Accessories | Paint Protection Tape | 1 |
| 0 | Exterior Grab Handle | Driver's And Passenger Side Exterior Entry Grab Handle -Front and Rear | 1 |
| S | Hood | Single Piece Polyester And Glass Sheet Molded | 1 |
| S | Grille | Grille Chrome Plated Plastic Horizontal Bar | 1 |
| S | Hood Tilt and Latch | Hood Tilt Assist And Latch | 1 |
| S | Cab Suspension | Cab Suspension Mounting - Rubber | 1 |
| S | Fender Mounted Turn Lamp | Front Fender Mounted Turn Lamp | 1 |
| S | Windshield | Laminated Windshield | 1 |
| S | Windshield Wipers | Intermittent Windshield Wipers | 1 |
| S | Windshield Washer Fluid Reservoir | Washer Fluid Reservoir | 1 |
| S | Rear Window | Rear Window | 1 |
| S | Primary Side View Mirrors | Black Primary Side View Mirror Upper Flat Lower Convex | 1 |
| S | Mirror Stay | Black Primary Side View Mirror Stay (Mounting Bracket) - Fixed | 1 |
| Cab Interio | or | | |
| S | Interior Cab Trim | Full Interior Cab Trim With Lower Rear Trim | 1 |
| S | Center Dash Panel | Center Dash Switch Panel | 1 |
| S | Overhead Storage | Overhead Storage Driver And Passenger Side | 1 |



| S/O | Subcategory | Description | Qty |
|------|--|---|-----|
| S | Sun Visors | Driver and Passenger Interior Sun Visors | 1 |
| S | Floor Mat | Vinyl Floor Mat And Heat/Noise Insulation | 1 |
| S | Door Locks and Window Controls | Manual Door Locks and Window Controls | 1 |
| S | Interior Door Handle | Interior Door Handles-Black | 1 |
| Ο | Exterior Door | Four Exterior Cab Doors | 1 |
| S | Horn | Electric Horn | 1 |
| S | Entertainment System | Denso Ten Radio CD,FM,AM,Bluetooth, Clarion Antenna | 1 |
| S | Speakers | Denso Ten 10 Watt Speakers - Driver And Passenger | 1 |
| S | Steering Wheel | Steering Wheel | 1 |
| S | Cup Holders | Dash Mount Medium Cup Holder | 1 |
| S | Steering Column | Steering Column With Tilt And Lock | 1 |
| S | Cigarette Lighter | Center Mount 12V/120W Accessory Receptacle | 1 |
| S | USB Charging Port | Dash Mounted 2.1 Amp USB Charging Port | 1 |
| S | Cab Heater And Air Conditioning Controls | Heater And Air Conditioning Controls | 1 |
| S | Cab Air Inlet Filter | Cab Air Inlet Filter | 1 |
| S | Cab Heater | Cab Heater | 1 |
| S | Drivers Seat | National 4 Way Adjustable High Back Vinyl Air Suspension RH Arm Rest | 1 |
| S | Passenger Seat | CVG 2/3 Width Vinyl Two Man Bench | 1 |
| Ο | Rear Seat | Vinyl Rear Bench Seat | 1 |
| Ο | Rear Seat Belts | 3-Point Seat Belt Gray, Center 3-Point Gray | 1 |
| S | Front Seat Belts | Driver And Passenger 3-Point Seat Belt Black, Center Black | 1 |
| S | Seat Belt Warning | Seat Belt Warning - Driver's Seat | 1 |
| 0 | Interior Dome Lamp | Interior Dome Lamps Crew Cab | 1 |
| S | Number Of Keys | Two Keys | 1 |
| 0 | Interior Grab Handle | Interior Grab Handles 26 In. A Pillar RH/LH And 14 In. B Pillar RH/LH-Front/Rear | 1 |
| umen | ts And Controls | | |
| S | Instrument Cluster | Electronic Instrument Cluster | 1 |



| S/O | Subcategory | Description | Qty. |
|------------|--|---|------|
| S | Hour Meter | Hour Meter | 1 |
| S | Parking Brake Warning Alarm | Parking Brake Warning Lamp | 1 |
| S | Coolant Level Warning Alarm | Coolant Level Warning | 1 |
| aint | | | |
| S | Paint | Single Paint Color - Existing Solid Paint Color | 1 |
| S | Primary Cab Paint Color | Hino Nippon Bright White (HVJ) | 1 |
| S | Secondary Paint Color | Secondary Paint Color Match Primary Cab Paint Color | 1 |
| S | Bumper Color | Hino Nippon Bright White (HVJ) | 1 |
| S | Paint Process | Hino Factory Cab Paint | 1 |
| S | Chassis Paint | Powder Coat - No Chassis Paint | 1 |
| ales Adm | inistration | | |
| 0 | Dealership | TRANSOURCE - RALEIGH - 83204 | 0 |
| S | Freight | L Series Freight Charge | 1 |
| S | Cummins Material Surcharge | Cummins B6.7 Material Surcharge | 1 |
| S | Owner's Manual | Owners Manual | 1 |
| S | Price Protection | No Price Protection | 1 |
| S | Freight and Material Surcharge | Material and Freight Surcharge | 1 |
| S | Hino Freight Surcharge | No Hino Freight Surcharge | 1 |
| Varranty A | And Additional Services | | |
| S | Chassis Warranty | Base Chassis Warranty - 2 Years / Unlimited Mileage | 1 |
| S | Engine Warranty - Extended Warranty Prices Subject To Change At Time Of DTU. | Engine Warranty - Cummins B6.7 - 3 Years/Unlimited Mileage | 1 |
| S | Emissions Warranty Type | Non-CARB State Emissions Warranty | 1 |
| S | Emissions System Warranty | EPA Emissions System Warranty - 5 Years / 100,000 Miles | 1 |
| S | Aftertreatment Warranty - Extended Warranty Prices Subject To Change At Time Of DTU. | Aftertreatment System Warranty - Cummins B6.7 - 3 Years/Unlimited Miles -(EPA) | 1 |
| S | Cab Warranty | Cab Warranty - 5 Years / Unlimited Mileage | 1 |



| S/O | Subcategory | Description | Qty. |
|-----|---------------------------------------|---|------|
| 0 | Transmission Warranty | Allison HS Transmission Warranty - 5 Years / Unlimited Mileage | 1 |
| S | Frame Rail and Crossmember Warranty | Frame Rails and Crossmember Warranty - 5 Years / Unlimited Mileage | 1 |
| S | HinoWatch Roadside Assistance Program | HinoWatch Roadside Assistance Program - 3 Years | 1 |
| S | Hino Telematics | Hino Edge Connected Vehicle- 5 Year Subscription | 1 |