



ISUZU TRUCK OF FAYETTEVILLE

Joe Green

New vehicle (2024 FTR, MT1 152"WB, 127"CA, 25,950 GVWR. White, standard model specifications with power windows, power door locks, air conditioning, 5.57 final ratio, 11R22.5G tires, 21,000 multi leaf suspension, steel wheel type, and 50 gallon aluminum fuel tank

Selected Model and Options

	Code	Description	Weight
Model			
	MT1	FTR 152"WB, 127"CA	
	G1	White, standard model specifications with power windows, power door locks, air conditioning, 5.57 final ratio, 11R22.5G tires, 21,000 multi leaf suspension, steel wheel type, and 50 gallon aluminum fuel tank	
Vehicle Application			
	RQ2	Truck Application	0.0 lbs.
Emissions			
	NG5	50 State Emission	0.0 lbs.
Tires			
	I5H	LRR (low rolling resistance)	0.0 lbs.
	5S8	11R22.5 G	0.0 lbs.
Engine			
	IE8	Cummins B6.7, diesel engine, 408 CID (6.7L), 260 HP at 2400 RPM, 660 lb.-ft. gross torque at 1600 RPM, 6-cylinder, turbocharged, inter-cooled, EGR cooler, high pressure common rail fuel system, and single module aftertreatment.	0.0 lbs.
Transmission			
	Y6E	Allison RDS 2550 / 6 speed trans w/ PTO gear	0.0 lbs.
Wheelbase			
	39W	152" Wheelbase 127"CA	0.0 lbs.
Air Cleaner			
	E6U	Dry paper single element. (Donaldson)	0.0 lbs.
Alternator			
	KW1	160 AMP. with integral regulator.	0.0 lbs.
Battery			
	IX1	Dual 12-Volt maintenance free group 31 750 CCA batteries with threaded posts	0.0 lbs.
Exhaust			
	I0B	Single module Cummins aftertreatment w/ DPF & SCR, exhaust cooler, and electronic exhaust restriction.	0.0 lbs.
Front Axle			
	40C	Dana E1254-W 12,000 lbs. capacity	0.0 lbs.
Rear Suspension			
	34L	21,000 lbs. capacity	0.0 lbs.
	SAS	Multi leaf, bolted	0.0 lbs.
Rear Axle			
	M20	Dana S19-140 single-speed axle, 19,000 lbs. capacity with synthetic lubricant	0.0 lbs.
Ratio			
	011	5.571:1	0.0 lbs.
Fuel Tank			
	70A	Left hand rail	0.0 lbs.

Current report content is based on data as of 2023-04-07 16:37:25. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



ISUZU TRUCK OF FAYETTEVILLE

Joe Green

New vehicle (2024 FTR, MT1 152"WB, 127"CA, 25,950 GVWR. White, standard model specifications with power windows, power door locks, air conditioning, 5.57 final ratio, 11R22.5G tires, 21,000 multi leaf suspension, steel wheel type, and 50 gallon aluminum fuel tank

Selected Model and Options

	Code	Description	Weight
	THF	50 Gallon Fuel Tank Capacity	355.5 lbs.
Seat			
	A56	Level air suspension seat with RH armrest driver seat	0.0 lbs.
Brakes			
	Z06	Full air dual circuit, s-cam, drum	0.0 lbs.
Air Conditioning			
	C60	Air conditioner	0.0 lbs.
Power Windows & Door Locks			
	IL0	Yes	0.0 lbs.
Floor Mats			
	IQ6	Standard Floor Mats	0.0 lbs.
Model Option			
	G1	White, standard model specifications with power windows, power door locks, air conditioning, 5.57 final ratio, 11R22.5G tires, 21,000 multi leaf suspension, steel wheel type, and 50 gallon aluminum fuel tank	0.0 lbs.
CAB			
	729	Arc white color	0.0 lbs.
Mirrors			
	DJ6	Black mirror head with black stays	0.0 lbs.
Frame			
	7KJ	Straight frame, 80,000 PSI, 33.5 wide	0.0 lbs.
Front Springs			
	34K	12,000 lbs. capacity	0.0 lbs.
Accessories			
	8RP	Radio AM/FM/CD with Bluetooth	0.0 lbs.
	IX2	Rear body dome lamp switch	0.1 lbs.
Air Compressor			
	I04	17 CFM turbocharged heavy duty.	0.0 lbs.

Current report content is based on data as of 2023-04-07 16:37:25. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



ISUZU TRUCK OF FAYETTEVILLE

Joe Green

New vehicle (2024 FTR, MT1 152"WB, 127"CA, 25,950 GVWR. White, standard model specifications with power windows, power door locks, air conditioning, 5.57 final ratio, 11R22.5G tires, 21,000 multi leaf suspension, steel wheel type, and 50 gallon aluminum fuel tank

Standard Equipment Summary

Code	Description
Vehicle Application	
RQ2	Truck Application
Emissions	
NG5	50 State Emission
Tires	
I5H	LRR (low rolling resistance)
5S8	11R22.5 G
Engine	
IE8	Cummins B6.7, diesel engine, 408 CID (6.7L), 260 HP at 2400 RPM, 660 lb.-ft. gross torque at 1600 RPM, 6-cylinder, turbocharged, inter-cooled, EGR cooler, high pressure common rail fuel system, and single module aftertreatment.
Transmission	
Y6E	Allison RDS 2550 / 6 speed trans w/ PTO gear
Wheelbase	
39W	152" Wheelbase 127"CA
Air Cleaner	
E6U	Dry paper single element. (Donaldson)
Alternator	
KW1	160 AMP. with integral regulator.
Battery	
IX1	Dual 12-Volt maintenance free group 31 750 CCA batteries with threaded posts
Exhaust	
I0B	Single module Cummins aftertreatment w/ DPF & SCR, exhaust cooler, and electronic exhaust restriction.
Front Axle	
40C	Dana E1254-W 12,000 lbs. capacity
Rear Suspension	
34L	21,000 lbs. capacity
SAS	Multi leaf, bolted
Rear Axle	
M20	Dana S19-140 single-speed axle, 19,000 lbs. capacity with synthetic lubricant
Ratio	
011	5.571:1
Fuel Tank	
70A	Left hand rail
THF	50 Gallon Fuel Tank Capacity
Seat	
A56	Level air suspension seat with RH armrest driver seat
Brakes	
Z06	Full air dual circuit, s-cam, drum
Air Conditioning	
C60	Air conditioner
Power Windows & Door Locks	
IL0	Yes
Floor Mats	
IQ6	Standard Floor Mats
Model Option	

Current report content is based on data as of 2023-04-07 16:37:25. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



ISUZU TRUCK OF FAYETTEVILLE

Joe Green

New vehicle (2024 FTR, MT1 152"WB, 127"CA, 25,950 GVWR. White, standard model specifications with power windows, power door locks, air conditioning, 5.57 final ratio, 11R22.5G tires, 21,000 multi leaf suspension, steel wheel type, and 50 gallon aluminum fuel tank

Standard Equipment Summary

Code	Description
G1	White, standard model specifications with power windows, power door locks, air conditioning, 5.57 final ratio, 11R22.5G tires, 21,000 multi leaf suspension, steel wheel type, and 50 gallon aluminum fuel tank
CAB	
729	Arc white color
Mirrors	
DJ6	Black mirror head with black stays
Frame	
7KJ	Straight frame, 80,000 PSI, 33.5 wide
Front Springs	
34K	12,000 lbs. capacity
Accessories	
8RP	Radio AM/FM/CD with Bluetooth
IX2	Rear body dome lamp switch
Air Compressor	
I04	17 CFM turbocharged heavy duty.

Current report content is based on data as of 2023-04-07 16:37:25. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



ISUZU TRUCK OF FAYETTEVILLE

Joe Green

New vehicle (2024 FTR, MT1 152"WB, 127"CA, 25,950 GVWR. White, standard model specifications with power windows, power door locks, air conditioning, 5.57 final ratio, 11R22.5G tires, 21,000 multi leaf suspension, steel wheel type, and 50 gallon aluminum fuel tank

Warranty

2023 MY Only

Warranty Limitations: Time or Mileage, Whichever Comes First

New Truck Warranty		Time in Years	Vehicle Miles
Basic		3	Unlimited
Engine*		3	Unlimited
Transmission**		3	Unlimited
<ul style="list-style-type: none">• Drive Axle• Driveshaft• Front Axle I-Beam• Crossmembers• Flywheel Housing		3	Unlimited
Frame Rails		3 5 [†]	Unlimited Unlimited [†]
Corrosion (Rust Through)		4	Unlimited
Roadside Assistance		3 5 ^{††}	Unlimited 100,000 ^{††}
Emission Warranty		Time in Years	Vehicle Miles
Federal Emission /Control System ^{†††}		5	100,000
CARB Emission /Control System ^{†††}		5	150,000
GHG Emission		5	100,000
Tires		2	24,000

*The Cummins engine is warranted separately by Cummins.

**The Allison Automatic Transmission is warranted separately by Allison Transmission.

[†]After 3 years, coverage is 50% labor and parts for up to 5 years.

^{††}Tows related to emissions issues may be covered for up to 5 years or 100,000 miles (whichever comes first).

^{†††}Emission components are covered by either Isuzu or Cummins; see your Isuzu dealer for details.

The warranty coverages are determined by the mileage of the vehicle and the number of years from the delivery date. The warranty coverages are limited by whichever occurs first. See your authorized Isuzu dealer for warranty details.

Current report content is based on data as of 2023-04-07 16:37:25. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.