

TECHNICAL SPECIFICATION

LR 64R BE



				WEIGHT (LB)	
APPLICATION PACKAGES		DESCRIPTION		FRONT	REAR
	MPK02K	CHASSIS CONFIGURATION PACKAGE	BODY BUILDER PREP PACKAGE (REQUIRES MBP SELECTION)	0	0
	MBP14P	BODY BUILDER PACKAGE	HEIL F5000 27YD REAR LOADER 6*4, 185" WB	0	0

				WEIGHT (LB)	
CUSTOMER/VEHICLE INFO		DESCRIPTION		FRONT	REAR
S	CA 002GG2	CHASSIS (BASE MODEL)	LR 64R BE DAYCAB	9,657	2,873
S	MP2001	CUSTOMER FLEET SIZE	DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY VEHICLE BRAND	0	0
S	013001	TYPE OF SERVICE	COMMERCIAL	0	0
S	M98018	WARRANTY REGISTRATION LOCATION	USA - WARRANTY REGISTRATION LOCATION	0	0
	MBT08T	EMISSION WARRANTY CERTIFICATION	Battery Electric	0	0
S	5050B5	INITIAL REGISTRATION LOCATION	USA REGISTRATION	0	0
S	APPAA3	VEHICLE APPLICATION CLASS	CLASS B HIGHWAY-INNER CITY	0	0
	0050V5	VEHICLE USE & BODY/TRAILER TYPE	REFUSE REAR LOADER TRUCK	0	0
S	032A39	OPERATING TERRAIN GRADE CONDITIONS	NORMAL HIGHWAY, STARTING GRADES<12%	0	0
S	033A10	LOADING SURFACE FACTOR	CONCRETE LOADING AND / OR UNLOADING SURFACE	0	0
	0342A4	VEHICLE VOCATION	REFUSE / LANDFILL OPERATION	0	0

				WEIGHT (LB)	
ENGINE/TRANSMISSIONS		DESCRIPTION		FRONT	REAR
S	1003D0	ENGINE PACKAGE, COMBUSTION	MACK BE - 448 HP / 536 HP (PEAK), 4051LB-FT, ELECTRIC MOTOR, ZERO EMISSION	591	197
S	1361Q6	TRANSMISSION	MACK ELECTRIC PROPULSION TRANSMISSION 800 NM 2SPEED	276	150
S	A4EAOX	ENERGY STORAGE SYSTEM	ESS TOTAL ENERGY 375 KWH (BOL)	0	0

				WEIGHT (LB)	
ENGINE EQUIPMENT		DESCRIPTION		FRONT	REAR
S	H8XZ1X	WINTERFRONT	W/O BUG SCREEN/WINTER FRONT	-8	3
S	1130B3	AIR COMPRESSOR/DRYER	WABCO HEATED SS TWIN W/ 2 SCROLL (10.6 CFM) AIR COMPRESSORS	351	91
S	316086	BATTERIES	(2) MACK 12V 170/340 AH WET CHARGE	532	532
	110010	ENGINE BRAKE	MACK BE MOTOR BRAKE WITH REGENERATION	0	0
S	119AH9	COOLANT PROTECTION	ETHYLENE GLYCOL EXTENDED LIFE COOLANT (50/50 MIX DYED RED) TO -34DEG	0	0
S	124003	HOSES - RADIATOR/HEATER	SILICONE W/ SPRING LOADED CLAMPS FOR BOTH RADIATOR & HEATER HOSE	3	0
S	7GEC1X	CHARGING POWER	CHARGING POWER, 150 KW MAX	0	0
S	D9EB1X	COOLING ENERGY STORAGE SYSTEM	COOLING ENERGY STORAGE SYSTEM, PASSIVE USING THE AMBIENT AIR	0	0

				WEIGHT (LB)	
CLUTCH/TRANS EQUIPMENT		DESCRIPTION		FRONT	REAR
S	1950U5	DRIVELINE - MAIN	SPICER COMPACT SERIES	0	0
S	204024	DRIVELINE - INTERAXLE	SPICER COMPACT SERIES - LARGE	0	0

TECHNICAL SPECIFICATION *(cont.)*



				WEIGHT (LB)	
CLUTCH/TRANS EQUIPMENT		DESCRIPTION		FRONT	REAR
S	7RXAEX	LUBRICANTS, TRANSMISSION	TRANSYND SYNTHETIC LUBE FOR ALLISON TRANS	0	0

				WEIGHT (LB)	
FRONT AXLE EQUIPMENT		DESCRIPTION		FRONT	REAR
S	2400P0	FRONT AXLE	20000# (9100 KG) MACK FXL20 TAPERED SPINDLE / TAPERED BEARINGS	325	0
S	244AB4	SPRINGS - FRONT	MACK TAPERLEAF 20000# (9100 KG) GROUND LOAD RATING, EQUAL BIAS	0	0
S	2410L1	FRONT AXLE BRAKES	MERITOR EX+ AIR DISC BRAKES 430MM (17") H-TYPE	25	0
S	U0AF1X	FRONT BRAKE ADJ. MANUFACTURE	AUTOMATIC FOR AIR DISC BRAKES	0	0
S	V7AF1X	FRONT BRAKE CHAMBER MFG.	FRONT BRAKE CHAMBER MANUFACTURER, WABCO	0	0
S	0KXL1X	HUB MATERIAL, FRONT	IRON CONMET PRESET-PLUS W/PREMIUM SEAL	0	0
S	1KAA1X	SHOCK ABSORBER, FRONT	DOUBLE ACTING TYPE	20	0
S	245AB2	STEERING	TAS-65 PLUS RIGHT SIDE ASSIST CYLINDER	175	0

				WEIGHT (LB)	
REAR AXLE EQUIPMENT		DESCRIPTION		FRONT	REAR
S	268AA9	REAR AXLE	46000# (20900kg) MACK S462R CAST DUCTILE HOUSING	0	1,614
S	617002	DRIVE AXLE LUBRICANT	DRIVE AXLE LUBE, SHELL 80W90 MINERAL OIL	0	0
S	018AA6	CARRIER - REAR AXLE	CRDP150/151 AVAILABLE WITH OPTIONAL DRIVER CONTROLLED INTERWHEEL DIFFERENTIAL LOCKS, SEE 254 SYMBOL	0	0
	TAXAEX	REAR AXLE RATIO	4.80 RATIO	0	0
S	186AC7	REAR SUSPENSION	MACK mRIDE 46 PARABOLIC 3-LEAF, 46,000 lb, STANDARD DUTY	0	1,674
S	GWXDGX	BOGIE SPREAD, REAR	54" AXLE SPACING (BOGIE WHEELBASE)	0	3
S	YVXA1X	REAR SHOCK ABSORBER	REAR SHOCK ABSORBER	0	27
S	XYXZ1X	TRANSVERSE TORQUE RODS, R SUSP	WITHOUT TRANSVERSE TORQUE RODS	0	-66
S	253AB3	BRAKES - REAR	MERITOR EX+ AIR DISC BRAKES, 430MM (17") - H TYPE (Total for QTY = 2)	0	-61
S	U4XD1X	BRAKE, DRIVE, REAR	BRAKE DRIVE, REAR, DISC LIGHTWEIGHT	0	0
S	U1AG1X	REAR BRAKE ADJ MANUFACTURE	AUTOMATIC SLACK ADJUSTERS FOR REAR AIR DISC BRAKES	0	0
	V1AE3X	REAR BRAKE CHAMBER SIZE	REAR SPRING BRAKE CHAMBERS 24/24 TYPE	0	0
	N5FBFX	BRAKE ORI REAR-MOST DRIVE AXLE	DISC BRAKE CHAMBER ORIENTATION: Middle Mount - Forward of Axle - Chamber Inward	0	0
S	300AF0	PARKING BRAKE CHAMBER	WABCO BRAKE CHAMBERS VENDOR (Total for QTY = 2)	0	0
S	0LXE1X	HUB MATERIAL, DRIVE	CONMET IRON HUBS W/PRESET BEARINGS & SEALS	0	0
S	3LAC1X	POWER DIVIDER LOCKOUT	POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT	0	40
	9GAABX	ABS SENSOR & MODULATOR	6S/6M SYSTEM SENSING BOTH REAR AXLES W/WHEEL END SENSORS	5	0
S	698088	ANTILOCK BRAKE SYSTEM	BENDIX WITH TRACTION CONTROL 6S6M	0	0

				WEIGHT (LB)	
FRAME EQUIPMENT/FUEL TANKS		DESCRIPTION		FRONT	REAR
	271185	WHEELBASE	185"	170	170
	374067	AF (OVERHANG)	67"	-17	106
S	MCE0LE	FRAME RAILS & LINERS	9.5 x 82 x 340mm - (0.375" x 3.25" x 13.38")W/ Full Liner; RBM 3,122,400 LB-IN	0	0
S	A0XABX	FRONT FRAME LENGTH	FRONT FRAME LENGTH 1525MM	146	-19

TECHNICAL SPECIFICATION *(cont.)*



				WEIGHT (LB)	
FRAME EQUIPMENT/FUEL TANKS		DESCRIPTION		FRONT	REAR
S	281A1I	CROSSMEMBERS	STEEL 1/2" PL BOLTED BOC & INTERMDT 1/8" BELOW TOP OF RAIL	0	0
	9DEZ1X	AUX CROSSM. IN REAR OVERH TYPE	WITHOUT AUXILIARY CROSSMEMBER	0	0
S	Q5AA1X	REAR CROSSMEMBER OPTIONS	STEEL CLOSING REAR CROSSMEMBER	-11	60
S	4DXA6X	FRONT BUMPER	FLUSH-PAINTED STEEL	0	0
S	5EXF1X	GUARD	SKID PLATE UNDER BUMPER AND RADIATOR	128	-8
S	4EXD1X	TOWING DEVICE, FRONT	CENTER TOW CAPABILITY BASED ON BUMPER SELECTION	0	0

				WEIGHT (LB)	
AIR/BRAKE		DESCRIPTION		FRONT	REAR
S	UWXA1X	AIRTANK DRAIN VALVE	AUTO DRAIN VALVE, HEATED ON SUPPLY TANK, MANUAL (PETCOCK) ON ALL OTHER TANKS	0	0
S	U2XB1X	AIRTANK MATERIAL	STEEL AIR TANK PAINTED CHASSIS COLOR	0	0
S	1JAAAX	PARKING BRAKE VALVE	SINGLE VALVE SYSTEM	0	0
S	3KAA1X	AUXILIARY BRAKE CONTROL	AUXILIARY WORK BRAKE HAND CONTROL, ACCESSIBLE FROM RIGHT SIDE ONLY	0	0

				WEIGHT (LB)	
ELECTRICAL		DESCRIPTION		FRONT	REAR
S	312006	ROOF & SIDE MARKER LIGHTS	TRUCKLIGHT TYPE ROOF MARKER for LR	0	0
S	LJXB1X	HEADLAMP BULB TYPE	HEADLAMP BULB TYPE, LED	0	0
S	5KAAAX	HEADLAMP PROTECTION	HEADLAMP PROTECTION	0	0
S	LSXH2X	DAYTIME RUNNING LIGHTS	ENGINE RUNNING ACTIVATED	0	0
S	M4XAAX	AUX. POWER OUTLET, INTERIOR (CA in PC28 only)	COMPUTER AND 2-WAY RADIO DEDICATED CIRCUIT	0	0
S	3BCB1X	FRONT & SIDE INDICATOR LMP TYP	FRONT AND SIDE DIRECTION IND & MARKER, LED TYPE	3	0

				WEIGHT (LB)	
PTO		DESCRIPTION		FRONT	REAR
S	L3XN1X	BODY BUILDER MODULE	ControlLink III BODY BUILDER EL PREP KIT, REFUSE, RP170 ELECT. INTERFACE (3 CON 54 PINS)	0	0
	4DEE1X	ELECTRIC PTO POSITION	ELECTRIC PTO POSITION, RIGHT HAND SIDE	111	265

				WEIGHT (LB)	
SPECIALTY EQUIPMENT		DESCRIPTION		FRONT	REAR
S	MCVZ1X	PASSIVE SAFETY SYSTEM	WITHOUT PASSIVE SAFETY SYSTEM	0	0

				WEIGHT (LB)	
CAB INTERIOR (A THRU G)		DESCRIPTION		FRONT	REAR
S	173093	AIR CONDITIONING/HEATER	(LR) AUXILLARY COOLER W/ STANDARD HEATER	106	0
S	1PAZ1X	SURVEILLANCE CAMERA OPTIONS (CA)	WITHOUT CAMERA	0	0
S	10XAFX	DOME LAMP, INTERIOR	DOME LIGHTS (2) W/SELF-CONTAINED SWITCHES (ONE EACH SIDE)	0	0
S	31XABX	FLOOR MATS	FLOOR MAT, RUBBER	0	0
S	198048	SPEEDOMETER -&- GAUGES - UNIT(s) OF MEASURE	U.S. UNITS (PREDOMINANT)	0	0

TECHNICAL SPECIFICATION *(cont.)*



				WEIGHT (LB)	
CAB INTERIOR (H THRU R)		DESCRIPTION		FRONT	REAR
S	20XA1X	KEY TYPES FOR DOORS	BASIC UNIQUE KEY	0	0
S	2QAA1X	IGNITION TYPE	KEY TYPE	0	0
S	1WAA1X	POWER LEADS	POWER LEADS (5-WAY BINDING POSTS FOR CB RADIO) MOUNTED ON TOP OF DASH	0	0

				WEIGHT (LB)	
CAB INTERIOR (S THRU Z)		DESCRIPTION		FRONT	REAR
S	196096	SEAT - DRIVER'S	AIR-SEARS MID-BACK SEAT C-2 W/FABRIFORM CUSHIONS	0	0
S	1970B7	SEAT - PASSENGER'S	FOLD-UP SEARS SEATING, LOW BACK PASSENGER SEAT	0	0
S	4850F5	SEAT COVERING	DRIVER- FABRIFORM CLOTH, BLACK RIDER- CLOTH, BLACK	0	0
S	592042	SEAT BELT(S)	SEAT BELTS (ORANGE)/RETRACTORS, LAP AND SHOULDER FOR DRIVER AND LAP BELT FOR FOLD-UP RIDER SEAT	0	0
S	2WXAAX	STEERING WHEEL	DIAMETER 450MM STEERING WHEEL, RUBBER GRIP V1	0	0
S	XRXF1X	STEERING WHEEL ADJUSTMENT	ADJUSTABLE LH STEERING WHEEL RH FIXED	0	0
S	NPXB1X	TURN SIGNALS	SELF CANCELLING TURN SIGNALS	0	0
S	JQXAAX	WASHER RESERVOIR POSITION	W/O WINDSHIELD WASHER OPTION	0	0
S	T2AA1X	WINDSHIELD PROTECTOR	FURNISH WINDSHIELD PROTECTOR	16	0

				WEIGHT (LB)	
CAB EXTERIOR		DESCRIPTION		FRONT	REAR
S	28XG1X	FRONT GRILLE	LR ELECTRIC BLACK GRILLE WITH GREY SURROUND AND BRIDGE	0	0
S	14400Q	CAB	LH DRIVE WITH RH STAND UP OPERATING POSITION, EXTENDED CAB VERSION	0	0
	42400A	CAB DOOR OPTIONS	LH FRONT HINGED DOOR W/PWR WINDOW, RH REAR FOLD UP W/ FIXED WINDOW	0	0
S	2EXA1X	CAB TILT PUMP	LOCATED IN STD LOCATION	0	0
S	Q2AA1X	CAB INSTEP VERSION	Cab Low Entry Step	0	0
S	MCD01D	PASSENGER SIDE VISIBILITY OPTIONS	WITHOUT AUXILIARY WINDOW IN RH DOOR WITHOUT SIDE CLOSE VIEW MIRROR	0	0
S	LXXD1X	HORN - ELECTRICAL	DUAL TONE	5	0
S	MCL0FL	MIRRORS - LEFT SIDE EXTERIOR	LH BLACK AERO MIRROR ELECTRICAL OPERATED & HEATED, W/ HEATED SQUARE BLACK CLOSE VIEW	0	0
S	MCR0CR	MIRRORS - RIGHT SIDE EXTERIOR	RH BLACK AERO MIRROR ELECTRICAL OPERATED & HEATED, W/ HEATED SQUARE BLACK CLOSE VIEW	0	0

				WEIGHT (LB)	
WHEELS & TIRES		DESCRIPTION		FRONT	REAR
	9004Y0	TIRES BRAND/TYPE - FRONT	315/80R22.5 L BRIDGESTONE M870 (20000 lbs) (Total for QTY = 2)	336	0
	531221	WHEELS - FRONT	22.5x9.00 ACCURIDE 29300x WHITE POWDER COAT STEEL, 7.00" OFFSET, 5 HAND HOLE (Total for QTY = 2)	217	0
S	FWT002	FRONT AXLE TIRE & WHEEL QUANTITY	TWO FRONT TIRES & WHEELS	0	0
	9013E1	TIRES BRAND/TYPE - REAR	11R22.5 G BRIDGESTONE M726 ELA (23360 lbs) (DRIVE ONLY) (Total for QTY = 8)	0	1,059
	3462J6	WHEELS - REAR	22.5x8.25 ACCURIDE ACCU-LITE 51487x WHITE POWDER COAT STEEL, 6.60" OFFSET, 5 HAND HOLE (Total for QTY = 8)	0	547
S	RWT008	REAR AXLE TIRE & WHEEL QUANTITY	EIGHT REAR AXLE TIRES & WHEELS	0	0
S	H1EB1X	DRIVE WHEEL STUDS	DRIVE WHEEL STUDS LONGER LENGTH	0	0
S	15XABX	TIRE INFLATION VALVE	STANDARD VALVE STEMS AND CAPS	0	0

TECHNICAL SPECIFICATION *(cont.)*



				WEIGHT (LB)	
COMMUNICATION SYSTEMS		DESCRIPTION		FRONT	REAR
S	Y7CA1X	DIAGNOSTICS DISPLAY IN CLUSTER	DIAGNOSTICS DISPLAY IN CLUSTER, BASIC	0	0
S	M30070	TELEMATIC GATEWAY	TELEMATICS GATEWAY, 4G/LTE AND WLAN SYSTEM WITHOUT DIAGNOSTIC SERVICES	0	0

				WEIGHT (LB)	
ENGINE ELECTRONICS		DESCRIPTION		FRONT	REAR
S	B3ABAX	EL HD THROTTLE,MAX ROAD SPEED	ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KM/H (10 MPH)	0	0

				WEIGHT (LB)	
TRANSMISSION ELECTRONICS		DESCRIPTION		FRONT	REAR
S	B1EB1X	TRANSM AUTO NEUTRAL ON P-BRAKE	ALLISON PARK BRAKE AUTO NEUTRAL-REQUIRES PARK BRAKE TO BE DISENGAGED PRIOR TO SELECTING A GEAR TO DR	0	0

				WEIGHT (LB)	
VEHICLE ELECTRONICS		DESCRIPTION		FRONT	REAR
	JCXE1X	ROAD SPEED LIMITER SETTING	100 KM/H ROAD SPEED LIMITER (62MPH)	0	0
S	JDXA1X	CRUISE CONTROL	CRUISE CONTROL	0	0
	JFXLAX	CRUISE CONTROL, MAX SPEED	MAX CRUISE, 100 KPH (62 MPH)	0	0
S	E3AACX	CRUISE CONTROL MIN SPEED	MIN CRUISE, 32 KPH (20 MPH)	0	0
	L2CB1X	PDLO ENGAGED VLS	POWER DIVIDER LOCK OUT (PDLO) ROAD SPEED LIMIT 24KM/H (15MPH)	0	0
	Q6FZ1X	DIFF LOCK SPEED LIMIT	WITHOUT DIFFERENTIAL LOCK ROAD SPEED LIMIT	0	0
S	G4AAUX	VEHICLE OVERSPEED,ALL COND,LOG	VEHICLE OVERSPEED,ALL COND, TIME LOG IF ABOVE 75MPH (121KM/H)	0	0
S	G3AAPX	VEHICLE OVERSPEED, FUELED, LOG	VEHICLE OVERSPEED, FUELED, TIME LOG IF ABOVE 70MPH (113KM/H)	0	0
S	W9A01X	PERIODIC TRIP LOG DAY OF MONTH	PERIODIC TRIP LOG, DAY 1 OF THE MONTH	0	0
S	X5AB1X	VEHICLE APP SERVICE INTERVALS	SERVICE INTERVALS, VOCATIONAL APPLICATION	0	0
S	W8BAAX	SERVICE ALERT	WITH SERVICE ALERT	0	0
S	W5A90X	MAINTENANCE DUE ALERT %	ACTIVATE ALERT AT 90% OF THE TIME/DISTANCE SETTING	0	0

				WEIGHT (LB)	
PTO ELECTRONICS		DESCRIPTION		FRONT	REAR
S	F3AAEX	PTO1 SINGLE SPEED CONTROL RPM.	PTO 1ST, SINGLE SPEED SETTING, 1000 RPM	0	0
S	F5AABX	PTO 1ST, MAX ROAD SPEED	1ST PTO, MAX ROAD SPEED, 10 MPH (16 KPH)	0	0
S	F6AABX	PTO 1ST, SPEED RAMP RATE	PTO 1ST, SPEED RAMP RATE 100 RPM/SEC	0	0
S	F8AAGX	PTO 1ST, ROAD SPEED LIMIT	PTO 1ST, ROAD SPEED LIMIT, 97 KM/H (60 MPH)	0	0

				WEIGHT (LB)	
PAINT		DESCRIPTION		FRONT	REAR
	950AA4	PAINT DESIGN	SINGLE COLOR	0	0
S	924014	PAINT TYPE	SOLID PAINT	0	0
	944DR8	PAINT COLOR - FIRST COLOR	WHITE; L0006	0	0
	945998	PAINT COLOR - SECOND COLOR	NO SECOND TRUCK COLOR PROVIDED; NO COLOR	0	0

TECHNICAL SPECIFICATION *(cont.)*



				WEIGHT (LB)	
PAINT	DESCRIPTION			FRONT	REAR
S	946998	PAINT COLOR - THIRD COLOR	NO THIRD TRUCK COLOR PROVIDED; NO COLOR	0	0
	MPB944	CAB COLOR	SAME AS FIRST COLOR - CAB	0	0
S	996AA3	PAINT - CAB PAINT SYSTEM	PAINT - CAB, URETHANE CLEAR COAT	0	0
S	951AA6	CHASSIS RUNNING GEAR	MACK BLACK (URETHANE); P3036	0	0
S	958018	BUMPER	PAINT BUMPER SAME COLOR AS CHASSIS RUNNING GEAR	0	0

				WEIGHT (LB)	
BASE WARRANTY & PURCHASED COVERAGES	DESCRIPTION			FRONT	REAR
S	M50020	BASIC CHASSIS COVERAGE	NORMAL DUTY STANDARD BASE COVERAGE 12 MONTHS/100,000 MILES (160,934 KM)	0	0
	M8308T	EMISSION - SURCHARGE	Battery Electric	0	0
S	M571P8	CHASSIS TOWING WARRANTY	BASE CHASSIS TOWING COVERAGE, ELECTRIC TRUCK, 12 MO/100K MILES	0	0
S	M583Z9	ENGINE TOWING WARRANTY	ELECTRIC CONTROL SYSTEM & ELECTRIC POWERTRAIN TOWING, 36 MO/150K MILES	0	0
S	M79002	ELECTRIC CONTROL SYSTEM	36 MO/150K MILES - BASE ELECTRIC CONTROL SYSTEM COVERAGE	0	0
S	M80002	ELECTRIC POWERTRAIN	36 MO/150K MILES - BASE ELECTRIC POWERTRAIN COVERAGE	0	0
S	M81002	BATTERY - ELECTRIC TRUCK	36 MO/150K MILES - BASE BATTERY COVERAGE	0	0
	M82001	MACK ULTRA SERVICE	60 MO/250K MILES/500K kWh - MACK ULTRA SERVICE AGREEMENT	0	0

				WEIGHT (LB)	
Z - DO NOT USE - OBSOLETE	DESCRIPTION			FRONT	REAR
S	962032	HUBS & DRUMS-FRONT	SAME AS CHASSIS RUNNING GEAR	0	0
S	963033	HUBS & DRUMS-REAR	SAME AS CHASSIS RUNNING GEAR	0	0

				WEIGHT (LB)	
ADDITIONAL ENGINEERING (Non Approved)	DESCRIPTION			FRONT	REAR
CA 1				0	0

FRONT / REAR AXLE WEIGHTS (LB)


13149 9247

TOTAL WEIGHT (LB)


22395

VEHICLE SPECIFICATION/CALCULATED PERFORMANCE SUMMARY

Description	Sales Code	Dwg Ref	Length	UOM
Front Frame Extension	N/A	FE	0.0	INCHES
Bumper to Front Axle	N/A	BA	69.9	INCHES
Eff. Bumper to Front Axle	N/A	N/A	69.9	INCHES
Wheelbase	N/A	WB	185.0	INCHES
Rear Overhang	N/A	OH	66.9	INCHES
Overall Length	N/A	OL	321.9	INCHES
Bumper to Back of Cab	N/A	BBC	64.6	INCHES
Eff. Bumper to Back of Cab	N/A	EBBC	98.8	INCHES
Eff. Cab to Rear Axle	N/A	ECA	156.1	INCHES
Eff. Front Axle to Back of Cab	N/A	EAC	28.9	INCHES
Eff. Cab to End of Frame	N/A	ECEF	223.0	INCHES
Unladen Frame Height	N/A	FH	43.4	INCHES
Cab Height	N/A	CH	65.2	INCHES
Overall Height	N/A	OVH	108.6	INCHES
Driver CG	N/A	DCG	13.8	INCHES
54" AXLE SPACING (BOGIE WHEELBASE)	GWXDGX	BS	53.9	INCHES



VEHICLE SPECIFICATION/CALCULATED PERFORMANCE SUMMARY				
Description	Sales Code	Dwg Ref	Left Value(in)	Right Value(in)
Wheelbase	N/A	WB	185.0	185.0
Available Rail Space Right	N/A	ARSR	N/A	10157.1
Available Rail Space Left	N/A	ARSL	10157.1	N/A
Eff. Front Axle to Back of Cab	N/A	EAC	28.9	28.9



Top View image is intended for illustration purposes only and is not presented to scale. Wheelbase, Axle Spacing and After frame are not shown as specified, but are a representation. Customer Adaptation (CA) options and relocated components are not represented in these images. Most CA options impact the variation of the image, thus an image may not populate. Calculations are approximate to a tolerance of ± 4 inches due to component mounting variation. Certain chassis component options are NOT represented in the Top View image, such as, but not exclusive to, Front Frame Extensions, Fuel Water Separators, Air Dryers, PTOs, Fifth Wheels, Chassis Fairings, Toolboxes, Trailer Connections. For further information on these items and their respective locations on your specification, please refer to the data sheets associated with those items in the configurator.

MACK®



Mack Trucks
www.macktrucks.com