


Prepared For:

NC SHERIFFS ASSOC.
JASON BENNETT
323 W Jones St.
Raleigh, NC 27603-1365
(919)743 - 7433
Reference ID: HX620

Presented By:

WHITE'S INTERNATIONAL TRUCK
Rick Beavan
7045 ALBERT PICK RD,
PO BOX 18605
GREENSBORO NC 27419 -
(336)553-4712

NC SHERIFF'S ASSOC. BID 24-08-0421. STANDARD SPECIFICATIONS FOR THE MODEL ARE SHOWN BELOW. OPTIONAL EQUIPMENT IS AVAILABLE TO CUSTOMIZE VEHICLE TO MEET USER SPECIFICATIONS. ALL OPTIONS ARE DISCOUNTED AT THE PUBLISHED RATE.



Model Profile
2025 HX620 SBA (HX620)

AXLE CONFIG:

6X4

MISSION:

Requested GVWR: 54000. Calc. GVWR: 58000. Calc. GCWR: 125000
Calc. Start / Grade Ability: 29.23% / 3.28% @ 55 MPH
Calc. Geared Speed: 75.5 MPH

DIMENSION:

Wheelbase: 193.00, CA: 124.00, Axle to Frame: 75.00

ENGINE, DIESEL:

{International A26} EPA 2021, 430HP @ 1700 RPM, 1550 lb-ft Torque @ 900 RPM, 2100 RPM
Governed Speed, 430 Peak HP (Max)

TRANSMISSION, AUTOMATIC:

{Allison 4000 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with
PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway

CLUTCH:

Omit Item (Clutch & Control)

AXLE, FRONT NON-DRIVING:

{Meritor MFS-18-133A} Wide Track, I-Beam Type, 18,000-lb Capacity

AXLE, REAR, TANDEM:

{Meritor MT-40-14X-5DFR} Single Reduction, 40,000-lb Capacity, .5"(12.7mm) Wall Housing
Thickness, R Wheel Ends Gear Ratio: 5.29

CAB:

Conventional, Day Cab

TIRE, FRONT:

(2) 315/80R22.5 Load Range L HSC 3 (CONTINENTAL), 481 rev/mile, 68 MPH, All-Position

TIRE, REAR:

(8) 11R22.5 Load Range G HDL2 (CONTINENTAL), 493 rev/mile, 75 MPH, Drive

SUSPENSION, REAR, TANDEM:

{Hendrickson HMX EX 400} Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber
Springs, with Transverse Torque Rods, Rubber End Bushings

PAINT:

Cab schematic 100LZ

Location 1: 9219, Winter White (Std)

Chassis schematic N/A

<u>Description</u>	<u>List</u> (US DOLLAR)
Base Chassis, Model HX620 SBA with 193.00 Wheelbase, 124.00 CA, and 75.00 Axle to Frame.	\$247,546.00
CROSSMEMBER, FRAME TIE for Standard Duty	\$0.00
AXLE CONFIGURATION {Navistar} 6x4	\$0.00
FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 550.0" (13970mm) Maximum OAL	\$0.00
BUMPER, FRONT Contoured, Steel, Painted, Heavy Duty, for HX	\$0.00
TOW HOOK, FRONT (2) Frame Mounted; 80,000-lb. Total Capacity	\$148.00
WHEELBASE RANGE 191" (485cm) Through and Including 236" (600cm)	\$833.00
AXLE, FRONT NON-DRIVING {Meritor MFS-18-133A} Wide Track, I-Beam Type, 18,000-lb Capacity	\$1,954.00
SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 18,000-lb Capacity, with Shock Absorbers	\$450.00
BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	\$0.00
AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System, with Automatic Traction Control	\$0.00
AIR DRYER {Bendix AD-HF} with Heater, Includes Pressure Protection Circuits, Safety Valve, Integral Purge Tank, Governor Pressure Settings 110 psi Cut-In/130 psi Cut-Out, Integrated PuraGuard Coalescing Filtration	\$0.00
BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 SqiIn Spring Brake	\$0.00
BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqiIn	\$0.00
BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake	\$0.00
SLACK ADJUSTERS, FRONT {Gunite} Automatic	\$0.00
SLACK ADJUSTERS, REAR {Gunite} Automatic	\$0.00
AIR COMPRESSOR {Bendix BA-921 Head Unload} 15.9 CFM	\$0.00
AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab	\$0.00
AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Right Rail, Back of Cab, Perpendicular to Rail	\$0.00
DUST SHIELDS, FRONT BRAKE for Air Cam Brakes	\$35.00
DUST SHIELDS, REAR BRAKE for Air Cam Brakes	\$140.00
DRAIN VALVE (2) {Berg} with Pull Chains, for Air Tanks	\$0.00
BRAKES, REAR {Meritor 16.5X7 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle	(\$2,848.00)
BRAKES, FRONT {Meritor 16.5X6 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 6", 23,000-lb Capacity	(\$1,068.00)
PARK BRAKE CHAMBERS, ADDITIONAL (2) Spring Brake Type	\$0.00
STEERING COLUMN Tilting and Telescoping	\$0.00
STEERING WHEEL 4-Spoke; 18" Dia., Black	\$0.00
STEERING GEAR (2) {Sheppard M100/M80} Dual Power	\$1,159.00
DRIVELINE SYSTEM {Dana Spicer} SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4	\$527.00
AFTERTREATMENT COVER Aluminum	\$278.00

<u>Description</u>	<u>List</u> (US DOLLAR)
EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side	\$0.00
ENGINE COMPRESSION BRAKE by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch	\$0.00
EXHAUST HEIGHT 10'	\$0.00
MUFFLER/TAIL PIPE GUARD (1) Aluminum	\$0.00
TAIL PIPE (1) Straight Type	\$0.00
ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
HORN, AIR Single, Located Under Cab	\$0.00
ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount	\$0.00
BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	\$100.00
BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud	\$0.00
CB RADIO Omit Power Feeds, Power Source and Wiring	\$0.00
SPEAKERS (2) 6.5" Dual Cone Mounted in Doors	\$0.00
ANTENNA Shark Fin, Roof Mounted	\$0.00
RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	\$483.00
AUXILIARY HARNESS 5.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	\$178.00
STOP, TURN, TAIL & B/U LIGHTS {Weldon} Multi-Function LED Lamp, Mounted Outside Rails, Includes LED License Plate Light	\$178.00
HORN, ELECTRIC Disc Style	\$0.00
STOP-LIGHT WIRING MODIFIED Stop-Lights Turned on When Engine Compression Brake, Exhaust Brake or Retarder is Activated	\$22.00
BATTERY BOX Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab	\$0.00
BACK-UP ALARM {Preco 1059} Electronic; Solid State, Dual Function, 112 dBA	\$211.00
TURN SIGNAL SWITCH Self-Canceling	\$0.00
HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position	\$0.00
STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start	\$0.00
CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	\$0.00
POWER SOURCE, ADDITIONAL Auxiliary Power Outlet (APO) with USB Port, Located in the Instrument Panel	\$38.00
HEADLIGHTS Halogen, with Daytime Running Lights	\$58.00
LOGOS EXTERIOR Model Badges	\$0.00
LOGOS EXTERIOR, ENGINE Badges	\$0.00
FRONT END Tilting, Composite	\$0.00
GRILLE Black Vertical Accent Bars, with Black Mesh	\$0.00
BUG SCREEN Mounted Behind Grille	\$131.00
PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00

<u>Description</u>	<u>List</u> (US DOLLAR)
PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
COMMUNICATIONS MODULE Telematics Device with Over the Air Programming; Includes Five Year Data Plan and International 360	\$0.00
PROMOTIONAL PACKAGE Government Silver Package	\$0.00
CLUTCH Omit Item (Clutch & Control)	\$0.00
ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	\$0.00
ENGINE, DIESEL {International A26} EPA 2021, 430HP @ 1700 RPM, 1550 lb-ft Torque @ 900 RPM, 2100 RPM Governed Speed, 430 Peak HP (Max)	\$856.00
FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed	\$0.00
AIR CLEANER Single Element, with Pre-Cleaner, Engine Mounted	\$0.00
EMISSION, CALENDAR YEAR {International A26} EPA, OBD and GHG Certified for Calendar Year 2023	\$0.00
HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type	\$0.00
FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted	\$0.00
RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System	\$0.00
CARB IDLE COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood	\$97.00
RADIATOR Aluminum, Welded, Down Flow, Front to Back System, 1325 SqIn, with 806 SqIn Charge Air Cooler	\$0.00
BLOCK HEATER, ENGINE {Phillips} 120V/1150W	\$156.00
CARB EMISSION WARR COMPLIANCE Federal, Does Not Comply with CARB Emission Warranty	\$0.00
TRANSMISSION, AUTOMATIC {Allison 4000 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway	\$11,772.00
OIL COOLER, TRANSMISSION {Modine} Remote Mounted; Not for use with Retarder, for Automatic Transmission	\$1,371.00
TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission	\$50.00
TRANSMISSION OIL Synthetic; 63 thru 76 Pints	\$405.00
ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Construction, Package Number 223	\$0.00
NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released	\$725.00
SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, Performance Programming	\$0.00
AXLE, REAR, TANDEM {Meritor MT-40-14X-5DFR} Single Reduction, 40,000-lb Capacity, .5"(12.7mm) Wall Housing Thickness, R Wheel Ends . Gear Ratio: 5.29	(\$402.00)
SUSPENSION, REAR, TANDEM {Hendrickson HMX EX 400} Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings	\$0.00
TRANSVERSE TORQUE RODS {Hendrickson} TRAAX Rod, Transverse Only	\$172.00
FUEL/WATER SEPARATOR {Racor 6600} 12 VDC Electric Heater, Includes Pre-Heater, Fuel Heated with Fuel Blender Valve, with Sight Bowl, Includes Water-In-Fuel Sensor	\$228.00

<u>Description</u>	<u>List</u> (US DOLLAR)
FUEL TANK Non-Polished Aluminum, 24" Dia, 80 US Gal (303L), Mounted Left Side, Under Cab	\$353.00
DEF TANK 10.6 US Gal (40L) Capacity, Frame Mounted Outside Left Rail, Under Cab	\$0.00
CAB Conventional, Day Cab	\$0.00
AIR CONDITIONER with Integral Heater and Defroster	\$0.00
GAUGE CLUSTER Premium Level; English with English Electronic Speedometer	\$0.00
GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission	\$48.00
IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	\$0.00
SEAT, PASSENGER {National} Non Suspension, High Back with Integral Headrest, Vinyl, with Fixed Back, with Under Seat Storage	\$518.00
SEAT, DRIVER {ISRI} Series 300, Air Suspension, High Back, Vinyl, Single Chamber Lumbar, Inboard Armrest, Suspension Cover, Fore/Aft Isolator, Cushion Extension, Seat Tilt	\$0.00
GRAB HANDLE, EXTERIOR (2) Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left and Right Side at B-Pillar	\$283.00
MIRRORS (2) C-Loop, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width	\$0.00
CAB INTERIOR TRIM Diamond, for Day Cab	\$0.00
MONITOR, TIRE PRESSURE Omit	(\$1,288.00)
WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	\$0.00
FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood	\$76.00
INSTRUMENT PANEL Wing Panel	\$0.00
MODESTY PANEL Painted	\$0.00
ACCESS, CAB Aluminum, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab or Sleeper Cab	\$0.00
WHEELS, FRONT {Accuride 29300} DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	\$265.00
WHEELS, REAR {Accuride 29169} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs	\$462.00
BDY INTG, PTO ACCOMMODATION for (3) Latched Rocker Switches, (1) PTO Switch, (2) Generic Switches to Control (3) 30 amp relays, with Programmable Interlocks, for Body Builder Hook up in the Engine Compartment Left Side, Recommended for Automatic Transmissions	\$148.00
(8) TIRE, REAR 11R22.5 Load Range G HDL2 (CONTINENTAL), 493 rev/mile, 75 MPH, Drive	(\$2,104.00)
(2) TIRE, FRONT 315/80R22.5 Load Range L HSC 3 (CONTINENTAL), 481 rev/mile, 68 MPH, All-Position	\$620.00
Total of Product Features	\$265,364.00
Services Section:	
WARRANTY Standard for HX520, HX620, Effective with Vehicles Built January 1, 2021 or Later, CTS-2015B	\$0.00
Total of Service Features	\$0.00
Total List Price Including Options:	\$265,364.00

<u>Description</u>	<u>List</u>
	(US DOLLAR)
	(US DOLLAR)
	(US DOLLAR)
SAFETY EQUIPMENT & NC OR DOT INSPECTION.	\$150.00
DEALER PDI & PREP	\$200.00
ADDITIONAL OPTIONS ARE AVAILABLE UPON REQUEST.	\$0.00
MATERIAL & GOVERNMENT SURCHARGES ARE NOT DISCOUNTED.	
LOCAL INSTALLATIONS BILLED AT NET PRICE, NOT DISCOUNTED.	
ADDTL. FLOOR PLAN REQUIRED.	\$1,667.24
Total Goods Purchased:	\$2,017.24

<u>Description</u>	(US DOLLAR)	<u>Price</u>
Net Sales Price:		\$144,640.67

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Note: General surcharges included in this proposal will not increase unless the PPI Industry code, Transportation Equipment Truck and Bus Body-WPU1413 exceeds a 5% increase from December 2021 to December 2022, The surcharges are subject to reduction if commodity costs decline. (The General surcharge excludes features code driven surcharges such as tires, engine GHG, Government mandates, etc)

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

WHITE'S INTERNATIONAL TRUCK
7045 ALBERT PICK RD,
PO BOX 18605
GREENSBORO NC 27419 -
(336)553-4712

This proposal is not binding upon the seller without
Seller's Authorized Signature

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.

(US DOLLAR)

NORTH CAROLINA SHERIFFS ASSOC.

Reference ID: HX620

Price Date: 10/14/2022

	<u>Sales Price</u>	<u>Dealer Net</u>	<u>Gross Profit</u>
Chassis [247,546.00]	\$198,036.80	\$198,036.80	\$0.00
Opt. Attach Incl. in SPA [17,721.00]	\$14,176.80	\$14,176.80	
Product excl. from SPA [97.00]	\$97.00	\$97.00	
Service excl. from SPA [0.00]	\$0.00	\$0.00	
Markup (Product) [4.71%]	\$10,000.00		\$10,000.00
Markup (Service)	\$0.00		\$0.00
Goods Purchased	\$2,017.24	\$2,017.24	\$0.00
Special P & D	\$14,831.09	\$14,831.09	\$0.00
Freight	\$3,100.00	\$3,100.00	
Other Allowances	\$0.00	\$0.00	
SPA Number1399G [46.00%]	(\$97,618.26)	(\$97,618.26)	
Total Vehicle Price	\$144,640.67	\$134,640.67	\$10,000.00
Total Body/Allied Equipment	\$0.00	\$0.00	\$0.00
Extended Warranty	\$0.00	\$0.00	\$0.00
Sale Price without FET	\$144,640.67	\$134,640.67	
FET (Exempt)	\$0.00		
Per Veh Adj [0.00]			
FET Exempt Product Adj: [0.00]			
FET Exempt Service Adj: [0.00]			
FET Amount @ 12% [0.00]			
Front Tire FET [0.00]			
Rear Tire FET [0.00]			
Sale Price Per Vehicle	\$144,640.67		\$10,000.00
Sale Price 1 Vehicle	\$144,640.67		\$10,000.00
Trade Allowances	\$0.00	\$0.00	\$0.00
License, Title, Taxes	\$0.00		
Sales Commission			\$0.00
Total Sale 1 Vehicle	\$144,640.67		\$10,000.00

SQ Numbers:

	<u>Unit Codes</u>	<u>Description</u>	<u>DNet</u>	<u>List</u>
CM		WHEELBASE: 193.00		
CM		AXLE TO FRAME: 75.00		
CM	001AMR	CROSSMEMBER, FRAME TIE for Standard Duty	\$0.00	\$0.00
CM USER	001AND	AXLE CONFIGURATION {Navistar} 6x4	\$0.00	\$0.00
CM USER	001CGC	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 550.0" (13970mm) Maximum OAL	\$0.00	\$0.00
CM	001LRB	BUMPER, FRONT Contoured, Steel, Painted, Heavy Duty, for HX	\$0.00	\$0.00
CM USER	001WRW	TOW HOOK, FRONT (2) Frame Mounted; 80,000-lb. Total Capacity	\$118.40	\$148.00
CM	001WXL	WHEELBASE RANGE 191" (485cm) Through and Including 236" (600cm)	\$666.40	\$833.00

	<u>Unit Codes</u>	<u>Description</u>	<u>DNet</u>	<u>List</u>
CM USER	002ARZ	AXLE, FRONT NON-DRIVING {Meritor MFS-18-133A} Wide Track, I-Beam Type, 18,000-lb Capacity	\$1,563.20	\$1,954.00
CM USER	003ADG	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 18,000-lb Capacity, with Shock Absorbers	\$360.00	\$450.00
CM USER	004091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	\$0.00	\$0.00
CM	004AZJ	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System, with Automatic Traction Control	\$0.00	\$0.00
CM USER	004EDM	AIR DRYER {Bendix AD-HF} with Heater, Includes Pressure Protection Circuits, Safety Valve, Integral Purge Tank, Governor Pressure Settings 110 psi Cut-In/130 psi Cut-Out, Integrated PuraGuard Coalescing Filtration	\$0.00	\$0.00
CM USER	004EXU	(2) BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Sqli Spring Brake	\$0.00	\$0.00
CM USER	004EXV	BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 Sqli	\$0.00	\$0.00
CM	004GBM	BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake	\$0.00	\$0.00
CM	004LAG	SLACK ADJUSTERS, FRONT {Gunitite} Automatic	\$0.00	\$0.00
CM	004LGG	(2) SLACK ADJUSTERS, REAR {Gunitite} Automatic	\$0.00	\$0.00
CM	004SPM	AIR COMPRESSOR {Bendix BA-921 Head Unload} 15.9 CFM	\$0.00	\$0.00
CM	004VKC	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab	\$0.00	\$0.00
CM	004VKK	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Right Rail, Back of Cab, Perpendicular to Rail	\$0.00	\$0.00
CM	004WBX	DUST SHIELDS, FRONT BRAKE for Air Cam Brakes	\$28.00	\$35.00
CM	004WDM	(2) DUST SHIELDS, REAR BRAKE for Air Cam Brakes	\$112.00	\$140.00
CM USER	004WXR	DRAIN VALVE (2) {Berg} with Pull Chains, for Air Tanks	\$0.00	\$0.00
CM USER	004XDR	(2) BRAKES, REAR {Meritor 16.5X7 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle	(\$2,278.40)	(\$2,848.00)
CM USER	004XDT	BRAKES, FRONT {Meritor 16.5X6 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 6", 23,000-lb Capacity	(\$854.40)	(\$1,068.00)
CM	004XEE	(2) PARK BRAKE CHAMBERS, ADDITIONAL (2) Spring Brake Type	\$0.00	\$0.00
CM USER	005710	STEERING COLUMN Tilting and Telescoping	\$0.00	\$0.00
CM	005CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black	\$0.00	\$0.00
CM USER	005PTB	STEERING GEAR (2) {Sheppard M100/M80} Dual Power	\$927.20	\$1,159.00
CM USER	006DGU	DRIVELINE SYSTEM {Dana Spicer} SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4	\$421.60	\$527.00

	<u>Unit Codes</u>	<u>Description</u>	<u>DNet</u>	<u>List</u>
CM	007BEU	AFTERTREATMENT COVER Aluminum	\$222.40	\$278.00
CM USER	007BLY	EXHAUST SYSTEM Horizontal	\$0.00	\$0.00
		Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side		
CM USER	007SDK	ENGINE COMPRESSION BRAKE by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch	\$0.00	\$0.00
CM	007WDM	EXHAUST HEIGHT 10'	\$0.00	\$0.00
CM	007WDN	MUFFLER/TAIL PIPE GUARD (1) Aluminum	\$0.00	\$0.00
CM	007WDT	TAIL PIPE (1) Straight Type	\$0.00	\$0.00
CM	008000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00	\$0.00
CM USER	008653	HORN, AIR Single, Located Under Cab	\$0.00	\$0.00
CM	008GXJ	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount	\$0.00	\$0.00
CM USER	008HAB	BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	\$80.00	\$100.00
CM	008MSG	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud	\$0.00	\$0.00
CM USER	008RJW	CB RADIO Omit Power Feeds, Power Source and Wiring	\$0.00	\$0.00
CM USER	008RMV	SPEAKERS (2) 6.5" Dual Cone Mounted in Doors	\$0.00	\$0.00
CM	008RPP	ANTENNA Shark Fin, Roof Mounted	\$0.00	\$0.00
CM USER	008RPS	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	\$386.40	\$483.00
CM USER	008TNP	AUXILIARY HARNESS 5.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	\$142.40	\$178.00
CM USER	008TPR	STOP, TURN, TAIL & B/U LIGHTS {Weldon} Multi-Function LED Lamp, Mounted Outside Rails, Includes LED License Plate Light	\$142.40	\$178.00
CM	008VAY	HORN, ELECTRIC Disc Style	\$0.00	\$0.00
CM USER	008VTV	STOP-LIGHT WIRING MODIFIED Stop-Lights Turned on When Engine Compression Brake, Exhaust Brake or Retarder is Activated	\$17.60	\$22.00
CM	008VUK	BATTERY BOX Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab	\$0.00	\$0.00
CM USER	008WDG	BACK-UP ALARM {Preco 1059} Electronic; Solid State, Dual Function, 112 dBA	\$168.80	\$211.00
CM	008WEZ	TURN SIGNAL SWITCH Self-Canceling	\$0.00	\$0.00
CM	008WXB	HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position	\$0.00	\$0.00
CM	008WXG	STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start	\$0.00	\$0.00
CM	008XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	\$0.00	\$0.00

		<u>Unit Codes</u>	<u>Description</u>	<u>DNet</u>	<u>List</u>
CM USER		008XHR	POWER SOURCE, ADDITIONAL Auxiliary Power Outlet (APO) with USB Port, Located in the Instrument Panel	\$30.40	\$38.00
CM USER		008XNZ	HEADLIGHTS Halogen, with Daytime Running Lights	\$46.40	\$58.00
CM		009AAB	LOGOS EXTERIOR Model Badges	\$0.00	\$0.00
CM		009AAE	LOGOS EXTERIOR, ENGINE Badges	\$0.00	\$0.00
CM		009ASE	FRONT END Tilting, Composite	\$0.00	\$0.00
CM		009HCL	GRILLE Black Vertical Accent Bars, with Black Mesh	\$0.00	\$0.00
CM USER		009WAC	BUG SCREEN Mounted Behind Grille	\$104.80	\$131.00
CM		010060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00	\$0.00
CM		010761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00	\$0.00
CM USER	S	010AGB	COMMUNICATIONS MODULE Telematics Device with Over the Air Programming; Includes Five Year Data Plan and International 360	\$0.00	\$0.00
CM USER		010SLV	PROMOTIONAL PACKAGE Government Silver Package	\$0.00	\$0.00
CM USER		011001	CLUTCH Omit Item (Clutch & Control)	\$0.00	\$0.00
CM		012703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	\$0.00	\$0.00
CM USER		012BEW	ENGINE, DIESEL {International A26} EPA 2021, 430HP @ 1700 RPM, 1550 lb-ft Torque @ 900 RPM, 2100 RPM Governed Speed, 430 Peak HP (Max)	\$684.80	\$856.00
CM		012THT	FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed	\$0.00	\$0.00
CM		012VCA	AIR CLEANER Single Element, with Pre-Cleaner, Engine Mounted	\$0.00	\$0.00
CM USER	S	012VJK	EMISSION, CALENDAR YEAR {International A26} EPA, OBD and GHG Certified for Calendar Year 2023	\$0.00	\$0.00
CM		012WCX	HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type	\$0.00	\$0.00
CM		012WTA	FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted	\$0.00	\$0.00
CM		012WYZ	RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System	\$0.00	\$0.00
CM USER	S	012WZB	CARB IDLE COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood	\$97.00	\$97.00
CM		012XBC	RADIATOR Aluminum, Welded, Down Flow, Front to Back System, 1325 SqIn, with 806 SqIn Charge Air Cooler	\$0.00	\$0.00
CM USER		012XBR	BLOCK HEATER, ENGINE {Phillips} 120V/ 1150W	\$124.80	\$156.00
CM	S	012XCS	CARB EMISSION WARR COMPLIANCE Federal, Does Not Comply with CARB Emission Warranty	\$0.00	\$0.00

	<u>Unit Codes</u>	<u>Description</u>	<u>DNet</u>	<u>List</u>
CM USER	013BDY	TRANSMISSION, AUTOMATIC {Allison 4000 RDS} 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway	\$9,417.60	\$11,772.00
CM USER	013WCU	OIL COOLER, TRANSMISSION {Modine} Remote Mounted; Not for use with Retarder, for Automatic Transmission	\$1,096.80	\$1,371.00
CM USER	013WET	TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission	\$40.00	\$50.00
CM USER	013WLM	TRANSMISSION OIL Synthetic; 63 thru 76 Pints	\$324.00	\$405.00
CM USER	013WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Construction, Package Number 223	\$0.00	\$0.00
CM USER	013WVV	NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released	\$580.00	\$725.00
CM USER	013WYU	SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, Performance Programming	\$0.00	\$0.00
CM USER	014GVZ	AXLE, REAR, TANDEM {Meritor MT-40-14X-5DFR} Single Reduction, 40,000-lb Capacity, .5"(12.7mm) Wall Housing Thickness, R Wheel Ends	(\$321.60)	(\$402.00)
CM USER	014UMV	SUSPENSION, REAR, TANDEM {Hendrickson HMX EX 400} Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings	\$0.00	\$0.00
CM	014WCR	(2) TRANSVERSE TORQUE RODS {Hendrickson} TRAAX Rod, Transverse Only	\$137.60	\$172.00
CM USER	015LPR	FUEL/WATER SEPARATOR {Racor 6600} 12 VDC Electric Heater, Includes Pre-Heater, Fuel Heated with Fuel Blender Valve, with Sight Bowl, Includes Water-In-Fuel Sensor	\$182.40	\$228.00
CM USER	015SGL	FUEL TANK Non-Polished Aluminum, 24" Dia, 80 US Gal (303L), Mounted Left Side, Under Cab	\$282.40	\$353.00
CM	015WDR	DEF TANK 10.6 US Gal (40L) Capacity, Frame Mounted Outside Left Rail, Under Cab	\$0.00	\$0.00
CM USER	016030	CAB Conventional, Day Cab	\$0.00	\$0.00
CM USER	016BAM	AIR CONDITIONER with Integral Heater and Defroster	\$0.00	\$0.00
CM USER	016GEG	GAUGE CLUSTER Premium Level; English with English Electronic Speedometer	\$0.00	\$0.00
CM USER	016HGH	GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission	\$38.40	\$48.00
CM	016HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	\$0.00	\$0.00
CM USER	016LUM	SEAT, PASSENGER {National} Non Suspension, High Back with Integral Headrest, Vinyl, with Fixed Back, with Under Seat Storage	\$414.40	\$518.00

	<u>Unit Codes</u>	<u>Description</u>	<u>DNet</u>	<u>List</u>
CM USER	016LWK	SEAT, DRIVER {ISRI} Series 300, Air Suspension, High Back, Vinyl, Single Chamber Lumbar, Inboard Armrest, Suspension Cover, Fore/Aft Isolator, Cushion Extension, Seat Tilt	\$0.00	\$0.00
CM USER	016SDC	GRAB HANDLE, EXTERIOR (2) Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left and Right Side at B-Pillar	\$226.40	\$283.00
CM	016SNL	MIRRORS (2) C-Loop, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width	\$0.00	\$0.00
CM USER	016VKK	CAB INTERIOR TRIM Diamond, for Day Cab	\$0.00	\$0.00
CM USER	016VLV	MONITOR, TIRE PRESSURE Omit	(\$1,030.40)	(\$1,288.00)
CM	016WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	\$0.00	\$0.00
CM USER	016WLS	FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood	\$60.80	\$76.00
CM	016XJP	INSTRUMENT PANEL Wing Panel	\$0.00	\$0.00
CM	016XRX	MODESTY PANEL Painted	\$0.00	\$0.00
CM	016XTM	ACCESS, CAB Aluminum, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab or Sleeper Cab	\$0.00	\$0.00
CM USER	027DUL	WHEELS, FRONT {Accuride 29300} DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	\$212.00	\$265.00
CM USER	028DUK	(2) WHEELS, REAR {Accuride 29169} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs	\$369.60	\$462.00
CM USER	060AKG	BDY INTG, PTO ACCOMMODATION for (3) Latched Rocker Switches, (1) PTO Switch, (2) Generic Switches to Control (3) 30 amp relays, with Programmable Interlocks, for Body Builder Hook up in the Engine Compartment Left Side, Recommended for Automatic Transmissions	\$118.40	\$148.00
CM REAR	7372135432	(8) TIRE, REAR 11R22.5 Load Range G HDL2 (CONTINENTAL), 493 rev/mile, 75 MPH, Drive	(\$1,683.20)	(\$2,104.00)
CM FRNT	7792545438	(2) TIRE, FRONT 315/80R22.5 Load Range L HSC 3 (CONTINENTAL), 481 rev/mile, 68 MPH, All-Position	\$496.00	\$620.00
CM	FS 040132	WARRANTY Standard for HX520, HX620, Effective with Vehicles Built January 1, 2021 or Later, CTS-2015B	\$0.00	\$0.00

GOODS PURCHASED

SAFETY EQUIPMENT & NC OR DOT INSPECTION.

DEALER PDI & PREP

ADDITIONAL OPTIONS ARE AVAILABLE UPON REQUEST.

MATERIAL & GOVERNMENT SURCHARGES ARE NOT DISCOUNTED.

LOCAL INSTALLATIONS BILLED AT NET PRICE, NOT DISCOUNTED.

ADDTL. FLOOR PLAN REQUIRED.

TOTAL

SALES PRICE

\$150.00

\$200.00

\$0.00

\$1,667.24

=====

\$2,017.24

SPECIAL P & D

NCSA FEE.

TITLE & PROC.

FEE

\$1,084.64

\$50.00

NEW TRUCK CHECK IN

MATERIAL SURCHARGE.

'24 EPA EMISSION SURCHARGE.

2% ANNUAL INCREASE.

\$90.60

\$3,250.00

\$8,000.00

\$2,355.85

=====

TOTAL

\$14,831.09

FREIGHT

Freight

TOTAL

SALES PRICE

\$3,100.00

=====

\$3,100.00

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.