

# ACMD42 Class 8 Model Year 2024

Vanguard Truck Center of Charlotte NA

Prepared By: Mark Hughel

704-597-4212

Mark.Hughel@vanguardtrucks.com

Prepared For: KAYLYN MITMAN

NORTH CAROLINA SHERIFF'S

**ASSOCIATION** 

Monday, March 13, 2023 11:44:13 AM EST

Price Level: 202209192024A

03/13/2023

# Chassis Specification

			Description	Front Weight	Rear Weight			
	AUTOC	CAR TRUCKS						
S	0010004	MODEL SERIES	AC MEDIUM DUTY SERIES	0	0			
S	003005	MODEL CONFIGURATIONS	4X2 TRUCKS	0	0			
S	0040007	MODELS	ACMD42	8,100	3,850			
S	5004001	CAB SHELL	SINGLE LEFT HAND DRIVE CAB MUX	0	0			
X	100T98	CUSTOMER LAYOUT	NONE	0	0			
$\mathbf{S}$	100U002	CUSTOMER TYPE	PUBLIC/PRIVATE	0	0			
	SOLUT	ION						
S	D010120	FRONT GAWR	12000 LBS	0	0			
$\mathbf{S}$	D020230	REAR GAWR	23000 LBS	0	0			
$\mathbf{S}$	D100350	GVWR	35000 LBS	0	0			
	VEHIC	LE ADAPTATION						
0	114010	COUNTRY OF USE	UNITED STATES STD MARKET ADAPTATION	0	0			
	ENGIN	E						
S	1580001	ENGINE VOCATION	COMMERCIAL - DOMESTIC (DOT)	0	0			
S	1014012	ENGINE ASSY	B 6.7, 200 HP / 2400 RPM / 520 FT-LB, CUMMINS	0	0			
S	102200	ENGINE HORSEPOWER RATING	200 HORSE POWER	0	0			
0	105002	ENGINE FLYWHEEL HOUSING	SAE NUMBER 2 HOUSING	0	0			
S	1030001	ENGINE OIL CHECK & FILL	EXTERIOR CHECK AND VALVE COVER FILL	0	0			
S	4460001	FUEL TYPE	ULTRA-LOW SULPHUR DIESEL FUEL REQUIRED	0	0			
S	972A002	SPECIAL EMISSION CERTIFICATION LABELS	EPA CERTIFIED-NO LABEL REQUIRED (DIESEL)	0	0			
	ENGINE EQUIP							
S	4380015	FILTER-FUEL, CHASSIS MOUNTED	FLEETGUARD FS SERIES F / W SEPARATOR W / PROBE & DASH LIGHT	0	0			
S	1700003	FILTER-FUEL, ENGINE MOUNTED	SPIN-ON, ENGINE MOUNTED	0	0			
S	1750001	ENGINE OIL	STANDARD ENGINE OIL	0	0			
$\mathbf{S}$	2004000	RADIATOR	725 SQ. IN. ALUMINUM	0	0			
$\mathbf{S}$	2080003	FAN & DRIVE-ENGINE	FAN CLUTCH, VISCOUS	0	0			

S	1290004	ENGINE ELECTRONICS	CUMMINS 500K COMMUNICATION	0	0
$\mathbf{S}$	2090001	RADIATOR COOLANT	EXTENDED LIFE COOLANT	0	0
$\mathbf{S}$	2200004	AIR CLEANER	13" ONE STAGE	0	0
$\mathbf{S}$	2304000	MUFFLER SYSTEM	LH VERTICAL SMA	0	0
$\mathbf{S}$	2314000	EXHAUST SHIELDS	LH VERTICAL SMA	0	0
			ALUMINUM		
O	2324008	EXHAUST STACKS	11' STAINLESS STEEL VERTICAL W/DIFFUSER	0	0
S	2354000	EXHAUST PIPING	EXHAUST BLANKETS	0	0
S	2394010	UREA DELIVERY SYSTEM	RH FRAME MTD 6 GAL	0	0
S	2371010		CAPACITY	O .	· ·
$\mathbf{S}$	700026	AIR COMPRESSOR	CUMMINS WABCO 18.7 CFM	0	0
			COMPRESSOR		
$\mathbf{S}$	8024000	ALTERNATOR	DELCO REMY 160 AMP, 28SI	0	0
			PAD MTD W/O REMOTE		
			SENSE		
S	8205002	STARTING MOTOR	DELCO REMY 12V 31MT	0	0
S	P010065	VEHICLE GOVERNED SPEED LIMIT	SPEED LIMIT 65MPH	0	0
$\mathbf{S}$	P020001	ENGINE IDLE SHUT DOWN	ENGINE IDLE SHUT DOWN	0	0
			ENABLED ( 5 MINUTES )		
$\mathbf{S}$	P030001	CRUISE CONTROL	CRUISE CONTROL ENABLED	0	0
		PARAMETER			
$\mathbf{S}$	171013	FILTER-ENGINE OIL BY-	CUMMINS ENGINE OIL	0	0
		PASS	FILTER		
S	172007	FILTER-ENGINE OIL FULL		0	0
G	1920001	FLOW	FULL FLOW/BYPASS	0	0
S	1830001	STARTING AID-GLOW PLUG	GRID HEATER	0	0
$\mathbf{S}$	201001	FAN SHROUD	FAN SHROUD	0	0
$\mathbf{S}$	204002	COOLANT HOSES	SILICONE HOSES WITH	0	0
			STEEL TUBING		
	TRANS	MISSION			
S	2700022	TRANSMISSION	ALLISON 3000 SERIES,6-	0	0
			SPEED		
$\mathbf{S}$	2580011	VOCATION	ON/OFF HIGHWAY VP223	0	0
			(RDS 3000 SERIES)(DOES NOT		
			HAVE AUTO-NEUTRAL)		
S	284016	TRANSMISSION	ALLISON PUSHBUTTON	0	0
~	•0-4	CONTROLS	CONTROLS		
S	2864000	COOLER-TRANSMISSION	RADIATOR INTEGRATED	0	0
e	200002	OIL TRANSMISSION OIL	COOLER OH ELL TURE / DIRECTOR W/	0	0
S	290003	TRANSMISSION OIL FILL/CHECK	OIL FILL TUBE / DIPSTICK W/ LEVEL SENSOR	0	0
S	300015	DRIVESHAFT-MAIN	SPICER 1710HD HALF ROUND	0	0
G	500015	DAI ( EDHAF I-MAIN	STICEN I/TOID HALF ROUND	U	U

S	PT10001	TRANS DIRECTION CHANGE SHIFT INHIBIT	SHIFT INHIBIT ENABLED	0	0	
o	2550009	TORQUE CONVERTER	TORQUE CONVERTER TC-411	0	0	
$\mathbf{S}$	292004	TRANSMISSION	TRANSYND SYNTHETIC	0	0	
		LUBRICANT	AUTO TRANS FLUID			
	FRONT	AXLE				
S	3700012	FRONT AXLE	DANA 1202W STEER AXLE, 12000 LB CAPACITY	0	0	
S	371005	FRONT SUSPENSION	5500 LB FLATLEAF 12,500 GROUND CAPACITY	0	0	
S	373002	SHOCK ABSORBERS- FRONT	DOUBLE ACTING SINGLE - HEAVY DUTY	0	0	
S	904011	HUBS-FRONT	STEEL HUB PILOTED,285MM BOLT CIRCLE	0	0	
S	9210001	HUB CAPS - FRONT AXLE	CR ZYTEL HUBCAP	0	0	
S	374001	FRONT AXLE LUBRICANT	STANDARD	0	0	
S	3690006	FRONT AXLE POSITION	44.5 INCHES	0	0	
S	3834000	STEERING GEAR	INTEGRAL POWER STEERING W/O ASSIST RAM TAS65	0	0	
S	387003	POWER STEERING RESERVOIR	FOUR QUART REMOTE MOUNTED	5	0	
	REAR A	AXLE				
S	3300017	REAR DRIVE AXLE-SINGLE	MERITOR RS24-160, SINGLE	0	0	
		& TANDEM	REDUCTION AXLE			
X	331996	REAR DRIVE AXLE RATIO	MUST CHOOSE REAR DRIVE AXLE RATIO	0	0	
X	3504000	REAR SUSPENSION	HENDRICKSON PAX-EX 262, AIR RIDE, 26,000 LB CAPACITY	0	0	
S	3560001	REAR DRIVE AXLE STOPS	REAR BUMPSTOPS REQUIRED	0	0	
X	3590001	SHOCK ABSORBERS-REAR	2 SHOCK ABSORBERS	0	0	
$\mathbf{S}$	9130001	HUBS-REAR	IRON HUB, HP 10 STUD	0	0	
$\mathbf{S}$	9410001	WHEEL OIL SEALS-REAR	SCOTSEAL PLUS XL	0	0	
$\mathbf{S}$	339001	REAR AXLE LUBRICANT	STANDARD	0	0	
X	358001	TORQUE RODS	LONGITUDINAL ONLY - RUBBER BUSHED	0	0	
S	3400001	REAR AXLE BREATHER	STANDARD AXLE BREATHER	0	0	
	BRAKE	ES				
S	7410004	BRAKE CONTROL SYSTEM	ABS 4S/4M W/PLC	0	0	
S	782014	BRAKE VALVE-PARKING CONTROL	ONE PUSH - PULL TYPE W/YELLOW DIA-TRUCK	0	0	
S	7510004	BRAKES-FOUNDATION, FRONT AXLE	MERITOR 16.5X5 QP	12	12	
S	753018	BRAKE CHAMBERS-FRONT AXLE	CAM-STANDARD	0	0	

S	754009	BRAKE SLACK ADJUSTERS -FRONT AXLE	MERITOR AUTOMATIC	0	0
S	755001	DUST SHIELDS - FRT BRAKES	DUST SHIELDS - FRONT BRAKES	8	0
$\mathbf{S}$	901001	BRAKE DRUM-FRONT	CAST IRON	0	0
S	7610003	BRAKES-FOUNDATION, REAR AXLE	ARVIN MERITOR 16.5X7 Q PLUS	0	0
S	763019	BRAKE CHAMBERS-REAR AXLE	CAM-STANDARD	0	0
S	764012	BRAKE SLACK ADJUSTERS -REAR AXLE	ARVIN MERITOR AUTOMATIC-SINGLE AXLE	0	0
S	765001	DUST SHIELDS - REAR BRAKES	DUST SHIELDS - REAR BRAKES	0	8
S	781011	BRAKE CHAMBERS- PARKING, TYPE/VENDOR	CAM TYPE M\G\M STOPGARD (2)	0	0
$\mathbf{S}$	910001	BRAKE DRUM-REAR	CAST IRON	0	0
S	7204001	BRAKE VALVE & PEDAL	FIREWALL MTD LH BRAKE PEDAL FOR LHD	0	0
	CHASSI	S			
S	402038	FRAME-REAR OVERHANG	38 INCHES	0	0
$\mathbf{S}$	400164	WHEELBASE	164 INCHES	0	0
$\mathbf{S}$	4030007	FRAME RAILS	10" X 3" X 3/8" 120KSI	0	0
			STRAIGHT RAIL SECTION -		
S	406001	FRAME-REAR CUT-OFF	2.13M RBM	0	0
S	4090003	FRAME CROSSMEMBER-	STRAIGHT 7-PIECE STEEL	0	0
3	4090003	CENTER CENTER	CROSSMEMBERS	U	U
$\mathbf{S}$	4150004	FRAME CROSSMEMBER-	7 PC STEEL CMBR ROS - IF	0	0
		OVERHANG	REQUIRED		
$\mathbf{S}$	430500	FUEL TANK-LEFT	TEMP. FUEL TANK	-10	-15
S	436001	FUEL LINES	SAE J844 NYLON TUBING	0	0
S	4604000	BUMPER-FRONT	STANDARD DUTY BUMPER	0	0
S	4800003	TOWING DEVICE-FRONT	TWO TOW HOOKS INTERGRAL W/ FRNT XMEMBER	0	0
S	711001	AIR TANK-BRAKE	STEEL TANKS FOR SINGLE AXLE	0	0
S	711U06	AIR TANK MOUNTING	AS MANY TANKS IN RAIL AS POSSIBLE	0	0
S	7134000	AIR DRYER	WABCO 1200 PLUS AIR DRYER	0	0
S	713T002	AIR DRYER MOUNTING LOCATION	AIR DRYER MTD OUTSIDE RAIL, LH	0	0
S	715T400	AIR RESERVOIR DRAIN SYSTEM	PULL CORDS ALL TANKS	0	0
$\mathbf{S}$	728001	AIR LINES-MAIN, CHASSIS	SAE J844 NYLON TUBING	0	0


S	783001	BRAKE MODULATION SYSTEM-PARKING	PARK BRAKE RELAY/INVERSION VALVE	0	0
S	8100002	BATTERY	2 BATTERIES, 12V, 1500CCA	0	0
S	8120011	BATTERY BOX	BATTERY BOX, 2 BATTERY CAPACITY	0	0
S	812T002	BATTERY BOX POSITION	BOX LOCATED LHS UNDER CAB	0	0
S	8924000 BACKUP ALARM		107DB FIXED OUTPUT BACKUP ALARM	0	0
	CAB EX	KTERIOR			
S	4510001	STEP-CAB ACCESS, CAB MOUNTED	DUAL SELF CLEANING CAB ENTRANCE STEPS	0	0
S	502001	CAB DOORS	STEEL	0	0
S	5100002	GLASS	WINDSHIELD - LAMINATED, ALL GLASS EXCEPT FRONT TINTED	0	0
S	6220013	MIRRORS-DUAL WEST COAST	MIRROR, BLACK, MOTORIZED/HTD POLYCARBONATE HOUSING W/SQUARE MOTORIZED/HTD CONVEX MIRROR	2	0
S	661001	CAB TILT MECHANISM-C.O.E.	HYDRAULIC TILT	0	0
S	661A400	SAFETY BAR	SAFETY BAR	0	0
$\mathbf{S}$	6720001	GRILLE	AUTOCAR GRILLE BLACK	0	0
	CAB IN	TERIOR			
S	3800005	STEERING WHEEL	SINGLE DRIVE 16 INCH DIAMETER	0	0
S	3810004	STEERING COLUMN	ADJ. TILT AND TELESCOPIC STEERING COLUMN	0	0
S	5204002	SEAT-DRIVER	SEARS SEAT W/ AIR RIDE SUSP, W/ AIR CONTROLLED LUMBAR SUPPORT	0	0
0	5214002	SEAT-PASSENGER	SEARS SEAT W/ AIR RIDE SUSP, W/ AIR CONTROLLED LUMBAR SUPPORT	0	0
$\mathbf{S}$	522003	SEAT BELTS-DRIVER	THREE POINT RETRACTABLE	0	0
$\mathbf{S}$	523003	SEAT BELTS-PASSENGER	THREE POINT RETRACTABLE	0	0
S	5384000	CARPET & MAT	WEAR RESISTANT MAT WITH FOAM BACK W/HEAVY DUTY FLOOR MATS	0	0
S	5404002	CAB PANELS-INTERIOR TRIM	ACMD STANDARD INTERIOR TRIM W/ REDUCED LOWER IP SKIRT	0	0
S	547001	INSULATION-CAB THERMAL	THERMAL INSULATION KIT FOR CAB	0	0

S	5949997	CIGAR LIGHTER	COMPONENTS SUPPLIED BY CAB SUPPLIER	0	0				
$\mathbf{S}$	8644000	LAMPS-CAB INTERIOR	LED DOME LAMPS	0	0				
	GAUGE	ES & INSTRUMENTATI	ON						
S	1434001	TRUCK ELECTRICAL	STANDARD MULTIPLEX	0	0				
		CONTROL MODULE	MODULE						
$\mathbf{S}$	225009	AIR INTAKE RESTRICTION	GRADUATED, AIR CLEANER	0	0				
		INDICATOR	MOUNTED						
S	288009	MONITORING - TRANSMISSION OIL TEMP	TRANS TEMP WARNING	0	0				
S	1472001	VEHICLE MONITORING	AUTOCAR ADVANCED	0	0				
3	1472001	SYSTEM SYSTEM	TELEMATICS-FULL	U	U				
			INSTALLATION						
	LIGHTING								
О	8360003	LAMPS-HEAD	LED HEADLAMPS	0	0				
S	8390002	STOP-TAIL HARNESS	OMIT TAIL LAMPS, BB CONN	0	0				
			@ EOF						
$\mathbf{S}$	8410005	LAMPS-TURN SIGNAL -	AMBER FRONT TURN	0	0				
~	071000	FRONT	SIGNALS						
S	8510002	LAMPS-MARKER	AMBER LED ROOF MARKERS	0	0				
	RADIO	/MISC							
$\mathbf{S}$	5090001	KEY & LOCK SETS-	2 ADDITIONAL KEYS PER	0	0				
~		IGN/DOORS	TRUCK (4 TOTAL)						
S	5900005	RADIO	RADIO PREP IN OVERHEAD CONSOLE	0	0				
	FRONT	TIRES / WHEELENDS	601.0022						
	9400001	WHEEL OIL SEALS-FRONT	CCOTCEAL DILIC VI	0	0				
S S	,	WHEELS-DISC FRONT	22.5x8.25" STEEL HP, 6.18"	0	0				
В	7030014	WILLES-DISC FROM	INSET, 5HH	O	U				
$\mathbf{S}$	907002	FRONT TIRE QUANTITY	2 FRONT TIRES	0	0				
$\mathbf{S}$	930068	TIRE SIZE & LOAD RANGE	11R22.5G	0	0				
		- FRONT							
S	9314009	TIRE MANUFACTURER & TREAD - FRONT	DOUBLE COIN RR680	0	0				
	REAR TIRES / WHEELENDS								
S	908004	REAR TIRE QUANTITY	4 REAR TIRES	0	0				
$\mathbf{S}$	9140014	WHEELS-DISC REAR	22.5X8.25" STEEL, HP, 5HH	0	0				
S	933068	TIRE SIZE & LOAD RANGE	11R22.5G	0	0				
		- REAR							
S	9344009	TIRE MANUFACTURER &	DOUBLE COIN RR680	0	0				
	D. 1	TREAD - REAR							
	PAINT								
S	950001	CAB PAINT SCHEME	SINGLE COLOR PAINT	0	0				
S	9550001	CAB PAINT TYPE	STANDARD WHITE	0	0				

S	9804018	CAB COLOR-FIRST	APPROVED-=-913218EX-=- STANDARD WHITE 913218EX	0	0	
S	9861U1	CHASSIS COLOR	BLACK P3036	0	0	
X	9870002	BUMPER COLOR	PAINT SAME AS CAB, STEEL	0	0	
$\mathbf{S}$	988401	DISC WHEEL OR RIM	STEEL, E-COAT WHITE /	0	0	
		COLOR	ALUM-UNPAINTED			
$\mathbf{S}$	989949	AXLE WHEELEND COLOR	SAME AS CHASSIS	0	0	
	ADDIT	IONAL OPTIONS				
S	899002	CHASSIS WARRANTY	STANDARD WARRANTY	0	0	
$\mathbf{S}$	899A007	TRANSMISSION	ALLISON 3YR WARRANTY	0	0	
		WARRANTY				
$\mathbf{S}$	899B001	ENGINE WARRANTY	CUMMINS STANDARD	0	0	
			WARRANTY			
$\mathbf{S}$	899S98	EPA SURCHARGE	NO EPA SURCHARGE	0	0	
$\mathbf{S}$	978000	FLOOR PLAN	NO FLOORING PLAN	0	0	
S	969V002	ADDITIONAL PRICE	TEMPORARY INFLATION	0	0	
		ADJUSTMENT	ADJUSTMENT			
	OTHER	RS				
$\mathbf{S}$	740004	CERTIFICATION	US SALE-US COMMERCE-34	0	0	
		COMPLIANCE	MPH AND UP			
$\mathbf{S}$	9722023	CERTIFICATION-	MY 2023 ENGINE, COMPLIES	0	0	
		EMISSIONS	WITH 2021 US EMISSIONS			
S	974004	CERTIFICATION-	COMPLIES W/U.S. & CANADA	0	0	
		EXTERIOR NOISE	80D\B\A AT 50FT			
	SUB TO	DTALS				
			BASE WEIGHT	8,100	3,850	
			FACTORY OPTION WEIGHT	17	5	
			DISTRIBUTOR OPTION WEIGHT	0	0	
	TOTAL	S				
			TOTAL WEIGHT (LB)	8,117	3,855	11,972

03/13/2023

## **Dimensions**




	Dimension(ft)	Description
A	71.85	CAB HEIGHT
В	80.96	BUMPER TO BACK OF CAB
C	104.11	EFFECTIVE BUMPER TO BACK OF CAB
D	258.11	OVERALL LENGTH
E	154.00	EFFECTIVE CAB TO END OF FRAME
F	116.00	EFFECTIVE CAB TO REAR AXLE
G	39.20	UNLADEN FRAME HEIGHT
Н	38.00	OVERHANG
I	164.00	WHEELBASE
J	56.11	BUMPER TO FRONT AXLE
K	-18.00	DRIVER CENTER OF GRAVITY
L	48.00	EFFECTIVE FRONT AXLE TO BACK
M	111.05	OVERALL HEIGHT
N	0.00	FRONT FRAME EXTENSION

## SPECIFICATION SUMMARY

Model	ACMD42 Class 8
Engine	B 6.7, 200 HP / 2400 RPM / 520 FT-LB, CUMMINS
Transmission	ALLISON 3000 SERIES,6-SPEED
Rear Axle	MERITOR RS24-160, SINGLE REDUCTION AXLE
Rear Axle Ratio	MUST CHOOSE REAR DRIVE AXLE RATIO
Rear Tire	11R22.5G

03/13/2023

# **Turning Radius**




	Dimension(ft)	Description
A	22.82	TURNING RADIUS
В	47.48	CURB TO CURB TURNING DIAMETER
C	51.54	WALL TO WALL TURNING DIAMETER

## SPECIFICATION SUMMARY

Model	
Engine	B 6.7, 200 HP / 2400 RPM / 520 FT-LB, CUMMINS
Transmission	ALLISON 3000 SERIES,6-SPEED
Rear Axle	MERITOR RS24-160, SINGLE REDUCTION AXLE
Rear Axle Ratio	MUST CHOOSE REAR DRIVE AXLE RATIO
Rear Tire	11R22.5G

03/13/2023

## Shift Chart



	Trans.	Rear Axle	Overall	% Split	MPH	RPM
Gear	Ration	Ration	Reduction			After Shift
1C	6.91	9.96	68.8	0.0	4.5	0
1	3.49	9.96	34.8	98.0	9.0	1,313
2	1.86	9.96	18.5	87.6	16.9	1,385
3	1.41	9.96	14.0	31.9	22.3	1,970
4	1.00	9.96	10.0	41.0	31.4	1,843
5	0.75	9.96	7.5	33.3	41.9	1,950
6	0.65	9.96	6.5	15.4	48.3	2,253

#### SPECIFICATION SUMMARY

Model ACMD42 Class 8

Engine B 6.7, 200 HP / 2400 RPM / 520 FT-LB, CUMMINS

Rated Power 200 HP @ 2600 RPM Peak Torque 520 LB-FT @ 1600


Transmission ALLISON 3000 SERIES,6-SPEED

Rear Axle MERITOR RS24-160, SINGLE REDUCTION AXLE MUST CHOOSE REAR DRIVE AXLE RATIO Rear Axle Ratio

Rear Tire 11R22.5G 499 Tire Revolution

03/13/2023

## **Operating Range**



	Trans.	Rear Axle	Minimum	Maximum
Gear	Ratio	Ratio	MPH	MPH
1C	6.91	9.96	2.8	4.5
1	3.49	9.96	5.5	9.0
2	1.86	9.96	10.4	16.9
3	1.41	9.96	13.7	22.3
4	1.00	9.96	19.3	31.4
5	0.75	9.96	25.8	41.9
6	0.65	9.96	29.7	48.3

**CUMMINS** 

### SPECIFICATION SUMMARY

Price Level: 202209192024A

Model	ACMD42 Class 8
Engine	B 6.7, 200 HP / 2400 RPM / 520 FT-LB,

Rated Power 200 HP @ 2600 RPM Peak Torque 520 LB-FT @ 1600

Transmission ALLISON 3000 SERIES,6-SPEED

Rear Axle MERITOR RS24-160, SINGLE REDUCTION AXLE Rear Axle Ratio MUST CHOOSE REAR DRIVE AXLE RATIO


Rear Tire 11R22.5G Tire Revolution 499

Prepared By Mark Hughel Quote Id : QA54AZTMP Phone : 704-597-4212 Model : 2024 - ACMD42 Class 8

Price Level: 202209192024A Page 13 of 20

03/13/2023

## **Gradeability**



	Trans.		Rear Axle	Overall	Peak	Wheel		Maximum
Gear	Ratio		Ratio	Reduction	Torque	HP	MPH	Grade%
	1C	6.91	9.96	68.8	520.0	164.9	2.8	0.0
	1	3.49	9.96	34.8	520.0	164.9	5.5	0.0
	2	1.86	9.96	18.5	520.0	164.9	10.4	0.0
	3	1.41	9.96	14.0	520.0	164.9	13.7	0.0
	4	1.00	9.96	10.0	520.0	164.9	19.3	0.0
	5	0.75	9.96	7.5	520.0	164.9	25.8	0.0
	6	0.65	9.96	6.5	520.0	164.9	29.7	0.0

## SPECIFICATION SUMMARY

Price Level: 202209192024A

Model	ACMD42 Class 8
Engine	B 6.7, 200 HP / 2400 RPM / 520 FT-LB, CUMMINS
Peak Torque	520 LB-FT @ 1600


Transmission ALLISON 3000 SERIES,6-SPEED

Rear Axle MERITOR RS24-160, SINGLE REDUCTION AXLE Rear Axle Ratio MUST CHOOSE REAR DRIVE AXLE RATIO

Rear Tire 11R22.5G Tire Revolution 499 GVW/GCV Surface Concrete

03/13/2023

# **Startability**



		Recommended	Calculated
Gear	Application	Minimum Grade %	Grade %
Lowest Gear	City	12.0	n/a
	On Highway	16.0	38.4
	On-Off Highway	18.0	n/a
	Off Highway	20.0	n/a
		0.0	n/a
First Highway Gear	All Applications	8.0	18.9


#### "SPECIFICATION SUMMARY"


Model	ACMD42 Class 8
Engine	B 6.7, 200 HP / 2400 RPM / 520 FT-LB, CUMMINS
Clutch Torque	400 LB-FT 700 RPM
Transmission	ALLISON 3000 SERIES,6-SPEED
Rear Axle	MERITOR RS24-160, SINGLE REDUCTION AXLE
Rear Axle Ratio	MUST CHOOSE REAR DRIVE AXLE RATIO
Rear Tire	11R22.5G
Tire Radius	19.8
GVW/GCV	0
Surface	Concrete
Terrain	On Highway

03/13/2023

## Top Speed


## Speed At Maximum RPM





## RPM At 60MPH





	MPH	RPM
Top Speed	48.3	2,600
Cruise Speed	60.0	3,230
Minimum Of Engine Range	22.3	1,200
Maximum Of Engine Range	48.3	2,600
Minimum Of Economy Range	22.3	1,200
Maximum Of Economy Range	48.3	2,600

Prepared By Mark Hughel Quote Id: QA54AZTMP Phone: 704-597-4212 Model: 2024 - ACMD42 Class 8

## SPECIFICATION SUMMARY

ACMD42 Class 8 Model

Engine B 6.7, 200 HP / 2400 RPM / 520 FT-LB, CUMMINS

ALLISON 3000 SERIES,6-SPEED Transmission

Rear Axle MERITOR RS24-160, SINGLE REDUCTION AXLE

Rear Axle Ratio MUST CHOOSE REAR DRIVE AXLE RATIO

Rear Tire 11R22.5G Tire Revolution 499

Prepared By Mark Hughel Quote Id: QA54AZTMP Phone: 704-597-4212

Phone : 704-597-4212 Model : 2024 - ACMD42 Class 8

03/13/2023

## Chassis Standards

Code Description

### FRAME EQUIPMENT

408001 STEEL ENGINE CROSSMEMBER

4160001 OVERSLUNG X-MEMBER INTEGRAL W/ENG MOUNTS
4800003 TWO TOW HOOKS INTEGRAL W/FRONT XMEMBER

### **ENGINE EQUIPMENT**

6020002 SILICONE HEATER HOSES

602C01 CONSTANT TORQUE HOSE CLAMPS

602S001 NO HEATER SHUT-OFF TAP

724001 CAB AIRLINES - SAE J844 NYLON TUBING

729002 AIR LINES CHASSIS PARK BRAKE

701001 STANDARD AIR COMPRESSOR GOVERNER

702002 TEFLON HOSE DISCHARGE LINES233004 TURNED OUT EXHAUST STACK

1030001 ENGINE DIPSTICK ACCESIBLE W/O TILTING CAB

## **HVAC EQUIPMENT**

6000002	AIR CONDITIONING W/ HEATER / DEFROSTER / CLIMATE CONTROL

060001 AIR COND INTEGRAL WITH HEATER/DEFROSTER

608002 R134A REFRIGERANT

611003 STANDARD AC COMPRESSOR 612001 STANDARD AC CONDENSER

615004 R134A HOSES WITH CRIMPED FITTINGS

#### **CAB INTERIOR**

512010	DUAL POWER WINDOWS
533013	CAB DOOR PANELS BOTH SIDES
541005	COLOR KEYED TO TRIM COLOR

542016 INTERIOR SUNVISOR LEFT AND RIGHT HAND PROVIDED

5530001 STANDARD INTERIOR TRIM DOOR SILLS

5680003 OVERHEAD CONSOLE W/DRIVER AND PASSENGER SIDE STORAGE BINS

570009 COLOR KEYED INSTRUMENT PANEL 594001 DASH MOUNTED CIGAR LIGHTER

#### CAB / RADIO PREP PACKAGE

Price Level: 202209192024A

5900005 RADIO PREP IN OVERHEAD CONSOLE

5960052 DUAL CONE SPEAKERS

Note: ACMD Chassis & Cab Standards are subject to change without notice.

Code Description

## **CAB INSTRUMENTATION**

704002	AUDIBLE AND VISUAL LOW AIR WARNING DEVICE
132034	AUDIBLE/VISUAL ALARM/Low Oil PSI, High Coolant Temp, Low Coolant Level
0570006	ACMD GAUGE PACKAGE #1 AIR BRAKE SYSTEM
5770001	GAUGE, ELECTRONIC SPEEDOMETER WITH ODOMETER
1360001	GAUGE, ELECTRONIC TACHOMETER WITH HOURMETER
1380001	GAUGE, ELECTRONIC ENGINE OIL PRESSURE
1400001	GAUGE, ELECTRONIC ENGINE COOLANT TEMP
4390001	GAUGE, ELECTRONIC FUEL LEVEL GAUGE
7030001	GAUGE, DUAL AIR SYSTEM PRESSURE GAUGE
8040001	GAUGE, ELECTRONIC VOLTMETER

## **CAB EQUIPMENT**

133003	WILLIAMS ACCELERATOR PEDALS
6280002	ELECTRIC INTERMITTENT WIPERS
629003	STANDARD WINDSHIELD WASHER
631001	SINGLE ELECTRIC HORN
782L01	PARK BRAKE INDICATOR LIGHT
801002	NEGATIVE GROUND 12VOLT
8040001	ELECTRONIC VOLTMETER
811002	STANDARD BATTERY CABLES
8220004	IGNITION SWITCH WITH STARTER BUTTON
8360002	HEADLIGHTS - RECTANGULAR SEALED BEAM
842001	REAR TURN SIGNAL LAMPS - WIRED INTO TAIL LAMPS
8440003	SELF-CANCELING TURN SIGNALS
8640001	DOME LAMPS LH AND RH SIDE
CAR EXPERIOR	TO VIDA CENTE

## **CAB EXTERIOR EQUIPMENT**

6190003	STANDARD RETRACTABLE MIRROR ARMS
4604001	AUTOMOTIVE BUMPER
624012	STANDARD GRAB HANDLES - MEETS FMCSR 399 REQUIREMENTS
624U001	ENTRY GRAB HANDLES LH & RH MTD TO INSIDE OF A-PILLAR ON IP
6340002	FRONT GRAB HANDLES
6340002	LH & RH INTEGRAL WASHER NOZZLES
626001	AMBER REFLECTORS
6620001	HYDRAULIC RELEASE CAB LATCHES
675001	BUG SCREEN MOUNTED BEHIND GRILLE

## **CHASSIS PAINT**

956025 CHASSIS PAINT - 2 PART POLYEURETHANE ENAMEL (SEMI-GLOSS BLACK)

Prepared By Mark Hughel Quote Id : QA54AZTMP Phone : 704-597-4212 Model : 2024 - ACMD42 Class 8

Note: ACMD Chassis & Cab Standards are subject to change without notice.