CUSTOMER PROPOSAL











PREPARED FOR

NC 27619-0049

NC SHERRIFFS' ASSOCIATION Po Box 20049 RALEIGH

DATE

3/31/2023

PREPARED BY

VANGUARD TRUCK CENTER OF NORTH
CAROLINA,
3880 JEFF ADAMS DR
CHARLOTTE
NC 28206-1259

QUOTE INFORMATION

VANG20230001404355D VNL64T300 Daycab - 124" BBC

Qty: 1

On behalf of Volvo Trucks and your partnering dealer, thank you for the opportunity to provide you with a quote!

This proposal outlines the complete vehicle specification and performance details that have been customized to drive greater success for you and your business operations. The enclosed spec represents a solution that optimizes fuel efficiency, enhances driver productivity, provides peace of mind through our industry-leading active and passive safety features – all while ensuring your uptime to ultimately support your customers.

By partnering with your dealer and Volvo Trucks, you will benefit from innovative technologies that are incorporated in everything we do – from our powertrain components to connectivity solutions. We take our role as your business partner very seriously and appreciate the opportunity to support you with products and services that we hope will exceed your expectations. Our mission is to provide you with trucks and solutions that you can count on to help you be more successful and that you will be proud to own and operate.

Our responsibility doesn't stop when we hand over the keys. In fact, this is just the beginning of a great and close partnership. Just as you work hard to deliver to your customers, we will work hard to deliver on our promises to you.

As you review this proposal, please note any questions you may have so we can discuss them together. We hope you feel comfortable placing your trust in us, and look forward to doing business with you!

Sincerely,

MARK HUGHEL

VANGUARD TRUCK CENTER OF NORTH CAROLINA,

TECHNICAL SPECIFICATION

VNL64T300 Daycab - 124" BBC

MODEL PACKAGE			DESCRIPTION
S	012240	MARKETING MODEL	VNL64T300
S	99X76X	MANUFACTURING LOCATION	VOLVO TRUCKS - ASSEMBLED IN THE USA
S	DDX10X	CHASSIS TYPE	TRACTOR
S	CDX20X	MODEL SERIES	VNL MODELS - 124" BBC
	M84033	INTENDED REGISTRATION LOCATION	NORTH CAROLINA
	MBT09T	VEHICLE CERTIFICATION	EPA (ONLY) FOR VOLVO 11L / 13L DIESEL

SHICLE ADAPTATIONDESCRIPTIONS114010MARKET ADAPTATIONUSA / USA TERRITORY MARKET ADAPTATIONM46001DEALERSHIP REGIONSOUTH-EAST REGIONS36XF1XLANGUAGE ON DECALSENGLISH/SPANISH LANGUAGE ON DECALSS38XCNXOPERATOR'S MANUAL LANGUAGEENGLISHS263004VEHICLE APPLICATIONTRACTOR / DRY VAN TRAILER OR CONTAINERSDKXG2XGROSS COMBINATION WEIGHT80,000 LBS/36,000 KG (36 TONNES) GROSS COMBINATION WEIGHTS898002VEHICLE WARRANTY QUALIFICATIONSTANDARD NORMAL DUTY WARRANTY QUALIFIEDS259001VEHICLE VOCATIONLINEHAUL / LONG HAUL / REGIONAL HAUL SERVICES260006OPERATING CONDITIONSON HIGHWAY, STARTING GRADES <16%				
M46001 DEALERSHIP REGION SOUTH-EAST REGION \$ 36XF1X LANGUAGE ON DECALS ENGLISH/SPANISH LANGUAGE ON DECALS \$ 38XCNX OPERATOR'S MANUAL LANGUAGE ENGLISH \$ 263004 VEHICLE APPLICATION TRACTOR / DRY VAN TRAILER OR CONTAINER \$ DKXG2X GROSS COMBINATION WEIGHT 80,000 LBS/36,000 KG (36 TONNES) GROSS COMBINATION WEIGHT \$ 898002 VEHICLE WARRANTY QUALIFICATION STANDARD NORMAL DUTY WARRANTY QUALIFIED \$ 259001 VEHICLE VOCATION LINEHAUL / LONG HAUL / REGIONAL HAUL SERVICE \$ 260006 OPERATING CONDITIONS ON HIGHWAY, STARTING GRADES <16% \$ QCXA1X TOPOGRAPHY MOSTLY FLAT, MOST GRADES <3% (EX. OHIO) \$ E1BD1X AMBIENT TEMPERATURE UPPER LIMIT (40 DEGREE F (40 DEGREE C)) \$ 264001 LOADING SURFACE FACTOR CONCRETE LOADING AND / OR UNLOADING SURFACE \$ DHX10X OPERATING CLASS OPERATING CLASS ONE (ON HIGHWAY) DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY VEHICLE	VEHIC	LE ADAPTATION	DESCRIPTION	
\$ 36XF1X LANGUAGE ON DECALS ENGLISH/SPANISH LANGUAGE ON DECALS \$ 38XCNX OPERATOR'S MANUAL LANGUAGE ENGLISH \$ 263004 VEHICLE APPLICATION TRACTOR / DRY VAN TRAILER OR CONTAINER \$ DKXG2X GROSS COMBINATION WEIGHT 80,000 LBS/36,000 KG (36 TONNES) GROSS COMBINATION WEIGHT \$ 898002 VEHICLE WARRANTY QUALIFICATION STANDARD NORMAL DUTY WARRANTY QUALIFIED \$ 259001 VEHICLE VOCATION LINEHAUL / LONG HAUL / REGIONAL HAUL SERVICE \$ 260006 OPERATING CONDITIONS ON HIGHWAY, STARTING GRADES <16% \$ QCXA1X TOPOGRAPHY MOSTLY FLAT, MOST GRADES <3% (EX. OHIO) \$ E1BD1X AMBIENT TEMPERATURE UPPER LIMIT (40 DEGREE C) \$ 264001 LOADING SURFACE FACTOR CONCRETE LOADING AND / OR UNLOADING SURFACE \$ DHX10X OPERATING CLASS OPERATING CLASS ONE (ON HIGHWAY) DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY VEHICLE	S	114010	MARKET ADAPTATION	USA / USA TERRITORY MARKET ADAPTATION
\$ 38XCNX OPERATOR'S MANUAL LANGUAGE ENGLISH \$ 263004 VEHICLE APPLICATION TRACTOR / DRY VAN TRAILER OR CONTAINER \$ DKXG2X GROSS COMBINATION WEIGHT 80,000 LBS/36,000 KG (36 TONNES) GROSS COMBINATION WEIGHT \$ 898002 VEHICLE WARRANTY QUALIFICATION STANDARD NORMAL DUTY WARRANTY QUALIFIED \$ 259001 VEHICLE VOCATION LINEHAUL / LONG HAUL / REGIONAL HAUL SERVICE \$ 260006 OPERATING CONDITIONS ON HIGHWAY, STARTING GRADES <16% \$ QCXA1X TOPOGRAPHY MOSTLY FLAT, MOST GRADES <3% (EX. OHIO) \$ E1BD1X AMBIENT TEMPERATURE UPPER (40 DEGREE C) \$ 264001 LOADING SURFACE FACTOR CONCRETE LOADING AND / OR UNLOADING SURFACE \$ DHX10X OPERATING CLASS OPERATING CLASS ONE (ON HIGHWAY) 938001 CLISTOMER FLEET SIZE DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY VEHICLE		M46001	DEALERSHIP REGION	SOUTH-EAST REGION
\$ 263004 VEHICLE APPLICATION TRACTOR / DRY VAN TRAILER OR CONTAINER \$ DKXG2X GROSS COMBINATION WEIGHT 80,000 LBS/36,000 KG (36 TONNES) GROSS COMBINATION WEIGHT \$ 898002 VEHICLE WARRANTY QUALIFICATION STANDARD NORMAL DUTY WARRANTY QUALIFIED \$ 259001 VEHICLE VOCATION LINEHAUL / LONG HAUL / REGIONAL HAUL SERVICE \$ 260006 OPERATING CONDITIONS ON HIGHWAY, STARTING GRADES <16% \$ QCXA1X TOPOGRAPHY MOSTLY FLAT, MOST GRADES <3% (EX. OHIO) \$ E1BD1X AMBIENT TEMPERATURE UPPER LIMIT (40 DEGREE C) \$ 264001 LOADING SURFACE FACTOR CONCRETE LOADING AND / OR UNLOADING SURFACE \$ DHX10X OPERATING CLASS OPERATING CLASS ONE (ON HIGHWAY) 938001 CUSTOMER FLEET SIZE DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY VEHICLE	S	36XF1X	LANGUAGE ON DECALS	ENGLISH/SPANISH LANGUAGE ON DECALS
SDKXG2XGROSS COMBINATION WEIGHT80,000 LBS/36,000 KG (36 TONNES) GROSS COMBINATION WEIGHTS898002VEHICLE WARRANTY QUALIFICATIONSTANDARD NORMAL DUTY WARRANTY QUALIFIEDS259001VEHICLE VOCATIONLINEHAUL / LONG HAUL / REGIONAL HAUL SERVICES260006OPERATING CONDITIONSON HIGHWAY, STARTING GRADES <16%	s	38XCNX	OPERATOR'S MANUAL LANGUAGE	ENGLISH
\$ 898002VEHICLE WARRANTY QUALIFICATIONSTANDARD NORMAL DUTY WARRANTY QUALIFIED\$ 259001VEHICLE VOCATIONLINEHAUL / LONG HAUL / REGIONAL HAUL SERVICE\$ 260006OPERATING CONDITIONSON HIGHWAY, STARTING GRADES <16%	S	263004	VEHICLE APPLICATION	TRACTOR / DRY VAN TRAILER OR CONTAINER
S259001VEHICLE VOCATIONLINEHAUL / LONG HAUL / REGIONAL HAUL SERVICES260006OPERATING CONDITIONSON HIGHWAY, STARTING GRADES <16%	S	DKXG2X	GROSS COMBINATION WEIGHT	80,000 LBS/36,000 KG (36 TONNES) GROSS COMBINATION WEIGHT
S 260006 OPERATING CONDITIONS ON HIGHWAY, STARTING GRADES <16%	S	898002	VEHICLE WARRANTY QUALIFICATION	STANDARD NORMAL DUTY WARRANTY QUALIFIED
SQCXA1XTOPOGRAPHYMOSTLY FLAT, MOST GRADES <3% (EX. OHIO)	S	259001	VEHICLE VOCATION	LINEHAUL / LONG HAUL / REGIONAL HAUL SERVICE
S E1BD1X AMBIENT TEMPERATURE UPPER LIMIT SUMMER AMBIENT TEMPERATURES DO NOT REGULARLY EXCEED 104 DEGREE F (40 DEGREE C) S 264001 LOADING SURFACE FACTOR CONCRETE LOADING AND / OR UNLOADING SURFACE S DHX10X OPERATING CLASS OPERATING CLASS ONE (ON HIGHWAY) 938001 CUSTOMER FLEET SIZE DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY VEHICLE	S	260006	OPERATING CONDITIONS	ON HIGHWAY, STARTING GRADES <16%
S EIBDIX LIMIT (40 DEGREE C) S 264001 LOADING SURFACE FACTOR CONCRETE LOADING AND / OR UNLOADING SURFACE S DHX10X OPERATING CLASS OPERATING CLASS ONE (ON HIGHWAY) 938001 CUSTOMER FLEET SIZE DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY VEHICLE	S	QCXA1X	TOPOGRAPHY	MOSTLY FLAT, MOST GRADES <3% (EX. OHIO)
S DHX10X OPERATING CLASS OPERATING CLASS ONE (ON HIGHWAY) 938001 CUSTOMER FLEET SIZE DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY VEHICLE	S	E1BD1X		
938001 CUSTOMER FLEET SIZE DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY VEHICLE	s	264001	LOADING SURFACE FACTOR	CONCRETE LOADING AND / OR UNLOADING SURFACE
938001 CUSTOMER FLEET SIZE	S	DHX10X	OPERATING CLASS	OPERATING CLASS ONE (ON HIGHWAY)
		938001	CUSTOMER FLEET SIZE	

PASS	PASSIVE AND ACTIVE SAFETY DESCRIPTION				
S	2CXD1X	CAB TYPE	300 - DAY CAB		
s	DUXA1X	SRS AIR BAG	AIR BAG, BASIC CONFIGURATION		
S	43X40X	AUXILIARY DOWN VIEW MIRROR	DOWN VIEW MIRROR OVER PASSENGER DOOR		
S	8ZDAAX	STABILITY CONTROL REGULATIONS	ELECTRONIC STABILITY CONTROL, REGULATION FMVSS		
S	ZMXA1X	ESP PACKAGE	VOLVO ENHANCED STABILITY TECHNOLOGY (VEST)		
S	WPXA1X	ABS TRACTION CONTROL	TRACTION CONTROL WITH LIMITED DISABLE		
s	GCXJ2X	COLLISION AVOIDANCE SYSTEM	VOLVO ACTIVE DRIVER ASSIST (VADA 2.0) AND RIGHT SIDE BLIND SPOT DETECTION		
S	5UCA1X	ACC OPTIONAL AUDIO FUNCTIONS	VADA 2.0 WARNING WITH VOLUME CONTROL		
S	5VCB1X	VADA VOLUME CONTROL LEVEL	VADA 2.0 VOLUME LEVEL, MEDIUM		
S	X6BA1X	VADA TIME GAP	VADA 2.0 DRIVER ADJUSTABLE TIME GAP (FOLLOWING DISTANCE)		
S	G6CACX	ACC TIME GAP CONFIG SETTING	MEDIUM ALERT CONFIGURATION		
S	3MBA1X	PARK BRAKE ALARM	PARK BRAKE ALARM, SOUNDS IF BRAKE OFF AND DRIVER'S DOOR OPENED		

ENGI	ENGINE		DESCRIPTION
s	101816	ENGINE PACKAGE	VOLVO D13 405HP 2100RPM 1750 LBFT TC NEXT GENERATION XE ECONOMY - EPA'21 EMISSION LEVEL

ENGINE EQUIPMENT			DESCRIPTION
s	KWXA1X	AIR CLEANER	SINGLE STAGE AIR CLEANER

PRICELIST DATE	QUOTATION	DATE	PAGE
20230109	VANG20230001404355D	3/31/2023	3 of 9

ENGI	NE EQUIPMENT	·	DESCRIPTION
S	209012	RADIATOR COOLANT	EXTENDED LIFE ETHYLENE GLYCOL ANTI-FREEZE (RED), -34 F (-37 C)
5	208029	FAN CLUTCH PACKAGE	ELECTRONIC VISCOUS CSI FAN CLUTCH
,	NCXD1X	STARTER MOTOR	VOLVO 12V GEAR REDUCTION STARTER (MODEL 105P55)
	PJXM3X	ALTERNATOR	165 AMP DELCO REMY 36SI ALTERNATOR WITH REMOTE BATTERY VOLTAGE SENSE (12V)
	810116	BATTERY PACKAGE	4 VOLVO 760 CCA MAINTENANCE FREE 12V BATTERIES, 3040 CCA
	L4X15X	BATTERY BOX MOUNTING	BATTERY BOX, LEFT HAND SIDE, BEHIND FRONT FENDER
	NQXA1X	BATTERY BOX CONFIGURATION	BATTERY BOX - 4 CAPACITY
	NFXAOX	BATTERY DISCONNECT SWITCH	MANUAL BATTERY DISCONNECT MAIN SWITCH
	428001	DIESEL EXHAUST FLUID TANK	18.5 GALLON LEFT HAND 26", FRAME MOUNTED (FILLED WITH 10 GALLONS OF DEF, WEIGHING 91 LBS) INTEGRATED DPF AND SCR MOUNTED RIGHT HAND SIDE UNDER CAB WITH
•	230048	EXHAUST SYSTEM	SINGLE HORIZONTAL TAILPIPE
,	232093	EXHAUST OUTLET PACKAGE	HORIZONTAL ALUMINIZED STAINLESS STEEL TAIL PIPE
;	KNXC1X	EXHAUST SHIELD	ALUMINUM EXHAUST SHIELD
	JVXH1X	PRIMARY FUEL FILTER	VOLVO DUAL ENGINE MOUNTED FUEL FILTERS WITH WATER SEPARATOR
	VWXCAX	COMPRESSOR	WABCO 31.8 CFM COMPRESSOR
,	J2EAAX	ENGINE BRAKE ACTIVATION	ENGINE BRAKE ACTIVATION, BASIC
	QHXA1X	ENGINE OIL PAN	COMPOSITE OIL PAN (STANDARD OIL CHANGE INTERVALS)
FRANSMISSION			DESCRIPTION
,	270703	TRANSMISSION PACKAGE	VOLVO 12 SPEED I-SHIFT ATO2612F OVERDRIVE
	295003	TRANSMISSION ELECTRONICS PACKAGE	ECONOMY I-SHIFT TRANSMISSION ELECTRONICS
	RVXH2X	GEAR SHIFT CONTROL	GEAR SHIFT, DASH MOUNTED, BASIC, VOLVO I-SHIFT
	N1DA1X	PRE-VIEW TOPOGRAPHY	VOLVO I-SEE LEARNING FOR I-SHIFT TRANSMISSION
,	7HAB1X	ECO-ROLL CONTROL	VOLVO I-SHIFT ECO-ROLL CONTROL, STALK
i	B1EA1X	TRANSMISSION AUTO NEUTRAL ON P-BRAKE	VOLVO I-SHIFT TRANSMISSION AUTO NEUTRAL ON PARK BRAKE
•	3IAA2X	HILL START ASSIST	HILL START ASSIST
5	4LDA1X	TRANSMISSION OUTPUT TORQUE	STANDARD OUTPUT TORQUE
;	779998	ALLISON INPUT AND OUTPUT PACKAGE	NO ALLISON INPUT AND OUTPUT PACKAGE
5	778998	FUEL SENSE PACKAGE	NO FUEL SENSE PACKAGE
;	T2XB1X	TRANSMISSION COOLER	WATER TO OIL TRANS COOLER MOUNTED ON TRANSMISSION
	D4AA1X	AMT/AUTOMATIC TRANS PTO FUNCT.	TRANSMISSION PTO FUNCTIONS BASIC
,	195103	DRIVELINE - MAIN	MERITOR RPL25HD W/PERMALUBE U-JOINTS (PROPS-L)
	204101	DRIVELINE - INTERAXLE	MERITOR RPL20
	250111	CLUTCH	VOLVO SACHS 17" SINGLE PLATE DAMPENED ORGANIC FOR I-SHIFT
ROG	RAMMABLE FE	ATURES	DESCRIPTION
	9KAA1X	IDLE EMISSION CERTIFICATION	IDLE EMISSION CERTIFICATION, BASIC
,	АЗАААХ	ENGINE IDLE AUTOMATIC SHUTDOWN (AL)	ENGINE IDLE SHUTDOWN, ENABLE
,	EOXFLX	ENGINE IDLE SHUTDOWN TIME (AM)	IDLE SHUTDOWN TIME 5 MINUTES
5	K7XA1X	ENGINE IDLE CONTROL (CMQ)	BASIC ENGINE IDLE CONTROL
;	D3AAEX	AMBIENT TEMP MAX THRESHOLD (CMO)	MAXIMUM AMBIENT AIR TEMPERATURE OVER-RIDE, 80 DEG F (27 DEG C)
	D2AACX	AMBIENT TEMP MIN THRESHOLD	MINIMUM AMBIENT AIR TEMPERATURE OVER-RIDE, 45 DEG F (7 DEG C)
	DZAACA	(CMN)	

 PRICELIST DATE
 QUOTATION
 DATE
 PAGE

 20230109
 VANG20230001404355D
 3/31/2023
 4 of 9

PROG	RAMMABLE FE		DESCRIPTION
S	JFXLRX	CRUISE CONTROL, MAXIMUM SPEED (AI)	MAXIMUM CRUISE, 68 MPH (110 KM/H)
s	Y3CC5X	PEDAL ROAD SPEED LIMIT SETTING (P1116)	PEDAL ROAD SPEED LIMIT, 65 MPH (105 KM/H)
S	JCXF1X	ROAD SPEED LIMIT SETTING (P1AOC)	ROAD SPEED LIMIT, 68 MPH (110 KM/H)
s	U4AA1X	GEAR DOWN VEHICLE SPEED LIMITER (P1ALO)	GEAR DOWN VEHICLE SPEED LIMITER ENABLED
s	U5AL1X	GEAR DOWN VEHICLE SPEED LIMIT (P1AOD)	GEAR DOWN VEHICLE SPEED, 63 MPH (101 KM/H)
S	E3AAFX	CRUISE CONTROL MIN SPEED (BK)	MIN CRUISE, 35 MPH (56 KM/H)
S	E5AAEX	ENG BRAKE ENGAGE IN CRUISE (AF)	ENGAGE ENGINE BRAKE 5 MPH (8.0 KM/H) ABOVE SET CRUISE SPEED
s	X2BA1X	ROAD SPEED LIMIT CONTROL TYPE (P1101)	WITH ECO RSL CONTROL
s	ONAA1X	OPTIMIZED FUEL ECON INDICATOR (P1LXM)	OPTIMIZED FUEL ECONOMY INDICATOR, SWEET SPOT
s	X1BA1X	ENGINE LOAD IN PTO (CMM)	30% MINIMUM ENGINE LOAD LIMIT IN PTO BEFORE ALLOW IDLE SHUTDOWN
s	W5BA1X	MAXIMUM ENGINE SPEED AT 0 MPH (P1ANA)	1000 MAXIMUM ENGINE RPM AT 0 MPH
s	X4BA1X	COOLANT WARM HOLD TEMP (KBS)	COOLANT WARM HOLD TEMP ENABLED
s	R4BA1X	PRE-TRIP DIAGNOSTIC INSPECTION (JZU)	PRE-TRIP DIAGNOSTICS INSPECTION
s	K5XA2X	ENGINE PROTECTION SYSTEM (P1FQT)	ENGINE PROTECTION (SHUTDOWN)
s	EXXGQX	PTO MAXIMUM ENGINE SET SPEED (AND)	PTO ENGINE MAXIMUM 650 RPM
s	EYXGQX	PTO RESUME ENGINE SET SPEED (ANE)	PTO ENGINE RESUME 650 RPM
FRON	T AXLE		DESCRIPTION
S	370400	FRONT AXLE PACKAGE	VOLVO VF12 12,000 LB FRONT SPRINGS
S	70BC1X	BRAKE REGULATION	BRAKE REGULATION, STOPPING DISTANCE 250 FT (76M)
S	782012	FRONT BRAKE & HUB PACKAGE	FRONT BRAKE VOLVO, DISC, LIGHTWEIGHT
S	U5XF1X	FRONT BRAKE DIMENSION	17 INCH DIAMETER FRONT DISC BRAKE
S	U3XD1X	BRAKE TYPE, FRONT AXLE	LIGHTWEIGHT DISC FRONT AXLE BRAKE
S	LQXT4X	FRONT BRAKE LINING MATERIAL	BRAKE LINING MATERIAL, FRONT, TMD TX7400N
S	K2EA1X	BRAKE SHOE COATING FRONT	BRAKE SHOE COATING FRONT, BASIC
S	0KXI1X	HUBS, FRONT AXLE	ALUMINIUM PRESET PLUS FRONT AXLE HUBS WITH SKF HUBCAPS
	162002	FRONT AXLE LUBRICANT	SYNTHETIC OIL, SHELL 75W90 FRONT AXLE LUBRICANT
S	XAXBFX	POWER STEERING GEAR	TRW THP60 INTEGRAL POWER STEERING GEAR
S	MOXA1X	STEERING SHAFT TYPE	BASIC STEERING SHAFT
S	371001	FRONT SUSPENSION PACKAGE	59" PARABOLIC LEAF FRONT SUSPENSION MATCHED TO FRONT AXLE CAPACITY
S	IRXA1X	FRONT SUSP MAINTENANCE	LUBRICATED SPRING PINS AND BUSHINGS
REAR	AXLE		DESCRIPTION
S	330688	REAR AXLE PACKAGE	MERITOR MT-40-14X3C AMBOID 40,000 LB CAPACITY
S	TAXBCX	REAR AXLE RATIO	2.47 REAR AXLE RATIO
S	TUXB1X	DIFFERENTIAL LOCK	INTERAXLE DIFFERENTIAL LOCK
S	350410	REAR SUSPENSION PACKAGE	38,000 LB VOLVO AIR SUSPENSION 52" SPACING
S	YVXA1X	REAR SHOCK ABSORBER	SHOCK ABSORBERS, DRIVE AXLES
S	783019	REAR BRAKE & HUB PACKAGE	REAR BRAKE VOLVO DISC, LIGHTWEIGHT
S	U8XF1X	DRIVE AXLE BRAKE DIMENSION	17 INCH DIAMETER REAR DISC BRAKE
			LIGHTWEIGHT DISC DRIVE AXLE BRAKE
S	U4XD1X	BRAKE TYPE, DRIVE AXLE	

 PRICELIST DATE
 QUOTATION
 DATE
 PAGE

 20230109
 VANG20230001404355D
 3/31/2023
 5 of 9

REAR A	XLE		DESCRIPTION
s	MAXT5X	DRIVE AXLE BRAKE LINING MATERIAL	BRAKE LINING MATERIAL, DRIVE, TMD TX7400N
S	J8EA1X	BRAKE SHOE COATING DRIVE	BRAKE SHOE COATING DRIVE, BASIC
S	0LXI1X	HUBS, DRIVE AXLE	ALUMINIUM PRESET PLUS DRIVE AXLE HUB WITH INTEGRATED SPINDLE NUT
S	163002	DRIVE AXLE LUBRICANT	SYNTHETIC OIL, SHELL 75W90 DRIVE AXLE LUBRICANT
s	781081	PARKING BRAKE CHAMBER PACKAGE	TWO PARK CHAMBERS WABCO DISC
S	V1AE3X	REAR BRAKE CHAMBER SIZE	REAR BRAKE CHAMBER 24 / 24 SQ INCHES (SERVICE / EMERGENCY)
s	UKXA1X	CHAMBER STROKE LENGTH, DRIVE AXLE	BASIC LENGTH BRAKE CHAMBER STROKE
S	784027	DRUM BRAKE SLACK ADJUSTERS	VOLVO DISC BRAKE FRONT AND REAR
S	O5BC3X	FRONT BRAKE CHAMBER SIZE	FRONT BRAKE CHAMBER 22 SQUARE INCHES (SERVICE)
CHASS	IS		DESCRIPTION
s	ЗХВНАХ	DRIVER SIDE FRONT CHASSIS CONFIGURATION	LEFT HAND BATTERY BOX - 4 CAPACITY, DEF TANK MOUNTED BEHIND BATTERY BOX (VNL / VNR)
S	3YBAFX	PASSENGER SIDE FRONT CHASSIS CONFIGURATION	INTEGRATED DPF & SCR (VNR / VNL / VHDB)
s	400172	WHEELBASE	172" WHEELBASE
S	402055	OVERHANG	55" OVERHANG
	KBXB2X	FUEL TANK SHAPE, LIQUID	26" DIA D-SHAPED FUEL TANK
S	J8XB1X	LIQUID FUEL TANK, LEFTHAND SIDE	75 GALLON LEFT HAND FUEL TANK
S	KEXA1X	FUEL TANK MATERIAL, LIQUID	ALUMINUM FUEL TANK MATERIAL
S	HBXC1X	FUEL TANK POSITION - DIESEL	FUEL TANK POSITION 2
S	427998	HYDRAULIC OIL TANK PACKAGE	NO HYDRAULIC OIL TANK PROVIDED
S	4TXA1X	AERODYNAMIC DEVICE CHASSIS	PARTIAL CHASSIS FAIRING
S	4DBA1X	AERO.DEV, CHASS GROUND EFFECTS	CHASSIS FAIRING GROUND EFFECTS
S	U6BA1X	DEF TANK COVER	PAINTED DIESEL EXHAUST FLUID TANK COVER
S	JHXA1X	FUEL LINES	NYLON FUEL LINES
S	KHXA1X	FUEL TANK STRAPS	PAINTED STEEL FUEL TANK STRAPS
S	KFXA1X	FUEL TANK CAP	NON-LOCKING FUEL TANK CAP
S	8HAA1X	AIR TANK ARRANGEMENT	AIR TANK ARRANGEMENT, BASIC
S	U2XB1X	AIR TANKS	STEEL AIR TANK
S	VHXE5X	AIR DRYER	WABCO AIR DRYER SS - HP WITHOUT TURBO CUT OFF VALVE WITH COALESCING FILTER
S	UWXD1X	AIR TANK DRAIN VALVE	MANUAL DRAIN VALVES, LANYARD ON WET TANK
S	403002	FRAME RAIL PACKAGE	10.47"X3.54"X.28" STRAIGHT STEEL RAILS
s	8EXB1X	INTERMEDIATE CROSSMEMBER MATERIAL	STEEL CROSSMEMBER MATERIAL
S	X8XB1X	FORWARD REAR SUSP CROSSMEMBER MATERIAL	STEEL CROSSMEMBER MATERIAL
S	ZIXA1X	CROSSMEMBER, BOGIE, MATERIAL	STEEL CROSSMEMBER MATERIAL
S	X6XB1X	REAR FRAME TREATMENT	TAPERED REAR CROSSMEMBER, 27 DEGREE
S	4DXB7X	FRONT BUMPER	PAINTED MOLDED AERODYNAMIC BUMPER WITH FULL AIR-FLOW DEFLECTOR
S	F7BA1X	BUMPER REINFORCEMENT	BUMPER REINFORCEMENT
S	65XB1X	FRONT FENDER EXTENSION	NO FRONT FENDER EXTENSION PROVIDED
S	4EXB1X	FRONT TOWING DEVICE	TWO FRONT TOWING DEVICES
S	Q8CH1X	CHASSIS WIRING HARNESS CASING	HEAVY DUTY MAIN CHASSIS WIRING HARNESS COVERING
	U7CFMX	LH FUEL TANK FACE LOCATION	LH FUEL TANK FRONT FACE @ XM=4967

RAN	SPORT ADAPTA	TION	DESCRIPTION	
	490243	FIFTH WHEEL PACKAGE	FONTAINE 6000 NO-SLACK II AIR SLIDE LEFT HAND RELEASE	
	E5BASX	GROUND TO 5TH WHEEL TOP HGT.	47.5" FIFTH WHEEL HEIGHT	
	6JXA1X	SLIDING FIFTH WHEEL TRAVEL	12.0 INCHES OF FIFTH WHEEL TRAVEL	
	6BX5XX	FIFTH WHEEL REARMOST POSITION	26" BEHIND FORWARD DRIVE AXLE CENTER (-660MM)	
	LIXA1X	FIFTH WHEEL ANGLE MATERIAL	STEEL FIFTH WHEEL ANGLES	
	51XA1X	HOSEHANGERS	DUMMY GLADHANDS AND CABLE STORAGE BRACKET LEFT HAND BACK OF C REACHABLE FROM GROUND	
	WHXD1X	TRAILER BRAKE CONNECTION POSITION	CAB MOUNTED TRAILER BRAKE CONNECTION	
	52XA1X	TRAILER ELECTRICAL CABLE	FIXED TRAILER CABLE	
	5ZXB1X	TRAILER BRAKE HOSES & CABLES	12' COILED TRAILER BRAKE AIR HOSES; ABS CABLE W/ 48" LEAD	
	WLXC1X	TRAILER BRAKE HAND CONTROL	DELETE TRAILER BRAKE HAND CONTROL	
۸۱۲	ULATED CODES	Z-KAX	DESCRIPTION	
	9JXA1X	PROPCALC SELECTION	YES, THE ORDER MUST BE CALCULATED	
•	SUVAIX	PROPORIC SELECTION	1ES, THE ORDER WOST BE CALCULATED	
AB E	EXTERIOR		DESCRIPTION	
	4SXC1X	AERODYNAMIC DEVICE CAB SIDE	CAB SIDE FAIRINGS WITH EXTENDERS	
	2DX30X	CAB SUSPENSION	AIR RIDE CAB SUSPENSION WITH LATERAL DAMPENERS	
	21XA1X	AUXILIARY REAR WINDOW	STANDARD REAR WINDOW	
	D2XA1X	WIPER BLADES	WIPER BLADES, BASIC	
	28XB1X	FRONT GRILLE	CHROME PLATED FRONT GRILLE	
	0EAC1X	AIR INTAKE GRILLE, FINISH	AIR INTAKE GRILLE, BLACK	
;	3FX49X	EXTERIOR SIDE VIEW MIRRORS	BLACK AERODYNAMIC MIRRORS	
5	3GXC1X	EXTERIOR MIRROR FEATURES	HEATED, POWER AXIS MIRROR, BOTH SIDES	
;	87AAAX	MIRROR ARM WIND DEFLECTOR	INTEGRAL MIRROR ARM SHROUD AND A-PILLAR AIR-FLOW DEVICE	
	LZXD1X	AIR HORN	DUAL TRUMPET MOUNTED UNDER CAB	
;	4NXB1X	EXTERIOR SUNVISOR	EXTERIOR SUN VISOR WITH CLEAR LENS LED MARKER LAMPS	
	T3CA1X	EXTERIOR BRAND BADGING (CA)	EXTERIOR BADGES & EMBLEMS	
ΔRΙ	NTERIOR		DESCRIPTION	
וטא	540088	INTERIOR TRIM LEVEL	FLEET - VINYL PANELS WITH METAL HEX TRIM	
	1DAF1X	SEAT MFG. AND SERIES, DRIVER	NATIONAL DRIVER SEAT	
	I5DA1X	SEAT PROFILE, DRIVER	STANDARD WIDTH DRIVER SEAT	
	520101	DRIVER SEAT	X1 WREN VINYL	
	3ZXG2X	DRIVER SEAT SUPPORT	DRIVER SEAT - AIR SUSPENDED	
	I7DA1X	SEAT COMFORT, DRIVER	DRIVER SEAT - AIR SUSPENDED DRIVER SEAT - ONE AIR ADJUSTABLE LUMBAR CHAMBER	
	1GAF1X	SEAT MFG. & SERIES, PASSENGER	NATIONAL PASSENGER SEAT	
	I6DA1X	SEAT PROFILE, PASSENGER	STANDARD WIDTH PASSENGER SEAT	
	521101	PASSENGER SEAT		
			X1 WREN VINYL	
	34XAAX	PASSENGER SEAT SUPPORT	PASSENGER SEAT - FIXED WITH INTEGRATED STORAGE	
	OHAA1X	SEAT SUPPORT, DUST COVER	SEAT BASE DUST COVER, DRIVER SIDE	
		CAFETY DELT LENOTH		
	K7AA1X	SAFETY BELT LENGTH	STANDARD SAFETY BELT LENGTH	
		SAFETY BELT LENGTH SAFETY BELT DRIVER SEAT SAFETY BELT PASSENGER SEAT	SAFETY BELT DRIVER SEAT, BLACK SAFETY BELT PASSENGER SEAT, BLACK	

 PRICELIST DATE
 QUOTATION
 DATE
 PAGE

 20230109
 VANG20230001404355D
 3/31/2023
 7 of 9

MISC TIRE EQUIPMENT

15XABX

TIRE INFLATION VALVE

CABI	NTERIOR		DESCRIPTION	
S	31XK2X	FLOOR MATS	FRONT FLOOR INSERTS, RUBBER	
s	4JXD1X	STORAGE OVERHEAD DRIVER	NETTED OVERHEAD STORAGE (DRIVER / PASSENGER SIDES) WITH CB MOUNTING AND AUXILIARY SWITCHES	
S	XRXB1X	STEERING WHEEL ADJUSTMENT	STANDARD STEERING WHEEL ADJUSTMENT	
s	7BAA3X	STEERING WHEEL MATERIAL	STANDARD STEERING WHEEL COVERING	
S	571021	GAUGE PACKAGE	TEN GAUGE INSTRUMENT CLUSTER	
s	PVXA2X	AIR RESTRICTION INDICATOR	GRADUATED ARI ON FILTER	
S	N8XD1X	SPEEDOMETER GRADUATION	MPH SPEEDOMETER GRADUATION	
LIGH	ΓING		DESCRIPTION	
S	P8XB9X	HEADLAMPS	LED HEADLAMPS WITH SIGNATURE DRL	
S	LSXG1X	DAYTIME RUNNING LAMPS (DRL)	EQUIPPED WITH DAYTIME RUNNING LIGHTS	
s	NEXH1X	STOP AND TAIL LIGHTS	DUAL INTEGRATED SUPER 60 LED TAIL LIGHTS, SEPARATE LED BACKUP LIGHT, ALL MTD IN TAPERED CROSSMEMBER	
S	NPXB1X	TURN SIGNAL SWITCH	SELF CANCELLING TURN SIGNAL	
AUDIO	O SYSTEM		DESCRIPTION	
S	590031	RADIO PACKAGE	AM / FM / MP3 / USB / BLUETOOTH RADIO	
S	73AJ1X	RADIO ANTENNA	SINGLE RIGHT HAND 48 INCH MIRROR MOUNTED RADIO ANTENNA	
S	NOXA1X	MARKER INTERRUPTER SWITCH	MARKER INTERRUPTER SWITCH	
S	5CXA1X	RADIO SPEAKERS	SPEAKERS IN DASH ONLY	
S	5JXB1X	CB RADIO MOUNTING	OVERHEAD MOUNTED CB HOLD DOWN	
S	5BXB5X	CB ANTENNA	SINGLE LEFT HAND 48 INCH MIRROR MOUNTED CB ANTENNA	
MISC	CAB EQUIPME	NT	DESCRIPTION	
S	3AXB1X	DOOR LOCKS CAB	MANUAL CAB DOOR LOCKS	
S	20XA1X	KEY TYPE	BASIC UNIQUE KEY	
S	8BXB1X	KEY QUANTITY PER UNIT	4 KEYS PROVIDED PER UNIT	
S	EAXA1X	AUXILIARY SWITCH	ONE (1) AUXILIARY SWITCH WITH WIRING, 15 AMP	
TIRES	AND WHEELS	FRONT	DESCRIPTION	
S	0930D3	TIRE PACKAGE FRONT	295/75R22.5G BRIDGESTONE R213 ECOPIA (12350 LBS. GAWR) LONG / REGIONAL HAUL (Total for QTY = 2)	
	4WCA1X	TIRE CLASSIFICATION FRONT (CA)	GHG FRONT TIRE CLASSIFICATION, ADVANCED LOW ROLLING RESISTANCE	
S	084548	WHEEL PACKAGE FRONT	22.5X8.25 ALCOA HIGH POLISH ALUMINUM 286BC HUB PILOTED (Total for QTY = 2)	
S	907002	FRONT WHEEL AND TIRE QUANTITY	TWO WHEELS AND TIRES FRONT	
TIRES	AND WHEELS	REAR	DESCRIPTION	
S	0940A1	TIRE PACKAGE DRIVE	295/75R22.5G BRIDGESTONE M713 ECOPIA (22700 LBS. GAWR) LONG / REGIONAL HAUL (Total for QTY = 8)	
S	4XCA1X	TIRE CLASSIFICATION REAR (CA)	GHG REAR TIRE CLASSIFICATION, ADVANCED LOW ROLLING RESISTANCE	
S	085548	WHEEL PACKAGE DRIVE	22.5X8.25 ALCOA HIGH POLISH ALUMINUM 286BC HUB PILOTED (Total for QTY = 8)	
s	908008	DRIVE WHEEL AND TIRE QUANTITY	eight wheels and tires drive	

PRICELIST DATE	QUOTATION	DATE	PAGE
20230109	VANG20230001404355D	3/31/2023	8 of 9


DESCRIPTION

TIRE INFLATION VALVE, STANDARD

PAINT			DESCRIPTION
S	950800	CAB PAINT SCHEME	SINGLE COLOR PAINT
S	9801T4	FIRST TRUCK COLOR	GLACIER WHITE; P3029
S	959998	NEW PAINT DEVELOPMENT FEE	NO NEW PAINT DEVELOPMENT FEE
	BG2012	PAINT BUG CODE	BUG CODE EY
S	MPB980	CAB COLOR	CAB SAME AS FIRST COLOR
S	MPD980	HOOD COLOR	HOOD SAME AS FIRST COLOR
S	MPE980	COWL COLOR	COWL SAME AS FIRST COLOR
S	987980	BUMPER COLOR	BUMPER SAME AS FIRST COLOR
S	992980	CHASSIS FAIRING COLOR	CHASSIS FAIRING SAME AS FIRST COLOR
S	994998	ROOF FAIRING COLOR	NO ROOF FAIRING COLOR PROVIDED
S	996980	SUN VISOR COLOR	SUN VISOR SAME AS FIRST COLOR
S	9861U1	CHASSIS COLOR	BLACK; P3036
S	988401	DISC WHEEL OR RIM COLOR	STEEL DISC WHEELS - PREPAINTED WHITE, POWDER - COAT, ALUMINUM OR STYLIZED DISC - UNPAINTED
BUSINESS SERVICES			DESCRIPTION
S	9LAA1X	PRE-DELIVERY INSPECT LOCATION	PRE-DELIVERY INSPECTION, OUTSIDE FACTORY
OUTSIDE MODIFICATION PLANNING		ION PLANNING	DESCRIPTION
S	612998	OUTSIDE MODIFICATION CNG TANK INSTALLATION PLANNING CODE	NO FONTAINE CNG TANK INSTALLATION PLANNING CODE
S	613998	OUTSIDE MODIFICATION BULKHAULER PLANNING CODE	NO FONTAINE BULKHAULER PLANNING CODE
s	615998	OUTSIDE MODIFICATION IN-SERVICE PLANNING CODE	NO FONTAINE IN-SERVICE PLANNING CODE
S	618998	OUTSIDE MODIFICATION AUXILIARY AXLE INSTALL CODE OUTSIDE MODIFICATION LEAD TIME	NO FONTAINE AUXILIARY INSTALL
S	609998	CODE	NO FONTAINE LEAD TIME
BASE	WARRANTY AN	D PURCHASED COVERAGES	DESCRIPTION
S	899301	WARRANTY TYPE	NORMAL_DUTY_STANDARD_BASE_COVERAGE 12_MONTHS / 100,000_MILES
s	896900	VOLVO D11/D13 ENGINE EXTENDED COVERAGE	VOLVO D11/D13 BASE ENGINE COVERAGE - 24MTHS/250K MILES
	M8309T	EMISSION - SURCHARGE	EPA (ONLY) FOR VOLVO 11L / 13L DIESEL
S	M99998	CUSTOM/BUNDLED PURCHASE COVERAGE OPTIONS	NO CUSTOM/BUNDLED PURCHASE COVERAGE OPTIONS PROVIDED
s	875001	VEHICLE EMISSIONS COMPONENTS COVERAGE	US & CANADA VOLVO ENGINE EQUIPPED VEHICLE EMISSIONS COMPONENTS COVERAGE_60 MONTHS/100K_MILES
S	894998	CUMMINS ENGINE EXTENDED COVERAGE	NO CUMMINS ENGINE PROTECTION PLAN INCLUDED
S	878998	CUMMINS EXTENDED AFTERTREATMENT COVERAGE	NO CUMMINS AFTERTREATMENT EXTENDED COVERAGE PROVIDED
S	880105	TRANSMISSION COVERAGE	60 MO/750K MI: STANDARD I-SHIFT WARRANTY, NORMAL DUTY VEHICLE
S	685998	CLUTCH COVERAGE	NO CLUTCH COVERAGE PROVIDED
S	888900	ADDITIONAL EXTENDED CHASSIS TOWING COVERAGE	BASE CHASSIS TOWING COVERAGE, 90 DAY/5000 MILE/8050 KILOMETER
S	874900	ADDITIONAL EXTENDED ENGINE TOWING COVERAGE	BASE VOLVO ENGINE TOWING COVERAGE, 24 MO/250K MILE
S	866011	REMOTE DIAGNOSTICS BUNDLE	REMOTE DIAGNOSTICS WITH REMOTE PROGRAMMING - 24 MONTHS
S	867001	UPTIME CENTER BUNDLE	ASIST AND VOLVO ACTION SERVICE - 24 MONTHS
S	862010	PREPAID API	WITHOUT PREPAID API

 PRICELIST DATE
 QUOTATION
 DATE
 PAGE

 20230109
 VANG20230001404355D
 3/31/2023
 9 of 9





Volvo Trucks