

ROLL-OFF HOIST:

GALFAB OR-60-174S072 CABLE HOIST (60,000#)

STANDARD POSITION LIFT CYLINDERS

HYDRAULIC OIL TANK ON DRIVER SIDE FRAME RAIL

2-SPOOL VALVE

2-LEVER INSIDE AIR CONTROLS ON CUSTOM PEDESTAL  
(CONTROLS CABLE HOIST)

HOT SHIFT PTO

DIRECT-MOUNT HYDRAULIC PUMP

SELECTOR VALVE (TO SWITCH OVER TO GRAPPLE LOADER)

PROGRAMMED THROTTLE LIMIT

STEEL TANDEM AXLE FENDERS WITH HEAVY  
DUTY TUBULAR BRACKETS & GUSSETS

LED MID-BODY TURN SIGNALS

CABLE HOOK HOLDER

AUXILIARY RATCHET STRAP REAR CONTAINER HOLD DOWNS

AIR-OPERATED AUTO-FOLDING ICC BUMPER- ACTIVATES  
WHEN THE PTO IS ENGAGED/DISENGAGED

FULL STEEL REAR BUMPER WITH RECESSED LED LIGHTS

SHORT MUD FLAPS ATTACHED TO BUMPER

DUAL REAR BUMPER WORK LIGHTS WITH STEEL GUARDS

LCD COLOR REAR VISION CAMERA SYSTEM WITH STEEL GUARD

48" LOCKABLE STEEL TOOL BOX ON PASSENGER SIDE

TAG LIGHT

MOUNTED

PAINTED GLOSS BLACK

GRAPPLE LOADER (aka KNUCKLE BOOM LOADER):  
30" DIAMETER SLEWING RING BEARING  
PLANETARY GEAR BOX WITH DISC DRIVE MOTOR  
DUAL STAND-UP MULTI-LEVER CONTROLS  
CENTERED STABILIZER LEVER CONTROLS  
DUAL OPERATOR STATIONS  
24" WALK-THROUGH  
4-WAY ADJUSTABLE STABILIZERS  
MAIN BOOM, TIP BOOM, & TIP BOOM EXTENSION  
HEAVY DUTY BUCKET WITH 360 DEGREE ROTATOR (NO STOPS)  
MOUNTED ON SUITABLE CUSTOMER FURNISHED CHASSIS  
TANDEM AXLE  
20K FRONT & 46K REAR  
DOUBLE FRAME  
MOUNTED  
PAINTED BH YELLOW (LOADER)  
OWNER/OPERATOR TRAINING  
STANDARD WARRANTY  
DELIVERED ANYWHERE IN NC

\$204,989.00

\*\*DOES NOT INCLUDE 22' DUMP BODY / CONTAINER

# BRUSH HAWG®

## COMBO UNIT





### STANDARD FEATURES

- C-Model Grapple Loader Installed Behind Cab
- Dual Joystick Control Stations
- GALFAB® 60,000# Cable Hoist Installed Behind Grapple
- Inside/Outside Cab Cable Hoist Controls
- All L.E.D. Body Lights
- Full Steel Tandem Axle Fenders
- Full Steel Recessed Light Bumper
- Auto-Folding ICC Bumper
- 48" Full Steel Tool Box
- Rear Vision Camera System
- Dual Rear Bumper Work Lights
- 22' Roll-Off Style Dump Body with Integrated Manual Tarp System



← Combo Unit Stays  
On Route While  
Roll-Off Truck  
Switches-Out Dump  
Bodies

Convenience of  
Interchangable Roll-Off  
Understructure Dump  
Bodies →



← Efficient Dual  
Joystick Control  
Stations

# BRUSH HAWG®

4821 Calhoun Memorial Highway ♦ Easley, South Carolina 29640

1-800-654-1752 ♦ Fax: (864) 855-9182

Email: [sales@brushhawg.com](mailto:sales@brushhawg.com) ♦ Website: [www.brushhawg.com](http://www.brushhawg.com)

All designs and specifications are subject to change at the manufacturer's sole discretion at any time without notice. The data published herein is informational in nature and should not be misconstrued to warrant suitability of the unit for any purpose as performance may vary with the conditions encountered. Products must be installed and operated with all applicable standards, codes, regulations, and recommended safety procedures.