




**Passenger Tire Changer Accessories**

MODEL NUMBER		DESCRIPTION	LIST
VSG1000A158		Universal flange for reverse, and Chrome Clad wheels. For R1150 and R247D	\$945
VSG1000A102		5 stud kit 110 mm long for reverse rims. Used on VSG1000A158	\$194
VSG1000A135		TRACTION TOOL, for the R1150 and R247	\$353
VSG1000A135		Side Bead Breaker for the R1150	\$1,888
VSG1000A86		Mirror for R1150	\$252
VSG1000A118		Match mounting roller for R1150	\$372
VSG1000A152A		Light truck adapter for center locking tire changer .55 in. diameter pulling pin. Spacer for 19.5" wheel for R1150 and R247D <b>**use with 8 lug type wheels</b>	\$146
VSG800A35		Pneumatic wheel lift for tire changers Max capacity 175 lbs. For models R145DR, R145D, R145, R146R, R146RA & R146	\$2,044
PLUS91SA		Air-driven helper with following arm and lower bead roller, for model R146 swing arm changer	\$3,222

VSG800A69		Wheel Lift Attachment that works with PLUS91SA helper. *Must have PLUS91SA 80 kg/ 176 lbs. Capacity		\$944
VSG800A59		Bead pushing roller FOR <b>PLASTIC</b> mount/demount head on R145D, R145, R146, R247D, and R140I		\$225
VSG800A18		Bead pushing roller FOR <b>METAL</b> mount/demount head on R145D, R145, R146, R247D, and R140I		\$332
VSG800A58		Traction Point for PLUS91SA and PLUS91N Helper Arms R140i, all R146 versions		\$401
VSG800A77		Storage tray for R145D, R145, R247D.CL and R146		\$321
VSG1000A11		Half-moon bead lever. Performance tire lever		\$143
VSG800A126		Plastic Tool Head w/ support for Tilt Back Units. Included with Tilt Back Tire Changer		\$225
VSG800A60		Plastic Tool Head w/ support for Swing Arm Units. Included with all Swing Arm tire changers		\$225


MODEL NUMBER		DESCRIPTION		LIST
VSG800A99		Motorcycle adapters for 20-22" tables (R140i)		\$576
VSG800A107		Motorcycle adapters for 24-26" tables (R146, R145D and R145)		\$974
VSG800A111KIT		Reducing clamp to 8". Requires VSG800A107 or VSG800A99 Use with rim clamp tire changers only		\$803

**Heavy Duty Tire Changer Accessories**

MODEL NUMBER		DESCRIPTION		LIST
VSG108A25		Optional clamp for earth-moving wheels for all heavy duty tire changers		\$246
VSG90A6		Optional aluminum rim clamp for all heavy duty tire changers		\$380
VSG108A22		Disc for wheels with lock ring for model R560		\$1,308
VSG108A24		Disc for wheels with lock ring and agricultural wheels for model R501N		\$1,323
VSG108A35		Adapter for the R560 HD Changer. Makes 19.5's and Super Singles much easier.		\$463
VSG108A12		Set of 4 Extensions to increase clamping for the R541		\$1,319
VSG108A39		Set of 4 Extensions to increase clamping for the R573 & R573BT	<input data-bbox="1276 1392 1549 1423" type="text"/>	\$1,140
VSB5308000		Long Bead Lifting Lever		\$126
VSG108A34	 <p data-bbox="280 1934 367 1955">VSG108A34</p>	Pneumatic Bead Pushing Device		\$1,845

**Tire Changer Parts**

<p>VSG800A117KIT VSG800A117K(10)</p>		<p>Tool (Mount/De-Mount Head) Protection Kit for models R145, R145D, R146, and R140. Kit includes: 2 X B9837000 Assembly Tool Tail Protection 2 X 770012480 Tool Head Protection Quantity of one or kit of 10</p>	<p>\$22 / \$80</p>
<p>VSG800A11 VSG800A11K(5)</p>		<p>Bead breaker protection for models R145/D, R247, R146 &amp; 140i. Quantity one or kit of five</p>	<p>\$24 / \$100</p>
<p>VSG800A6KIT</p>		<p>Replacement 4 clamp protectors for models R145, R145D, and R146. Set of 4</p>	<p>\$49</p>
<p>VSG800A98</p>		<p>Replacement 4 clamp protectors for models R140 and R140i. Set of 4</p>	<p>\$61</p>
<p>VSG1000A117 per ea VSG1000A117K kit of 20</p>		<p>Replacement upper Tool used on R1150 &amp; R1200 Leverless.  Quantity of one VSG1000A117, or a kit of 20 VSG1000A117K</p>	<p>\$61 / \$932</p>
<p>VSG1000A13K</p>		<p>Bead Lever Protection 50PK</p>	<p>\$109</p>
<p>VS710013421 per ea VSG1000A81K 10 pack</p>		<p>Replacement Rubber pad for Reverse Wheels Protection for R1150 and R247D.  Quantity of one, part number VS710013421 ea., or a kit of 10, part number VSG1000A81K</p>	<p>\$43 / \$356</p>
<p>VSG108A9</p>		<p>Replacement plastic tool protection for R501 tire changer</p>	<p>\$27</p>
<p>VS140440311</p>		<p>Replacement Plastic Tool for VSG800A126 Tilt Back Units</p>	<p>\$38</p>
<p>VS770011650</p>		<p>Replacement Plastic Tool for VSG800A60 Swing Arm Units</p>	<p>\$38</p>











VSG800A37		Tire Paste for Tire Changers	\$41
-----------	---	------------------------------	------


**Passenger Wheel Balancer Accessories**

MODEL NUMBER		DESCRIPTION	MAP	LIST
GAR345		LARGE Quick-nut replacement for GAR101. Works with the R180, R155, R138.		\$434
GAR324		Wheel lift, standard version		\$4,129
GAR102		Handwheel quick fit nut Optional accessory for R122		\$365
GAR351		Standard air lock nut for model R544		\$202
GAR111		Optional passenger cone kit for older R544 models Included standard in models R138, R122, R540, and R544PLUS ( Ø 1.71" - 4.41" / 44 - 112 mm )		\$413
GAR112		Optional Small Lt Truck Cone for R544 Included in models R180, R155, R148, R138, R122, R540, and R544Plus. ( Ø 3.74" - 5.19" / 95-132 mm )		\$190
GAR113		Dually type cone and spacer Fits between 4.65 - 6.8" openings Standard with the R540 and R544PLUS, optional with all other balancers.		\$626
GAR124		Spacer for all balancers May be used with GAR112 and the #8,9,10, & 11 collets. Standard with the R540 and R544PLUS		\$467
GAR307		Wheel Width Caliper, Standard on R155 Optional for R148. For automatic measurement of wheel Width.		\$987

HW190E400045		Distance Spacer Donut - 40mm		\$41
--------------	---	------------------------------	--	------





<p>HW150400110</p>		<p>Pro Collet Kit 40mm</p> <ul style="list-style-type: none"> <li>• Clad Wheel Problem Solver</li> <li>• Static Imbalance Solution</li> <li>• Lower Taper For Better Mounting Surface</li> <li>• No Wheel Hub Interference</li> <li>• Includes collets #1 thru #9</li> </ul> <p>Complete Range from 52.5mm -122mm or 2.07" - 4.76"</p>		<p>\$1,590</p>
<p>HW150400123</p>		<p>Low Taper Collet #10 40mm</p> <p><b>Must be Used with Universal Spacer GAR 124 &amp; HW190E400045 Spacer</b></p> <p>120.0 -126.0 mm or 4.72"- 4.96"</p>		<p>\$369</p>
<p>HW150400139</p>		<p>Low Taper Collet #11 40mm</p> <p><b>Must be Used with Universal Spacer GAR 124 &amp; HW190W400045 Spacer</b></p> <p>126-133 mm or 4.96" – 5.23"</p>		<p>\$452</p>
<p>HW210400002</p>		<p>Series IV Quick Plate Kit 40mm Includes:</p> <p>3 Quick Plates: HW249e011400, HW259e011400, HW269e011400  Quick Tips X 6: HW273e008003, HW273e008007, HW273e008023, HW273e008025</p> <p>Adapter Storage Tree: HW900008205</p>		<p>\$6,461</p>
<p>HW200299409</p>		<p>North American Flange Plate Kit 40mm</p>		<p>\$2,668</p>
<p>HW280400172</p>		<p><b>Pro Centering System</b></p> <p>Includes:</p> <p>3 Quick Plates: HW249e011400, HW259e011400, HW269e011400  Quick Tips X 6: HW273e008003, HW273e008007, HW273e008023, HW273e008025  Pro Collet Kit: HW150400110  Adapter Storage Tree: HW900008205</p>		<p>\$7,877</p>
<p>HW900008205</p>		<p>Adaptor Tree</p>		<p>\$428</p>
<p>GAR346</p>		<p>Laser Calibration Device  used for R180 Wheel Balancer</p>		<p>\$471</p>
<p>VS129580191</p>		<p>Pressure Cup</p>		<p>\$64</p>
<p>VS129580500</p>		<p>Rubber protection</p>		<p>\$28</p>

VS129580160		Pressure Ring	\$38
-------------	---	---------------	------


### Heavy Duty Wheel Balancer Accessories











MODEL NUMBER		DESCRIPTION	LIST
GAR122		Truck Spacer Standard with R544 and R540	\$937
GAR114		GAR114 Cones (2) (Ø 7.9" - 8.7" - 11") For R544 and R540 Balancer	\$940
GAR171		For model R544 3 Finger Adapter 3 X 170, 186, 205, 222, 245	\$522
GAR172		Four Finger Adapter (4 x 275, 285) For model R544 and R540	\$688
GAR173		Five Finger Adapter (5 x 225, 286, 335) For model R544 and R540	\$891
HW700E400020		Truck centering Disc fits 219.9mm / 8.65" and 220.8mm / 8.69" Requires GAR173 and/or GAR172 *For R544 and R540 only	\$835
HW700008006		HD Centering Stud - Aluminum Wheels To use with GAR171, GAR172, & GAR173	\$85
HW700008004		Centering Stud - Trucks/Buses w/ Larger Stud Holes To use with GAR171, GAR172, & GAR173	\$85
HW700008005		Centering Stud - Short/Flat Head To use with GAR171, GAR172, & GAR173	\$85

<p><b>GAR266T</b></p>		<p>For older R544 models 3D wheel tire sensor caliper for automatic measure of rim width. Standard on the R544PLUS</p>		<p><b>\$987</b></p>
<p><b>HW280400139</b></p>		<p>ProMax MD 40mm Centering Solutions for all 8 &amp; 10 Lug MD Vehicles Includes:  <i>MD Flange Plate with Studs HW700 400 033</i> - (6 x 205, 8 x 6.5" (165.1mm), 8 x 170, 8 x 180, 8 x 200, 8 x 210, 8 x 225, 10 x 225, 10 x 7.25" (184.15mm)  <i>Hub Pilot Disc 1 HW160 400 047</i> - Hub Bores: 4.88" (123.95mm) / 4.92" (125.1mm)  <i>Hub Pilot Disc 2 HW160 400 048</i> - Hub Bores: 5.59" (142.1mm) / 6.69" (170.1mm)  <i>Hub Pilot Disc 3 HW190 400 052</i> - Hub Bores: 5.46" (136.65mm) / 5.25" (133.35mm)  <i>Hub Pilot Disc 4 HW190 400 060</i> - Hub Bore: 4.56" (115.8mm)  <i>Hub Pilot Disc 5 HW190 400 062</i> - Hub Bore: 4.6" (116.8mm)  <i>Hub Pilot Disc 6 HW190 400 071</i> - Hub Bore: 4.77" (121.1mm)  <i>Hub Pilot Disc 7 HW160 400 067</i> - Hub Bores: 4.88" (124mm) / 6.06" (154mm)</p>		<p><b>\$4,081</b></p>


## Wheel Alignment Accessories

MODEL NUMBER		DESCRIPTION	MAP	LIST
FA5155KIT		Carbon Steel Radius Gauge Kit Includes: (2) FA5157 Carbon Steel Radius Gauges 4,500 lbs. (2,041kg) capacity		\$2,345
S130205		Stainless Steel Turning Radius Gauge. No Pointer 1.5" tall 4,500 lbs. (2,041kg) capacity (2 required)		\$1,421
S130237		Stainless Steel Radius Gauge. No Pointer 1-11/16" tall 4,500 lbs. (2,041kg) capacity (2 required)		\$1,670
STDA29L		Pair of heavy-duty turntables *Included with R5000HD		\$2,017
WS0020		Barcode Scanner (Cordless) For use with all Alignment Equipment (Limited with R5000HD) Includes – Charging/Communication Base and USB Cable		\$1,324
STDA117		Set of 2 sensor support kits for model R1080		\$493
STDA128		Battery set of 2 for model R1080 Sensors		\$842
STDA159VSG		Car/Light Truck Alignment Kit for R5000HD Includes a charging post that mounts to the back of the R5000 Cabinet, and two front Passenger sensors.  Wheel clamps are not included. Order separately.		\$4,088
STDA154		Set of 4 Drop Adapters that enable a CCD Aligner to see under Two Post Lift arms. These will also enable the R1070, R1060 and the R1065 to see around larger tires.		\$1,249

<b>STDA155</b>		Trolley with casters for Wheel Clamp Storage. Works with both 3 point and 4 point clamps.		<b>\$1,177</b>
----------------	---	---	--	----------------

STDA157		Set of 4 Wall Hooks for Wheel Clamps. Works with both 3 point and 4 point clamps.		\$519
STDA33EU		Set of 2 self-centering 4 point clamps with removable claws Clamps 10" to 24" wheels.		\$803
STDA41		Set of 8 Long Metal Claws for protruding hubbed vehicles. For the STDA33EU clamps.		\$234
STDA42		Set of 6 Dullay extensions for the STDA 35 and STDA96 Clamps for protruding hubbed vehicles.		\$150
STDA100		Set of 4 Clamping Arms - Medium 27-36"		\$534
STDA38		Set of 4 Quick Clamping assemblies. From 19" to 30". Enough for 2 Clamps. To convert STDA33EU to STDA46EU Clamps.		\$1,225
STDA101		Set of 4 clamping arms 34" to 44" for STDA46EU, STDA35E *order (2) for 4 sets of clamps		\$534
STDA46EU		Set of 2 self-centering 4 point clamps, with quick locking units and ABS claws. Clamps 10" - 24" wheels		\$1,673
STDA96		Set of two 3-point clamps 9"-24" with quick locking arms Manual Diameter adjustment CCD caneras only		\$1,920
STDA35E		Set of 2 self-centering 3 point clamps with quick locking units and ABS claws. Equipped with quick locking units and ABS claws. Clamps from 8" - 24". CCD camera heads only		\$3,846

**Wheel Alignment Accessories**

MODEL NUMBER		DESCRIPTION		LIST
STDA92		<b>PATENTED.</b> Set of 2 non-run out quick adapters for model R5000HD By referencing the wheel center which is almost perfectly accurate, we can deliver a more accurate measurement without the need to raise each wheel position to perform runout compensation. This improved accuracy while saving 15-20 minutes per truck.		\$6,303
STDA49N		Truck Trailer Alignment Fixture for R5000HD		\$2,586
STDA39		8 Tips cone style		\$62
VS1400AA		One standard depth ABS claw for 3 point quick clamps		\$16
STDA150AU		Adapter Kit for the AUTEL ADAS Fixture		\$461
STDA3D/QC		Kit of Two stands for model R1080. To use the R1080 Sensors as a Quick Alignment Check.		\$2,350
STDA14		CCD Calibration Kit		\$3,517
Z100039BK		Camera Bracket set for Rotary/Forward Four Post Lifts . Used when Mounting the R1080 and R1090 camera brackets to any Rotary/Forward Four Post lift.		\$72
STDA110U	PASSENGER WHEEL ALIGNMENT SPECS	Digital wheel alignment specifications	Additional discount for specs purchased in quantities of five	\$676
STDA137U	HD TRUCK WHEEL ALIGNMENT SPECS			
<b>Alignment Spec data placed on separate P.O.s. Purchase in quantities of one or five.</b>				
Provide serial number or smart card number on PO for single data spec. Provide email address on PO for quantity of five data specs.				