Prepared by: David Foster VELOCITY TRUCK CENTERS 2715 US HIGHWAY 421 NORTH WILMINGTON, NC 28401 Phone:

SPECIFICATION PROPOSAL

	Data Code	Description	Weight Front	Weight Rear	
Price L	.evel				
	PRL-27M	M2 PRL-27M (EFF:MY24 ORDERS)			
Data V	ersion				
	DRL-036	SPECPRO21 DATA RELEASE VER 036			
Vehicle	e Configurati	ion			
	001-172	M2 106 PLUS CONVENTIONAL CHASSIS	5,709	3,450	
	004-224	2024 MODEL YEAR SPECIFIED			
	002-004	SET BACK AXLE - TRUCK			
	019-004	STRAIGHT TRUCK PROVISION, NON-TOWING			
	003-001	LH PRIMARY STEERING LOCATION			
Genera	al Service				
	AA1-002	TRUCK CONFIGURATION			
	AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
	A85-011	CONSTRUCTION SERVICE			
	A84-1GM	GOVERNMENT BUSINESS SEGMENT			
	AA4-010	DIRT/SAND/ROCK COMMODITY			
	AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
	AB1-008	MAXIMUM 8% EXPECTED GRADE			
	AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
	995-091	MEDIUM TRUCK WARRANTY			
	A66-99D	EXPECTED FRONT AXLE(S) LOAD: 8000.0 lbs			
	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 17500.0 lbs			



Prepared by: David Foster VELOCITY TRUCK CENTERS 2715 US HIGHWAY 421 NORTH WILMINGTON, NC 28401 Phone:

	Data Code	Description	Weight Front	Weight Rear	
	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 25500.0 lbs			
Truck S	ervice				
	AA3-004	END DUMP BODY			
*	AF3-999	CUSTOM MFR'S/BODY TYPE IDENTIFICATION			
	٦	ſBD			
	AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES : 32.0 in			
Engine					
	101-21N	CUM B6.7 200 HP @ 2400 RPM, 2600 GOV, 520 LB-FT @ 1600 RPM			
Electro	nic Paramet	ers			
	79A-075	75 MPH ROAD SPEED LIMIT			
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			
	79N-001	PTO MODE CLUTCH OVERRIDE - CLUTCH ENABLED			
	80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			
Engine	Equipment				
	99C-021	2010 EPA/CARB/GHG21 CONFIGURATION			
	99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)			
	13E-001	STANDARD OIL PAN			
	105-001	ENGINE MOUNTED OIL CHECK AND FILL			
	014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER			
	124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			
	292-205	(2) DTNA GENUINE, FLOODED STARTING, MIN 1900CCA, 350RC, THREADED STUD BATTERIES			
	290-017	BATTERY BOX FRAME MOUNTED			
	281-001	STANDARD BATTERY JUMPERS			
	282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB			
	291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
	289-001	NON-POLISHED BATTERY BOX COVER			



Prepared by: David Foster VELOCITY TRUCK CENTERS 2715 US HIGHWAY 421 NORTH WILMINGTON, NC 28401 Phone:

Data Code	Description	Weight Front	Weight Rear	
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS			
180-063	EATON FULLER 365MM CERAMIC 1 PLATE MAINTENANCE FREE WEAR-THROUGH CLUTCH			
182-005	HYDRAULIC CLUTCH CONTROL			
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR			
131-013	AIR COMPRESSOR DISCHARGE LINE			
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
128-076	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	20		
016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE			
28F-014	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER			
239-001	STANDARD EXHAUST SYSTEM LENGTH			
237-052	RH STANDARD HORIZONTAL TAILPIPE			
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK			
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH			
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			
110-003	CUMMINS SPIN ON FUEL FILTER			
118-001	FULL FLOW OIL FILTER			
266-100	700 SQUARE INCH ALUMINUM RADIATOR			
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			

Application Version 11.8.006 Data Version PRL-27M.036 NCSA 24-25MY M2106PLUS B6.7 BASE



04/04/2023 12:26 PM

Page 3 of 12

Prepared by: David Foster VELOCITY TRUCK CENTERS 2715 US HIGHWAY 421 NORTH WILMINGTON, NC 28401 Phone:

Data Code	Description	Weight Front	Weight Rear	
270-016	RADIATOR DRAIN VALVE			
168-002	LOWER RADIATOR GUARD			
134-001	ALUMINUM FLYWHEEL HOUSING			
132-004	ELECTRIC GRID AIR INTAKE WARMER			
155-057	DELCO 12V 29MT STARTER WITH INTEGRATED MAGNETIC SWITCH			
Transmission				
342-1CA	EATON FULLER FS-5406A TRANSMISSION	40	20	
Transmission Eq	uipment			
84B-005	ALLISON VOCATIONAL RATING FOR HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			
347-002	ALUMINUM CLUTCH HOUSING			
341-017	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN			
345-001	PAINTED SHIFT LEVER, SOLID LINKAGE			
370-998	NO TRANSMISSION OIL COOLER	-15		
35T-003	SYNTHETIC TRANSMISSION LUBE			
Front Axle and E	quipment			
400-1EW	DETROIT DA-F-8.0-3 8,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE			
402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES			
403-002	NON-ASBESTOS FRONT BRAKE LINING			
419-001	CAST IRON OUTBOARD FRONT BRAKE DRUMS			
409-006	FRONT OIL SEALS			
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			
536-050	TRW THP-60 POWER STEERING			
539-003	POWER STEERING PUMP			
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			
40T-001	MINERAL SAE 80/90 FRONT AXLE LUBE			
Front Suspensio	n			
620-032	8,000# TAPERLEAF FRONT SUSPENSION	-30		

Application Version 11.8.006 Data Version PRL-27M.036 NCSA 24-25MY M2106PLUS B6.7 BASE



04/04/2023 12:26 PM

NCSA 24-25MY M2106PLUS B6.7

BASE

Prepared by: David Foster VELOCITY TRUCK CENTERS 2715 US HIGHWAY 421 NORTH WILMINGTON, NC 28401 Phone:

Data Code	Description	Weight Front	Weight Rear	
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			
410-001	FRONT SHOCK ABSORBERS			
Rear Axle and Equ	ipment			
420-1C6	DETROIT DA-RS-17.5-2 17,500# R-SERIES SINGLE REAR AXLE		-170	
421-391	3.91 REAR AXLE RATIO			
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES			
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			
433-002	NON-ASBESTOS REAR BRAKE LINING			
434-012	BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S)			
451-001	CAST IRON OUTBOARD REAR BRAKE DRUMS			
440-006	REAR OIL SEALS			
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			
Rear Suspension				
622-002	20,000# FLAT LEAF SPRING REAR SUSPENSION WITH RADIUS ROD		40	
621-001	SPRING SUSPENSION - NO AXLE SPACERS			
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			
623-005	FORE/AFT CONTROL RODS			
Brake System				
018-002	AIR BRAKE PACKAGE			
490-121	WABCO 4S/4M ABS WITH TRACTION CONTROL			
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			
904-001	FIBER BRAID PARKING BRAKE HOSE			
412-001	STANDARD BRAKE SYSTEM VALVES			
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			
Application Version 1 Data Version PRL-27			04/04/20	23 12:26 PM
Data Version PRL-27 NCSA 24-25MY M21				Dogo E of 10

Page 5 of 12

Prepared by: David Foster VELOCITY TRUCK CENTERS 2715 US HIGHWAY 421 NORTH WILMINGTON, NC 28401 Phone:

	Data Code	Description	Weight Front	Weight Rear
	413-002	STD U.S. FRONT BRAKE VALVE		
	432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
	480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER		
	479-015	AIR DRYER FRAME MOUNTED		
	460-001	STEEL AIR BRAKE RESERVOIRS		
	477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS		
Wheelba	ase & Frame			
	545-472	4725MM (186 INCH) WHEELBASE		
	546-094	9/32X3-7/16X10-1/16 INCH STEEL FRAME (7.14MMX255.6/0.281X10.06 INCH) 80KSI		
	552-030	1600MM (63 INCH) REAR FRAME OVERHANG		
	55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH		
	AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 120.47 in		
	AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 117.47 in		
	AE4-99D	CALC'D FRAME LENGTH - OVERALL: 287.99 in		
	FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 85.95 in		
	FSS-0RH	CALCULATED FRAME SPACE RH SIDE: 68.32 in		
	553-001	SQUARE END OF FRAME		
	550-001	FRONT CLOSING CROSSMEMBER		
	559-001	STANDARD WEIGHT ENGINE CROSSMEMBER		
	561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION		
	562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
	572-001	STANDARD REARMOST CROSSMEMBER		
	565-001	STANDARD SUSPENSION CROSSMEMBER		
Chassis	Equipment			
	556-1AN	THREE-PIECE 14 INCH STEEL CENTER BUMPER WITH FLEXIBLE PLASTIC ENDS		
	574-011	SINGLE LICENSE PLATE BUMPER MOUNTING ON LH SIDE		
	586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS		
	551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS		

Application Version 11.8.006 Data Version PRL-27M.036 NCSA 24-25MY M2106PLUS B6.7 BASE



04/04/2023 12:26 PM

Page 6 of 12

Prepared by: David Foster VELOCITY TRUCK CENTERS 2715 US HIGHWAY 421 NORTH WILMINGTON, NC 28401 Phone:

Data Cod	e Description	Weight Front	Weight Rear	
Fuel Tanks				
204-216	28 GALLON/106 LITER SHORT RECTANGULAR ALUMINUM FUEL TANK - LH			
218-005	RECTANGULAR FUEL TANK(S)			
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			
212-007	FUEL TANK(S) FORWARD			
664-001	PLAIN STEP FINISH			
205-001	FUEL TANK CAP(S)			
122-1J2	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR AND HAND PRIMER	-5		
216-020	EQUIFLO INBOARD FUEL SYSTEM			
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			
Tires				
093-2G7	BRIDGESTONE ECOPIA R268 295/75R22.5 14 PLY RADIAL FRONT TIRES	10		
094-1RY	BRIDGESTONE M726ELA 295/75R22.5 14 PLY RADIAL REAR TIRES		48	
Hubs				
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			
Wheels				
502-753	MAXION WHEELS 91262 22.5X8.25 10-HUB PILOT 6.20 INSET 5-HAND STEEL DISC FRONT WHEELS	10		
505-753	MAXION WHEELS 91262 22.5X8.25 10-HUB PILOT 5-HAND STEEL DISC REAR WHEELS		20	
496-011	FRONT WHEEL MOUNTING NUTS			
497-011	REAR WHEEL MOUNTING NUTS			
Cab Exterior				
829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			
650-009	RUBBER CAB MOUNTS			
678-001	LH AND RH GRAB HANDLES			
646-045	MOLD-IN COLOR GRILLE			



Page 7 of 12

Prepared by: David Foster VELOCITY TRUCK CENTERS 2715 US HIGHWAY 421 NORTH WILMINGTON, NC 28401 Phone:

Data Code	Description	Weight Front	Weight Rear
65X-011	MOLD-IN COLOR HOOD MOUNTED AIR INTAKE GRILLE		
644-004	FIBERGLASS HOOD		
726-001	SINGLE ELECTRIC HORN		
575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY		
302-047	LED AERODYNAMIC MARKER LIGHTS		
311-001	DAYTIME RUNNING LIGHTS		
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS		
300-015	STANDARD FRONT TURN SIGNAL LAMPS		
744-1BK	DUAL WEST COAST MOLDED-IN COLOR HEATED MIRRORS WITH LH AND RH REMOTE		
797-001	DOOR MOUNTED MIRRORS		
796-001	102 INCH EQUIPMENT WIDTH		
743-1AP	LH AND RH 8 INCH MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
729-001	STANDARD SIDE/REAR REFLECTORS		
768-043	63X14 INCH TINTED REAR WINDOW		
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS		
654-011	RH AND LH ELECTRIC POWERED WINDOWS	4	
663-013	1-PIECE SOLAR GREEN GLASS WINDSHELD		
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED		
b Interior			
055-017	PROFESSIONAL TRIM PACKAGE		
707-105	MIST AND CARBON CLOTH INTERIOR "PROFESSIONAL"		
70K-016	CARBON WITH BASE BLACK ACCENT		
706-013	MOLDED PLASTIC DOOR PANEL		
708-013	MOLDED PLASTIC DOOR PANEL		
772-006	BLACK MATS WITH SINGLE INSULATION		
691-001	FORWARD ROOF MOUNTED CONSOLE		
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS		
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY		
742-007	(2) CUP HOLDERS LH AND RH DASH		
680-029	M2/SD DASH		

Application Version 11.8.006 Data Version PRL-27M.036 NCSA 24-25MY M2106PLUS B6.7 BASE



Prepared by: David Foster VELOCITY TRUCK CENTERS 2715 US HIGHWAY 421 NORTH WILMINGTON, NC 28401 Phone:

	Data Code	Description	Weight Front	Weight Rear	
	700-002	HEATER, DEFROSTER AND AIR CONDITIONER			
	701-001	STANDARD HVAC DUCTING			
	703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			
	170-015	STANDARD HEATER PLUMBING			
	130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			
	702-002	BINARY CONTROL, R-134A			
	739-033	STANDARD INSULATION			
	285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			
	280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			
	324-1B3	STANDARD LED CAB LIGHTING			
	787-004	REMOTE KEYLESS ENTRY AND 2 TRANSMITTERS	2		
	657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			
	78G-002	KEY QUANTITY OF 2			
	655-005	LH AND RH ELECTRIC DOOR LOCKS			
	756-336	BASIC ISRI HIGH BACK NON SUSPENSION DRIVERS SEAT W/FORE & AFT ADJUSTMENT			
	760-335	BASIC ISRI HIGH BACK NON SUSPENSION PASSENGER SEAT			
	711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			
	758-036	VINYL WITH VINYL INSERT DRIVER SEAT			
	761-036	VINYL WITH VINYL INSERT PASSENGER SEAT			
	763-101	BLACK SEAT BELTS			
	532-001	FIXED STEERING COLUMN			
	540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES			
	765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			
Instrun	nents & Con	trols			
	81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			
	732-998	NO INSTRUMENT PANEL-DRIVER			

732-998	NO INSTRUMENT PANEL-DRIVER
734-024	INTEGRATED UPPER & LOWER STORAGE PANELS
870-001	BLACK GAUGE BEZELS
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM

Application Version 11.8.006 Data Version PRL-27M.036 NCSA 24-25MY M2106PLUS B6.7 BASE



04/04/2023 12:26 PM

Page 9 of 12

Prepared by: David Foster VELOCITY TRUCK CENTERS 2715 US HIGHWAY 421 NORTH WILMINGTON, NC 28401 Phone:

Data Code	Description	Weight Front	Weight Rear	
 840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE			
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES			
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY			
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			
844-001	2 INCH ELECTRIC FUEL GAUGE			
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			
49B-006	ELECTRONIC STABILITY CONTROL,4X2 W/SAFETY MIN BODY WEIGHT EXCEEDS 4,000LBS REQ			
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			
679-998	NO OVERHEAD INSTRUMENT PANEL			
74D-006	STANDARD RADIO WIRING WITH STEERING WHEEL CONTROLS			
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			
817-001	STANDARD VEHICLE SPEED SENSOR			
812-001	ELECTRONIC 3000 RPM TACHOMETER			
813-1C8	DETROIT CONNECT PLATFORM HARDWARE			
8D1-303	3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT			
6TS-005	TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL			
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			
264-033	STEERING WHEEL MOUNTED ELECTRIC HORN CONTROL			

Application Version 11.8.006 Data Version PRL-27M.036 NCSA 24-25MY M2106PLUS B6.7 BASE



04/04/2023 12:26 PM

Page 10 of 12

Prepared by: David Foster VELOCITY TRUCK CENTERS 2715 US HIGHWAY 421 NORTH WILMINGTON, NC 28401 Phone:

Data Code	Description	Weight Front	Weight Rear	
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			
304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS			
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			
299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT			
298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY			
Design				
065-000	PAINT: ONE SOLID COLOR			
Color				
980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY			
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			
964-6Z7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX			
963-003	STANDARD E COAT/UNDERCOATING			
Certification / Com	pliance			
996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			
Sales Programs				
	NO SALES PROGRAMS HAVE BEEN SELECTED			

TOTAL VEHICLE SUMMARY

Weight Summary

Weight

Weight

Total

Application Version 11.8.006 Data Version PRL-27M.036 NCSA 24-25MY M2106PLUS B6.7 BASE



04/04/2023 12:26 PM

Page 11 of 12

Prepared by: David Foster VELOCITY TRUCK CENTERS 2715 US HIGHWAY 421 NORTH WILMINGTON, NC 28401 Phone:

	Front	Rear	Weight
Factory Weight ⁺	5745 lbs	3408 lbs	9153 lbs
Total Weight ⁺	5745 lbs	3408 lbs	9153 lbs

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.



04/04/2023 12:26 PM