

**Prepared for:**  
 KAYLYN  
 MITMAN  
 NC SHERIFFS ASSOCIATION  
 323 W JONES STREET ST  
 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-  
 6471

**Prepared by:**  
 David Foster  
 VELOCITY TRUCK CENTERS  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone:

## S P E C I F I C A T I O N   P R O P O S A L

Data Code	Description	Weight Front	Weight Rear
<b>Price Level</b>			
PRL-27M	M2 PRL-27M (EFF:MY24 ORDERS)		
<b>Data Version</b>			
DRL-036	SPECPRO21 DATA RELEASE VER 036		
<b>Vehicle Configuration</b>			
001-175	M2 112 PLUS CONVENTIONAL CHASSIS	8,244	6,026
004-224	2024 MODEL YEAR SPECIFIED		
002-004	SET BACK AXLE - TRUCK		
019-004	STRAIGHT TRUCK PROVISION, NON-TOWING		
003-001	LH PRIMARY STEERING LOCATION		
<b>General Service</b>			
AA1-002	TRUCK CONFIGURATION		
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)		
A85-011	CONSTRUCTION SERVICE		
A84-1GM	GOVERNMENT BUSINESS SEGMENT		
AA4-010	DIRT/SAND/ROCK COMMODITY		
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
AB1-008	MAXIMUM 8% EXPECTED GRADE		
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
995-1AD	FREIGHTLINER LEVEL I WARRANTY		
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 12000.0 lbs		
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 21000.0 lbs		



**Prepared for:**  
 KAYLYN  
 MITMAN  
 NC SHERIFFS ASSOCIATION  
 323 W JONES STREET ST  
 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-  
 6471

**Prepared by:**  
 David Foster  
 VELOCITY TRUCK CENTERS  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone:

Data Code	Description	Weight Front	Weight Rear
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 33000.0 lbs		
<b>Truck Service</b>			
AA3-004	END DUMP BODY		
* AF3-999	CUSTOM MFR'S/BODY TYPE IDENTIFICATION TBD		
AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES : 32.0 in		
<b>Engine</b>			
101-3BK	CUM L9 260 HP @ 2200 RPM; 2200 GOV RPM, 860 LB-FT @ 1200 RPM	640	30
<b>Electronic Parameters</b>			
79A-065	65 MPH ROAD SPEED LIMIT		
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT		
79N-001	PTO MODE CLUTCH OVERRIDE - CLUTCH ENABLED		
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH		
<b>Engine Equipment</b>			
99C-021	2010 EPA/CARB/GHG21 CONFIGURATION		
99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)		
13E-001	STANDARD OIL PAN		
105-001	ENGINE MOUNTED OIL CHECK AND FILL		
014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER		
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE		
292-236	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES		
290-017	BATTERY BOX FRAME MOUNTED		
281-001	STANDARD BATTERY JUMPERS		
282-003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB		
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
289-001	NON-POLISHED BATTERY BOX COVER		



**Prepared for:**  
 KAYLYN  
 MITMAN  
 NC SHERIFFS ASSOCIATION  
 323 W JONES STREET ST  
 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-  
 6471

**Prepared by:**  
 David Foster  
 VELOCITY TRUCK CENTERS  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone:

	Data Code	Description	Weight Front	Weight Rear
	306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS		
	180-100	EATON ADVANTAGE 15-1/2 INCH SELF ADJUSTING CLUTCH		
	183-008	TORQUE LIMITING CLUTCH BRAKE		
	181-002	ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING		
N	182-005	HYDRAULIC CLUTCH CONTROL		
	107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE		
	108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR		
	131-013	AIR COMPRESSOR DISCHARGE LINE		
	152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM		
	128-076	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	20	
	016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE		
	28F-014	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER		
	239-001	STANDARD EXHAUST SYSTEM LENGTH		
	237-052	RH STANDARD HORIZONTAL TAILPIPE		
	23U-001	6 GALLON DIESEL EXHAUST FLUID TANK		
	30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL		
	43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		
	23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING		
	43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP		
	273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH		
	276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED		
	110-003	CUMMINS SPIN ON FUEL FILTER		
	118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER		
	266-017	1300 SQUARE INCH ALUMINUM RADIATOR	-20	
	103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		



**Prepared for:**  
 KAYLYN  
 MITMAN  
 NC SHERIFFS ASSOCIATION  
 323 W JONES STREET ST  
 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-  
 6471

**Prepared by:**  
 David Foster  
 VELOCITY TRUCK CENTERS  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone:

Data Code	Description	Weight Front	Weight Rear
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		
270-016	RADIATOR DRAIN VALVE		
134-001	ALUMINUM FLYWHEEL HOUSING		
132-004	ELECTRIC GRID AIR INTAKE WARMER		
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH	-10	

### Transmission

342-399	EATON FULLER FR-9210B TRANSMISSION
---------	------------------------------------

### Transmission Equipment

N	347-002	ALUMINUM CLUTCH HOUSING
	341-017	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN
	345-001	PAINTED SHIFT LEVER, SOLID LINKAGE
	35T-003	SYNTHETIC TRANSMISSION LUBE

### Front Axle and Equipment

	400-1A6	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
	402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES
	403-002	NON-ASBESTOS FRONT BRAKE LINING
	419-001	CAST IRON OUTBOARD FRONT BRAKE DRUMS
	409-006	FRONT OIL SEALS
	408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL
	416-022	STANDARD SPINDLE NUTS FOR ALL AXLES
	405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS
	536-050	TRW THP-60 POWER STEERING
	539-003	POWER STEERING PUMP
	534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR
	40T-001	MINERAL SAE 80/90 FRONT AXLE LUBE

### Front Suspension

	620-1E9	12,000# MONO TAPERLEAF FRONT SUSPENSION
--	---------	---

**Prepared for:**  
 KAYLYN  
 MITMAN  
 NC SHERIFFS ASSOCIATION  
 323 W JONES STREET ST  
 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-  
 6471

**Prepared by:**  
 David Foster  
 VELOCITY TRUCK CENTERS  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone:

Data Code	Description	Weight Front	Weight Rear
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION		
410-001	FRONT SHOCK ABSORBERS		
<b>Rear Axle and Equipment</b>			
420-009	RS-21-160 21,000# R-SERIES SINGLE REAR AXLE		-2,300
421-373	3.73 REAR AXLE RATIO		
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
386-075	MXL 18T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES		
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		10
433-002	NON-ASBESTOS REAR BRAKE LINING		
434-012	BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S)		
451-001	CAST IRON OUTBOARD REAR BRAKE DRUMS		-10
440-006	REAR OIL SEALS		
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		-20
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS		
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE		
<b>Rear Suspension</b>			
622-001	23,000# FLAT LEAF SPRING REAR SUSPENSION WITH RADIUS ROD		50
621-001	SPRING SUSPENSION - NO AXLE SPACERS		
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP		
623-005	FORE/AFT CONTROL RODS		
<b>Brake System</b>			
018-002	AIR BRAKE PACKAGE		
490-121	WABCO 4S/4M ABS WITH TRACTION CONTROL		
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
904-001	FIBER BRAID PARKING BRAKE HOSE		
412-001	STANDARD BRAKE SYSTEM VALVES		
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM		



**Prepared for:**  
 KAYLYN  
 MITMAN  
 NC SHERIFFS ASSOCIATION  
 323 W JONES STREET ST  
 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-  
 6471

**Prepared by:**  
 David Foster  
 VELOCITY TRUCK CENTERS  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone:

Data Code	Description	Weight Front	Weight Rear
413-002	STD U.S. FRONT BRAKE VALVE		
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER		
479-015	AIR DRYER FRAME MOUNTED		
460-001	STEEL AIR BRAKE RESERVOIRS		
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS		

### Wheelbase & Frame

545-472	4725MM (186 INCH) WHEELBASE		
546-100	11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI		
552-030	1600MM (63 INCH) REAR FRAME OVERHANG		
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH		
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 120.47 in		
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 117.47 in		
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 279.13 in		
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 67.57 in		
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 68.32 in		
553-001	SQUARE END OF FRAME		
550-001	FRONT CLOSING CROSSMEMBER		
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER		
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION		
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
572-001	STANDARD REARMOST CROSSMEMBER		
565-001	STANDARD SUSPENSION CROSSMEMBER		

### Chassis Equipment

556-1CU	THREE-PIECE 14 INCH PAINTED STEEL BUMPER WITH COLLAPSIBLE ENDS, SPACED 3 INCHES FORWARD	10	
574-011	SINGLE LICENSE PLATE BUMPER MOUNTING ON LH SIDE		
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS		
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS		

**Prepared for:**  
 KAYLYN  
 MITMAN  
 NC SHERIFFS ASSOCIATION  
 323 W JONES STREET ST  
 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-  
 6471

**Prepared by:**  
 David Foster  
 VELOCITY TRUCK CENTERS  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone:

Data Code	Description	Weight Front	Weight Rear
<b>Fuel Tanks</b>			
204-151	60 GALLON/227 LITER ALUMINUM FUEL TANK - LH		
218-006	25 INCH DIAMETER FUEL TANK(S)		
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
212-007	FUEL TANK(S) FORWARD		
664-001	PLAIN STEP FINISH		
205-001	FUEL TANK CAP(S)		
122-1H3	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR	10	
216-020	EQUIFLO INBOARD FUEL SYSTEM		
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
<b>Tires</b>			
093-2G7	BRIDGESTONE ECOPIA R268 295/75R22.5 14 PLY RADIAL FRONT TIRES	10	
094-1RY	BRIDGESTONE M726ELA 295/75R22.5 14 PLY RADIAL REAR TIRES		48
<b>Hubs</b>			
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS		
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS		
<b>Wheels</b>			
502-753	MAXION WHEELS 91262 22.5X8.25 10-HUB PILOT 6.20 INSET 5-HAND STEEL DISC FRONT WHEELS	10	
505-753	MAXION WHEELS 91262 22.5X8.25 10-HUB PILOT 5-HAND STEEL DISC REAR WHEELS		20
496-011	FRONT WHEEL MOUNTING NUTS		
497-011	REAR WHEEL MOUNTING NUTS		
<b>Cab Exterior</b>			
829-072	112 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB		
650-008	AIR CAB MOUNTING		
678-001	LH AND RH GRAB HANDLES		
646-045	MOLD-IN COLOR GRILLE		



**Prepared for:**  
 KAYLYN  
 MITMAN  
 NC SHERIFFS ASSOCIATION  
 323 W JONES STREET ST  
 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-  
 6471

**Prepared by:**  
 David Foster  
 VELOCITY TRUCK CENTERS  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone:

Data Code	Description	Weight Front	Weight Rear
65X-011	MOLD-IN COLOR HOOD MOUNTED AIR INTAKE GRILLE		
644-004	FIBERGLASS HOOD		
726-001	SINGLE ELECTRIC HORN		
575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY		
302-047	LED AERODYNAMIC MARKER LIGHTS		
311-001	DAYTIME RUNNING LIGHTS		
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS		
300-015	STANDARD FRONT TURN SIGNAL LAMPS		
744-1BK	DUAL WEST COAST MOLDED-IN COLOR HEATED MIRRORS WITH LH AND RH REMOTE		
797-001	DOOR MOUNTED MIRRORS		
796-001	102 INCH EQUIPMENT WIDTH		
743-1AP	LH AND RH 8 INCH MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
729-001	STANDARD SIDE/REAR REFLECTORS		
768-043	63X14 INCH TINTED REAR WINDOW		
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS		
654-011	RH AND LH ELECTRIC POWERED WINDOWS	4	
663-013	1-PIECE SOLAR GREEN GLASS WINDSHIELD		
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED		

### Cab Interior

055-017	PROFESSIONAL TRIM PACKAGE		
707-105	MIST AND CARBON CLOTH INTERIOR "PROFESSIONAL"		
70K-016	CARBON WITH BASE BLACK ACCENT		
706-013	MOLDED PLASTIC DOOR PANEL		
708-013	MOLDED PLASTIC DOOR PANEL		
772-006	BLACK MATS WITH SINGLE INSULATION		
785-998	NO DASH MOUNTED ASH TRAYS AND LIGHTER		
691-001	FORWARD ROOF MOUNTED CONSOLE		
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS		
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY		
742-007	(2) CUP HOLDERS LH AND RH DASH		



**Prepared for:**  
 KAYLYN  
 MITMAN  
 NC SHERIFFS ASSOCIATION  
 323 W JONES STREET ST  
 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-  
 6471

**Prepared by:**  
 David Foster  
 VELOCITY TRUCK CENTERS  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone:

Data Code	Description	Weight Front	Weight Rear
680-029	M2/SD DASH		
700-002	HEATER, DEFROSTER AND AIR CONDITIONER		
701-001	STANDARD HVAC DUCTING		
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
170-015	STANDARD HEATER PLUMBING		
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR		
702-002	BINARY CONTROL, R-134A		
739-033	STANDARD INSULATION		
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES		
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM		
324-1B3	STANDARD LED CAB LIGHTING		
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME		
78G-002	KEY QUANTITY OF 2		
655-005	LH AND RH ELECTRIC DOOR LOCKS		
756-336	BASIC ISRI HIGH BACK NON SUSPENSION DRIVERS SEAT W/FORE & AFT ADJUSTMENT		
760-335	BASIC ISRI HIGH BACK NON SUSPENSION PASSENGER SEAT		
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
758-036	VINYL WITH VINYL INSERT DRIVER SEAT		
761-036	VINYL WITH VINYL INSERT PASSENGER SEAT		
763-101	BLACK SEAT BELTS		
532-001	FIXED STEERING COLUMN		
540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES		
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		

### Instruments & Controls

81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY
732-998	NO INSTRUMENT PANEL-DRIVER
734-024	INTEGRATED UPPER & LOWER STORAGE PANELS
870-001	BLACK GAUGE BEZELS
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM



**Prepared for:**  
 KAYLYN  
 MITMAN  
 NC SHERIFFS ASSOCIATION  
 323 W JONES STREET ST  
 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-  
 6471

**Prepared by:**  
 David Foster  
 VELOCITY TRUCK CENTERS  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone:

Data Code	Description	Weight Front	Weight Rear
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE		
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS		
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES		
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY		
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH		
844-001	2 INCH ELECTRIC FUEL GAUGE		
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER		
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
49B-006	ELECTRONIC STABILITY CONTROL,4X2 W/SAFETY MIN BODY WEIGHT EXCEEDS 4,000LBS REQ		
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
679-998	NO OVERHEAD INSTRUMENT PANEL		
74D-006	STANDARD RADIO WIRING WITH STEERING WHEEL CONTROLS		
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
817-001	STANDARD VEHICLE SPEED SENSOR		
812-001	ELECTRONIC 3000 RPM TACHOMETER		
813-1C8	DETROIT CONNECT PLATFORM HARDWARE		
8D1-303	3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT		
6TS-005	TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL		
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP		
264-033	STEERING WHEEL MOUNTED ELECTRIC HORN CONTROL		



**Prepared for:**  
 KAYLYN  
 MITMAN  
 NC SHERIFFS ASSOCIATION  
 323 W JONES STREET ST  
 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-6471

**Prepared by:**  
 David Foster  
 VELOCITY TRUCK CENTERS  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone:

Data Code	Description	Weight Front	Weight Rear
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS		
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT		
298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY		

### Design

065-000 PAINT: ONE SOLID COLOR

### Color

980-5F6 CAB COLOR A: L0006EY WHITE ELITE EY  
 986-020 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT  
 962-972 POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)  
 966-972 POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)  
 964-6Z7 BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX  
 963-003 STANDARD E COAT/UNDERCOATING

### Certification / Compliance

996-001 U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS

### Sales Programs

NO SALES PROGRAMS HAVE BEEN SELECTED

## TOTAL VEHICLE SUMMARY

### Weight Summary

Weight

Weight

Total



**Prepared for:**  
 KAYLYN  
 MITMAN  
 NC SHERIFFS ASSOCIATION  
 323 W JONES STREET ST  
 505  
 POB 20049  
 RALEIGH, NC 27619  
 Phone: 919-459-  
 6471

**Prepared by:**  
 David Foster  
 VELOCITY TRUCK CENTERS  
 2715 US HIGHWAY 421 NORTH  
 WILMINGTON, NC 28401  
 Phone:

	<b>Front</b>	<b>Rear</b>	<b>Weight</b>
Factory Weight <sup>+</sup>	8918 lbs	3854 lbs	12772 lbs
<hr/>			
Total Weight <sup>+</sup>	8918 lbs	3854 lbs	12772 lbs

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(\*\*\*) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

