



ADA Meets or Exceeds all
Crash Tested FMVSS:214, FMVSS:301
Pull Tested Ovals / Seats / Bases
Altoona Tested 4 Year/100K mile STURRA
NHTSA Listed
CARB Compliant
Buy America Compliant

Conversion Specifications:

Passengers 4 Ambulatory 2 Wheelchairs*
Load 1500 lbs.
Fuel 19 gallons
OEM Fuel Cell

*Up to 6 ambulatory passengers with optional 3rd row flip seat.

Mobility Conversion Minimum Specifications:

Door/ Rear Hatch Width 37.75"
Door/ Rear Hatch Height 56.25"
Channel Length 97"
Channel Width 37.75"
Securement 8 "L Track" Ovals

Wheelchair Capacity 2 (Bariatric Capable)
Stretcher Capable (Optional Removeable Stretcher Mount)

Ramp:

Ramp Length 47"
Ramp Width 36.25"
Ramp Angle 11%
Ramp Capacity 1000 Lbs.
Manual, One Piece
Dual Adjustable Locking Ramp latches
Spring-assisted
Permanent Texturized Non-Slip Finish
3- Gauge Aluminum Powder Coated
LED Lighting

2nd Row Seating:

2 each 16" 3Pt Highback
Hip to Knee 26" min to 36" max



Conversion:

All Structural Components Powder Coated

Sealed Fasteners

Rear Suspension Integrated into Conversion

Bolt and Glue Bond Conversion to Body Without Seam Welds

Bolt-On Replaceable Bumper Guards

Replaceable Ramp "Impact Guard"

Conversion Floor: 150 Mil Thermoplastic Non-Slip Step Tread Surface with Co-Extruded Scrim Backing
/ Sound Dampener

Exhaust 303 Polished Stainless-Steel, Bolt Together Modular Construction for
Easy Repair or Replacement of Parts

Trunk Kit:

Inflatable Spare Tire Kit

OEM Air Compressor

Minimum Clearances:

Lowest Point Outside Front Axle Location 8.4"

Lowest Point Outside Rear Axle 8.6"

Lowest Point between Axles 6.0"

Ground Clearance at Center 7.0"

Front Approach Angle ** 14.7°

Rear Approach Angle ** 15.0°

Ramp Clearance Angle 6.5°

**As measured from the centerline of the axles

Dimensions

Length	16' 7.25"	Curb Weight	4,560 Lbs.
Width	80.25"	SLW / GVW	5,740 Lbs.
Height	77"	GAWR	6,055 Lbs. Declared
Wheelbase	121.7"		
Driver Step	21"		


Warranty:

3 Year 36,000 Miles on Conversion***

3 Year 36,000 Miles on Chassis

5 Year 100,000 Miles on Powertrain

***see Options for Extensions up to 5/100,000



Door Width	37.75"
Door Height	56.25"
Channel Length	97"
Channel Width	37.75
Ramp Length	47"
Ramp Width	36.25"
Ramp Angle	11% Ramp
Capacity	1000#
Securement Points:	
8 "L Track" Ovals	
Length Ramp Open	~19' 5"

REAR ENTRY LONG CHANNEL OPTIONSRESTRAINTS TRACKS

OP-R-00000692	12" LAP EXTENSION BELT, Q-STRAINT, Q5-6340-12-INT
OP-R-00000699	20" SEAT BELT EXTENDER, OEM, FROM Q-STRAINT
OP-R-00000700	20" SEATBELT EXTENDER, Q-STRAINT, Q5-6340-20-INT
OP-R-00001573	Ship all Pucks/Ovals/Mounting Hardware LOOSE inside the van
OP-R-00012-01	SET OF 4 STORAGE OVALS FOR RESTRAINT STORAGE.
OP-R-00012-02	SET OF 2 STORAGE OVALS FOR RESTRAINT STORAGE.
OP-R-00013-01	1 ADDITIONAL Q-STRAINT SHOULDER BELT INSTALLED
OP-R-00013-02	Q-8200-A-L - Q-STRAINT STANDARD RETRACTABLE SYSTEM - EXTRA SET (SEMI-AUTOMATIC, MANUAL RETRACTOR - 1 TENSIONING KNOB) KIT, DESIGNED FOR "L" TRACK WITH MANUAL LAP AND SHOULDER HARNESS. KIT QRT STD L-TRK
OP-R-00013-03	Q-8300-A-L - Q-STRAINT MAX RETRACTABLE SYSTEM - EXTRA SET (AUTOMATIC AND SELF-TENSIONING - NO TENSIONING KNOBS REQUIRED, 2 HEADS) KIT, DESIGNED FOR "L" TRACK WITH MANUAL LAP AND SHOULDER HARNESS.
OP-R-00013-03-01	UPGRADE TO REPLACE STANDARD INCLUDED Q-8200 FIRST SET: Q-8300-A-L - Q-STRAINT MAX RETRACTABLE SYSTEM - EXTRA SET (AUTOMATIC AND SELF-TENSIONING - KNOBLESS RETRACTOR, 4 HEADS) KIT, DESIGNED FOR "L" TRACK WITH MANUAL LAP AND SHOULDER HARNESS.
OP-R-00013-04	QER ELECTRICAL Q-STRAINT INSTALL OF 2 HEADS - REPLACES MANUAL Q-STRAINT INSTALL Q5-6210/11-ER4 - Q-STRAINT. ELECTRIC RETRACTOR W/4 METERS OF WEBBING, INCLUDES LAP AND SHOULDER BELT, ELECTRICAL SWITCH, GREEN BUTTON LIGHT ON REAR STREET SIDE QTR PANEL
OP-R-00013-05	QER ELECTRICAL Q-STRAINT INSTALL OF 2 HEADS. ELECTRIC RETRACTOR W/4 METERS OF WEBBING, INCLUDES LAP AND SHOULDER BELT, ELECTRICAL SWITCH, GREEN BUTTON LIGHT ON REAR STREET SIDE QTR PANEL- (INCLUDES BACK-UP MANUAL Q-STRAINT SET).



- OP-R-00013-06 Q-84009 INQLINE DELUXE COMBO KIT Q'STRAIT WINCH POWER RESTRAINTS KIT COMES WITH 2 ELECTRIC HEADS, LAP & SHOULDER BELTS PLUS REMOTE CONTROL
- OP-R-00013-07 Q-8300-A-SC - QRT MAX KIT FOR SIDE N CLICK, MANUAL LAP AND SHOULDER BELT FIXED MOUNTED, SNC FLOOR ANCHORAGES
- OP-R-00013-08 Q-8100-A-L QSTRAINT QRT DELUXE L TRACK KIT WITH LAP AND SHOULDER BELT
- OP-R-00013-09-01 UPGRADE TO REPLACE STANDARD INCLUDED Q-8200 FIRST SET: QRT-360 RETRACTORS WITH L-TRACK FITTINGS AND RETRACTABLE LAP & SHOULDER BELT COMBO WC/18 COMPLIANT (EXCLUSIVE TO THIS MODEL)
- OP-R-00013-09 QRT-360 RETRACTORS WITH L-TRACK FITTINGS AND RETRACTABLE LAP & SHOULDER BELT COMBO WC/18 COMPLIANT (EXCLUSIVE TO THIS MODEL)
- OP-R-00013-11 Q-STRAINT WALL POUCH, HEAVY DUTY. INSTALLED TO THE VEHICLE
- OP-R-00013-12 Q-STRAINT WALL POUCH, HEAVY DUTY. NOT INSTALLED TO THE VEHICLE

STRETCHERS WHEELCHAIRS MOUNTS

- OP-R-00017-01 WHEELCHAIR HOLDER (INSTALL PER CUST INSTRUCTIONS) WARNING - HOLDER REPLACES ONE PASSENGER SEAT (SEAT DELETE) IF SPARE MOUNTED HOLDER MUST INSTALL ON PASSENGER SIDE
- OP-R-00031-01 INVACARE WHEELCHAIR, LIGHTWEIGHT MANUAL FOLDABLE, 18 IN X 16 IN, 250-350LB CAPACITY

SEATING

- OP-R-00000592 SECOND ROW FLIP SEATS, REMOUNTED FROM DODGE GRAND CARAVAN CAUTIONCHECK FOR AVAILIBTY NOTE: SEATS WILL COME FROM USED VEHICLES AND MAY SHOW SLIGHT WEAR
- OP-R-00000592-01 SECOND ROW FLIP SEATS, DRIVER'S SIDEREMOUNTED FROM DODGE GRAND CARAVAN CAUTIONCHECK FOR AVAILIBTY NOTE: SEATS WILL COME FROM USED VEHICLES AND MAY SHOW SLIGHT WEAR
- OP-R-00000592-02 SECOND ROW FLIP SEATS, PASSENGER SIDE REMOUNTED FROM DODGE GRAND CARAVAN CAUTIONCHECK FOR AVAILIBTY NOTE: SEATS WILL COME FROM USED VEHICLES AND MAY SHOW SLIGHT WEAR
- OP-R-00000701 UPGRADE 2ND ROW SEATING (CS & SS) TO LEVEL 3 COVER - WARNING: THIS OPTION IS FOR QUOTING PURPOSES ONLY - FINAL SUBMITTED ORDER MUST HAVE SPECIFIC option



OP-R-00000702	UPGRADE 3RD ROW DOUBLE BENCH SEAT TO LEVEL 3 VINYL WARNING: THIS OPTION IS FOR QUOTING PURPOSES ONLY - FINAL SUBMITTED ORDER MUST HAVE SPECIFIC OPTION
OP-R-00000703	FREEDMAN FLIP/FOLD MID CABIN, CS & SS 3PT SEATS
OP-R-00000867	ADD CHILD RESTRAINT TETHERS TO 2ND ROW SEATS, REAR ENTRY, LONGCUT NOTE: FOR QUOTE ONLY - ACTUAL OPTION NEEDS TO BE SPECIFIED PRIOR TO FINALIZATION OF ORDER
OP-R-00000868	ADD 1 USA ARMREST TO THE INBOARD SIDE OF 2ND ROW SEATS, REAR ENTRY, LONGCUT NOTE: FOR QUOTE ONLY - ACTUAL OPTION NEEDS TO BE SPECIFIED PRIOR TO FINALIZATION OF ORDER
OP-R-00001-06	KEEP ALL CUSTOMER OEM SEATS; RETURN ALL SEAT BRACKETS AND SCREWS LOOSE IN VEHICLE (Used Vehicle Conversion)
OP-R-00003-01	DRIVER SIDE SECOND ROW SEAT DELETE. (LONGCUT)
OP-R-00003-02	PASSENGER SIDE SECOND ROW SEAT DELETE. (LONGCUT)
OP-R-00003-03	DRIVER SIDE & PASSENGER SIDE SECOND ROW SEAT DELETE. (LONGCUT)
OP-R-00008-03	3RD ROW FREEDMAN MINIVAN VP FOLDAWAY DOUBLE PASSENGER SIDE BENCH SEAT, LEVEL 1 OXEN BLACK VINYL (PACIFICA / VOYAGER)
OP-R-00008-04	3RD ROW FREEDMAN MINIVAN VP FOLDAWAY DOUBLE PASSENGER SIDE BENCH SEAT, LEVEL 1 OXEN BLACK VINYL (Sienna)
OP-R-00021-01	1 BLACK AFTERMARKET FREEDMAN SEAT & BASE CS ASSEMBLY (TO SHIP IN VAN)
OP-R-00021-02	1 BLACK AFTERMARKET FREEDMAN SEAT & BASE SS ASSEMBLY (TO SHIP IN VAN)
OP-R-00022-01	1 SET OF FREEDMAN HIGH BACK RIGID FEATHER WEIGHT SEAT 16 INCH - SINGLE IN BLACK CLOTH MAP POCKETS WITH GLITZ STITCHING

INTERIOR

OP-R-00002-10	ADD OEM INFLATABLE SPARE TIRE MOUNTED BEHIND DRIVER SIDE REAR WALL PANEL, INCLUDES JACK AND NEW PANEL INSERT
---------------	--

MISCELLANEOUS

OP-R-00015-07	911 EMERGENCY DOT KIT INCLUDES: 5LB FIRE EXTINGUISHER (INSTALLED), BASIC FIRST AID KIT, ROAD TRIANGLES
OP-R-00019-01	LOCKABLE STORAGE MEDICAL BOX
OP-R-00025-01	SURE-LOK SINGLE OXYGEN BOTTLE HOLDER (SL-5420) (INSTALLATION INCLUDED) OP-R00025-02 SURE-LOK DOUBLE OXYGEN BOTTLE HOLDER (SL-5401) INSTALLATION INCLUDED.
OP-R-00028-01	BELT CUTTER
OP-R-00028-02	SEAT BELT LOOP
OP-R-00028-03	TETHER STRAP FOR RAMP
OP-R-00036-01	EMERGENCY REAR HATCH RELEASE PULL CABLE
OP-R-00000683	INSTALL 3" TRANSIT STRIPING, 3M REFLECTIVE SERIES 680 VINYL, WHITE
OP-R-00000689	STATE CERTIFIED WEIGHT CERTIFICATE
OP-R-00000690	2" REFLECTIVE TAPE, 3M ON OUTER RAMP EDGES



EXTERIOR

OP-R-00000644 TOURING SUSPENSION, PACIFICA/VOYAGER REAR ENTRY. USES OEM SUSPENSION COILS WITH HELPER SPRINGS IN PLACE OF HEAVY-DUTY AFTERMARKET SPRINGS.

CAUTION WILL REDUCE AVAILABLE PAYLOAD.

OP-R-00002-07 ALLOY WHEELS

OP-R-00016-02 PACIFICA RUNNING BOARD SET, DS/PS, 5" ALUMINUM EXTRUSION WITH FULL RUBBER COVER

OP-R-00027-01 CUSTOM VEHICLE WRAP -Deposit Required

ELECTRICAL

OP-R-00006-01 REAR HATCH LAMP, LED, RAMP ILLUMINATION, MINIVAN

OP-R-00015-05 BACKUP ALARM 107 DB OUTPUT, 12 VOLT DC OPERATION, WATERPROOF, STAINLESS STEEL TERMINALS, CONFORMS TO SAE J994 OP-R-00015-06

BACKUP SENSOR SYSTEM WITH AUDIBLE BEEPER

OP-R-00018-02 1000 PROWATT INVERTER & BASE -XM1000, BETWEEN DRIVER AND PASSENGER SEATS

OP-R-00032-01 INTERLOCK FOR REAR ENTRY PACIFICA/VOYAGER. PRAN SYSTEM

OP-R-00035-01 ADDITIONAL USB OUTLET, MOUNTED TO REAR OF FRONT CENTER CONSOLE WARRANTY

OP-R-00300-01 REAR ENTRY VAN STANDARD CONVERSION WARRANTY 3YRS / 36,000 MILES PARTS & LABOR

OP-R-00300-02 REAR ENTRY EXTENDED CONVERSION WARRANTY 5 YRS /60,000 MILES PARTS & LABOR

OP-R-00300-03 REAR ENTRY VAN EXTENDED CONVERSION WARRANTY 5YRS /100,000 MILES PARTS & LABOR



2023 Voyager LX Standard Equipment

CHRYSLER VOYAGER LX

Exterior Color: Bright White w/ Clear-Coat

Interior Color: Black / Alloy / Black

Premium Cloth Bucket Seats

3.6L V6 24V VVT Engine

9-Speed ESS Automatic Transmission

STANDARD EQUIPMENT

FUNCTIONAL/SAFETY FEATURES

Advanced Multistage Front Air Bags

Driver Inflatable Knee-Bolster Air Bag

Passenger Inflatable Knee-Bolster Air Bag

Supplemental Side-Curtain All-Rows Air Bags

Supplemental Front Seat-Mounted Side Air Bags

LATCH-Ready Child-Seat Anchor System

ParkView® Rear Back-Up Camera

Electronic Stability Control

Electric Power Steering

Electric Park Brake

Pedestrian Emergency Braking

Full-Speed Forward-Collision Warning Plus

Hill-Start Assist

Anti-Lock 4-Wheel-Disc Brakes

Push-Button Start

Rear-Seat Reminder Alert

Remote Start System

Security Alarm

19-Gallon Fuel Tank

INTERIOR FEATURES

Uconnect® 5 with 7-Inch Touch Screen Display

Google Android Auto™

Apple CarPlay®

Full Function Media Hub with

2-USB Plus Aux Port

2nd and 3rd-Row Stow 'n Go®

Seats with Easy-Tilt

3rd-Row Stow 'n Go® 60 / 40 Bench

8-Way Power Adjustable Driver Seat

2nd-Row In-Floor Storage Bins

Power Front Windows with

1-Touch Up / Down 2nd-Row

Power Windows

Steering-Wheel-Mounted Audio Controls

Tilt / Telescope Steering-Column

Front Floor Mats

Air Conditioning with 3-Zone Temp Control

6 Speakers

SiriusXM® with 6-Month Radio

Power Liftgate

Power Sliding Doors

Heated Front Seats

Heated Steering Wheel

Integrated Active Noise Cancellation

EXTERIOR FEATURES

17-Inch x 7.0-Inch Aluminum Wheels

235/65R17 BSW All-Season Tires

Halogen Headlamps

High-Beam Daytime Running Headlamps

Body-Color with Black Power Mirrors

Exterior Mirrors with Heating Element

Remote Proximity Keyless Entry All Doors

OPTIONAL EQUIPMENT

Customer Preferred Package 27E

Quick Build no Additional Options