



ADA Meets or Exceeds all
Crash Tested FMVSS:214, FMVSS:301
Pull Tested Ovals / Seats / Bases
Altoona Tested 4 Year/100K mile STURRA
NHTSA Listed
CARB Compliant
Buy America Compliant

Conversion Specifications:

Passengers 4 -5 Ambulatory 1 Wheelchair*
Load 1500 lbs.
Fuel 19 gallons
OEM Fuel Cell

*5th Ambulatory Seat in 2nd Row is an Optional Addition

2 Additional Ambulatory Passengers with Optional 3rd Row Flip Seat

Mobility Conversion Minimum Specifications:

Door/ Rear Hatch Width 37.75"
Door/ Rear Hatch Height 56.25"
Channel Length 97"
Channel Width 37.75"
Securement 8 "L Track" Ovals

Wheelchair Capacity 2 (Bariatric Capable)
Stretcher Capable (Optional Removeable Stretcher Mount)

Ramp:

Ramp Length 47"
Ramp Width 36.25"
Ramp Angle 11%
Ramp Capacity 1000 Lbs.
Manual, One Piece
Dual Adjustable Locking Ramp latches
Spring-assisted
Permanent Texturized Non-Slip Finish
3- Gauge Aluminum Powder Coated
LED Lighting

Hip to Knee 26" min to 36" max

Conversion:



All Structural Components Powder Coated
Sealed Fasteners
Rear Suspension Integrated into Conversion
Bolt and Glue Bond Conversion to Body Without Seam Welds
Bolt-On Replaceable Bumper Guards
Replaceable Ramp "Impact Guard"
Conversion Floor: 150 Mil Thermoplastic Non-Slip Step Tread Surface with Co-Extruded Scrim Backing / Sound Dampener
Exhaust 303 Polished Stainless-Steel, Bolt Together Modular Construction for Easy Repair or Replacement of Parts

Trunk Kit:

Inflatable Spare Tire Kit
OEM Air Compressor

Minimum Clearances:

Lowest Point Outside Front Axle Location 8.4"
Lowest Point Outside Rear Axle 8.6"
Lowest Point between Axles 6.0"
Ground Clearance at Center 7.0"
Front Approach Angle ** 14.7°
Rear Approach Angle ** 15.0°
Ramp Clearance Angle 6.5°


**As measured from the centerline of the axles

Dimensions

| | | | |
|-------------|-----------|-------------|---------------------|
| Length | 16' 7.25" | Curb Weight | 4,560 Lbs. |
| Width | 80.25" | SLW / GVW | 5,740 Lbs. |
| Height | 77" | GAWR | 6,055 Lbs. Declared |
| Wheelbase | 121.7" | | |
| Driver Step | 21" | | |

Warranty:

3 Year 36,000 Miles on Conversion***
3 Year 36,000 Miles on Chassis
5 Year 100,000 Miles on Powertrain
***see Options for Extensions up to 5/100,000



| | |
|--------------------|-------------------|
| Door Width | 37.75" |
| Door Height | 56.25" |
| Channel Length | 58.25" |
| Channel Width | 37.75 |
| Ramp Length | 47" |
| Ramp Width | 36.25" |
| Ramp Angle | 11% Ramp |
| Capacity | 1000# |
| Securement Points: | |
| | 8 "L Track" Ovals |
| Length Ramp Open | ~19' 5" |

REAR ENTRY LONG CHANNEL OPTIONSRESTRAINTS TRACKS

| | |
|------------------|--|
| OP-R-00000692 | 12" LAP EXTENSION BELT, Q-STRAINT, Q5-6340-12-INT |
| OP-R-00000699 | 20" SEAT BELT EXTENDER, OEM, FROM Q-STRAINT |
| OP-R-00000700 | 20" SEATBELT EXTENDER, Q-STRAINT, Q5-6340-20-INT |
| OP-R-00001573 | Ship all Pucks/Ovals/Mounting Hardware LOOSE inside the van |
| OP-R-00012-01 | SET OF 4 STORAGE OVALS FOR RESTRAINT STORAGE. |
| OP-R-00012-02 | SET OF 2 STORAGE OVALS FOR RESTRAINT STORAGE. |
| OP-R-00013-01 | 1 ADDITIONAL Q-STRAINT SHOULDER BELT INSTALLED |
| OP-R-00013-02 | Q-8200-A-L - Q-STRAINT STANDARD RETRACTABLE SYSTEM - EXTRA SET (SEMI-AUTOMATIC, MANUAL RETRACTOR - 1 TENSIONING KNOB) KIT, DESIGNED FOR "L" TRACK WITH MANUAL LAP AND SHOULDER HARNESS. KIT QRT STD L-TRK |
| OP-R-00013-03 | Q-8300-A-L - Q-STRAINT MAX RETRACTABLE SYSTEM - EXTRA SET (AUTOMATIC AND SELF-TENSIONING - NO TENSIONING KNOBS REQUIRED, 2 HEADS) KIT, DESIGNED FOR "L" TRACK WITH MANUAL LAP AND SHOULDER HARNESS. |
| OP-R-00013-03-01 | UPGRADE TO REPLACE STANDARD INCLUDED Q-8200 FIRST SET: Q-8300-A-L - Q-STRAINT MAX RETRACTABLE SYSTEM - EXTRA SET (AUTOMATIC AND SELF-TENSIONING - KNOBLESS RETRACTOR, 4 HEADS) KIT, DESIGNED FOR "L" TRACK WITH MANUAL LAP AND SHOULDER HARNESS. |
| OP-R-00013-04 | QER ELECTRICAL Q-STRAINT INSTALL OF 2 HEADS - REPLACES MANUAL Q-STRAINT INSTALL Q5-6210/11-ER4 - Q-STRAINT. ELECTRIC RETRACTOR W/4 METERS OF WEBBING, INCLUDES LAP AND SHOULDER BELT, ELECTRICAL SWITCH, GREEN BUTTON LIGHT ON REAR STREET SIDE QTR PANEL |
| OP-R-00013-05 | QER ELECTRICAL Q-STRAINT INSTALL OF 2 HEADS. ELECTRIC RETRACTOR W/4 METERS OF WEBBING, INCLUDES LAP AND SHOULDER BELT, ELECTRICAL SWITCH, GREEN BUTTON LIGHT ON REAR STREET SIDE QTR PANEL- (INCLUDES BACK-UP MANUAL Q-STRAINT SET). |



- OP-R-00013-06 Q-84009 INQLINE DELUXE COMBO KIT Q'STRAIT WINCH POWER RESTRAINTS KIT COMES WITH 2 ELECTRIC HEADS, LAP & SHOULDER BELTS PLUS REMOTE CONTROL
- OP-R-00013-07 Q-8300-A-SC - QRT MAX KIT FOR SIDE N CLICK, MANUAL LAP AND SHOULDER BELT FIXED MOUNTED, SNC FLOOR ANCHORAGES
- OP-R-00013-08 Q-8100-A-L QSTRAINT QRT DELUXE L TRACK KIT WITH LAP AND SHOULDER BELT
- OP-R-00013-09-01 UPGRADE TO REPLACE STANDARD INCLUDED Q-8200 FIRST SET: QRT-360 RETRACTORS WITH L-TRACK FITTINGS AND RETRACTABLE LAP & SHOULDER BELT COMBO WC/18 COMPLIANT (EXCLUSIVE TO THIS MODEL)
- OP-R-00013-09 QRT-360 RETRACTORS WITH L-TRACK FITTINGS AND RETRACTABLE LAP & SHOULDER BELT COMBO WC/18 COMPLIANT (EXCLUSIVE TO THIS MODEL)
- OP-R-00013-11 Q-STRAINT WALL POUCH, HEAVY DUTY. INSTALLED TO THE VEHICLE
- OP-R-00013-12 Q-STRAINT WALL POUCH, HEAVY DUTY. NOT INSTALLED TO THE VEHICLE

STRETCHERS WHEELCHAIRS MOUNTS

- OP-R-00017-01 WHEELCHAIR HOLDER (INSTALL PER CUST INSTRUCTIONS) WARNING - HOLDER REPLACES ONE PASSENGER SEAT (SEAT DELETE) IF SPARE MOUNTED HOLDER MUST INSTALL ON PASSENGER SIDE
- OP-R-00031-01 INVACARE WHEELCHAIR, LIGHTWEIGHT MANUAL FOLDABLE, 18 IN X 16 IN, 250-350LB CAPACITY

SEATING

- OP-R-00000592 SECOND ROW FLIP SEATS, REMOUNTED FROM DODGE GRAND CARAVAN CAUTIONCHECK FOR AVAILIBTY NOTE: SEATS WILL COME FROM USED VEHICLES AND MAY SHOW SLIGHT WEAR
- OP-R-00000592-01 SECOND ROW FLIP SEATS, DRIVER'S SIDEREMOUNTED FROM DODGE GRAND CARAVAN CAUTIONCHECK FOR AVAILIBTY NOTE: SEATS WILL COME FROM USED VEHICLES AND MAY SHOW SLIGHT WEAR
- OP-R-00000592-02 SECOND ROW FLIP SEATS, PASSENGER SIDE REMOUNTED FROM DODGE GRAND CARAVAN CAUTIONCHECK FOR AVAILIBTY NOTE: SEATS WILL COME FROM USED VEHICLES AND MAY SHOW SLIGHT WEAR
- OP-R-00000701 UPGRADE 2ND ROW SEATING (CS & SS) TO LEVEL 3 COVER - WARNING: THIS OPTION IS FOR QUOTING PURPOSES ONLY - FINAL SUBMITTED ORDER MUST HAVE SPECIFIC option



| | |
|---------------|---|
| OP-R-00000702 | UPGRADE 3RD ROW DOUBLE BENCH SEAT TO LEVEL 3 VINYL WARNING: THIS OPTION IS FOR QUOTING PURPOSES ONLY - FINAL SUBMITTED ORDER MUST HAVE SPECIFIC OPTION |
| OP-R-00000703 | FREEDMAN FLIP/FOLD MID CABIN, CS & SS 3PT SEATS |
| OP-R-00000867 | ADD CHILD RESTRAINT TETHERS TO 2ND ROW SEATS, REAR ENTRY, LONGCUT NOTE: FOR QUOTE ONLY - ACTUAL OPTION NEEDS TO BE SPECIFIED PRIOR TO FINALIZATION OF ORDER |
| OP-R-00000868 | ADD 1 USA ARMREST TO THE INBOARD SIDE OF 2ND ROW SEATS, REAR ENTRY, LONGCUT NOTE: FOR QUOTE ONLY - ACTUAL OPTION NEEDS TO BE SPECIFIED PRIOR TO FINALIZATION OF ORDER |
| OP-R-00001-06 | KEEP ALL CUSTOMER OEM SEATS; RETURN ALL SEAT BRACKETS AND SCREWS LOOSE IN VEHICLE (Used Vehicle Conversion) |
| OP-R-00003-01 | DRIVER SIDE SECOND ROW SEAT DELETE. (LONGCUT) |
| OP-R-00003-02 | PASSENGER SIDE SECOND ROW SEAT DELETE. (LONGCUT) |
| OP-R-00003-03 | DRIVER SIDE & PASSENGER SIDE SECOND ROW SEAT DELETE. (LONGCUT) |
| OP-R-00008-03 | 3RD ROW FREEDMAN MINIVAN VP FOLDAWAY DOUBLE PASSENGER SIDE BENCH SEAT, LEVEL 1 OXEN BLACK VINYL (PACIFICA / VOYAGER) |
| OP-R-00008-04 | 3RD ROW FREEDMAN MINIVAN VP FOLDAWAY DOUBLE PASSENGER SIDE BENCH SEAT, LEVEL 1 OXEN BLACK VINYL (Sienna) |
| OP-R-00021-01 | 1 BLACK AFTERMARKET FREEDMAN SEAT & BASE CS ASSEMBLY (TO SHIP IN VAN) |
| OP-R-00021-02 | 1 BLACK AFTERMARKET FREEDMAN SEAT & BASE SS ASSEMBLY (TO SHIP IN VAN) |
| OP-R-00022-01 | 1 SET OF FREEDMAN HIGH BACK RIGID FEATHER WEIGHT SEAT 16 INCH - SINGLE IN BLACK CLOTH MAP POCKETS WITH GLITZ STITCHING |

INTERIOR

| | |
|---------------|--|
| OP-R-00002-10 | ADD OEM INFLATABLE SPARE TIRE MOUNTED BEHIND DRIVER SIDE REAR WALL PANEL, INCLUDES JACK AND NEW PANEL INSERT |
|---------------|--|

MISCELLANEOUS

| | |
|---------------|---|
| OP-R-00015-07 | 911 EMERGENCY DOT KIT INCLUDES: 5LB FIRE EXTINGUISHER (INSTALLED), BASIC FIRST AID KIT, ROAD TRIANGLES |
| OP-R-00019-01 | LOCKABLE STORAGE MEDICAL BOX |
| OP-R-00025-01 | SURE-LOK SINGLE OXYGEN BOTTLE HOLDER (SL-5420) (INSTALLATION INCLUDED) OP-R00025-02 SURE-LOK DOUBLE OXYGEN BOTTLE HOLDER (SL-5401) INSTALLATION INCLUDED. |
| OP-R-00028-01 | BELT CUTTER |
| OP-R-00028-02 | SEAT BELT LOOP |
| OP-R-00028-03 | TETHER STRAP FOR RAMP |
| OP-R-00036-01 | EMERGENCY REAR HATCH RELEASE PULL CABLE |
| OP-R-00000683 | INSTALL 3" TRANSIT STRIPING, 3M REFLECTIVE SERIES 680 VINYL, WHITE |
| OP-R-00000689 | STATE CERTIFIED WEIGHT CERTIFICATE |
| OP-R-00000690 | 2" REFLECTIVE TAPE, 3M ON OUTER RAMP EDGES |



EXTERIOR

OP-R-00000644 TOURING SUSPENSION, PACIFICA/VOYAGER REAR ENTRY. USES OEM SUSPENSION COILS WITH HELPER SPRINGS IN PLACE OF HEAVY-DUTY AFTERMARKET SPRINGS.

CAUTION WILL REDUCE AVAILABLE PAYLOAD.

OP-R-00002-07 ALLOY WHEELS

OP-R-00016-02 PACIFICA RUNNING BOARD SET, DS/PS, 5" ALUMINUM EXTRUSION WITH FULL RUBBER COVER

OP-R-00027-01 CUSTOM VEHICLE WRAP -Deposit Required

ELECTRICAL

OP-R-00006-01 REAR HATCH LAMP, LED, RAMP ILLUMINATION, MINIVAN

OP-R-00015-05 BACKUP ALARM 107 DB OUTPUT, 12 VOLT DC OPERATION, WATERPROOF, STAINLESS STEEL TERMINALS, CONFORMS TO SAE J994 OP-R-00015-06

BACKUP SENSOR SYSTEM WITH AUDIBLE BEEPER

OP-R-00018-02 1000 PROWATT INVERTER & BASE -XM1000, BETWEEN DRIVER AND PASSENGER SEATS

OP-R-00032-01 INTERLOCK FOR REAR ENTRY PACIFICA/VOYAGER. PRAN SYSTEM

OP-R-00035-01 ADDITIONAL USB OUTLET, MOUNTED TO REAR OF FRONT CENTER CONSOLE WARRANTY

OP-R-00300-01 REAR ENTRY VAN STANDARD CONVERSION WARRANTY 3YRS / 36,000 MILES PARTS & LABOR

OP-R-00300-02 REAR ENTRY EXTENDED CONVERSION WARRANTY 5 YRS /60,000 MILES PARTS & LABOR

OP-R-00300-03 REAR ENTRY VAN EXTENDED CONVERSION WARRANTY 5YRS /100,000 MILES PARTS & LABOR



2023 Voyager LX Standard Equipment

CHRYSLER VOYAGER LX

Exterior Color: Bright White w/ Clear-Coat
Interior Color: Black / Alloy / Black
Premium Cloth Bucket Seats
3.6L V6 24V VVT Engine
9-Speed ESS Automatic Transmission

STANDARD EQUIPMENT

FUNCTIONAL/SAFETY FEATURES

Advanced Multistage Front Air Bags
Driver Inflatable Knee-Bolster Air Bag
Passenger Inflatable Knee-Bolster Air Bag
Supplemental Side-Curtain All-Rows Air Bags
Supplemental Front Seat-Mounted Side Air Bags
LATCH-Ready Child-Seat Anchor System

ParkView® Rear Back-Up Camera
Electronic Stability Control
Electric Power Steering
Electric Park Brake
Pedestrian Emergency Braking
Full-Speed Forward-Collision Warning Plus
Hill-Start Assist
Anti-Lock 4-Wheel-Disc Brakes

Push-Button Start
Rear-Seat Reminder Alert
Remote Start System
Security Alarm
19-Gallon Fuel Tank

INTERIOR FEATURES

Uconnect® 5 with 7-Inch Touch Screen Display
Google Android Auto™
Apple CarPlay®
Full Function Media Hub with
2-USB Plus Aux Port
2nd and 3rd-Row Stow 'n Go®
Seats with Easy-Tilt
3rd-Row Stow 'n Go® 60 / 40 Bench

8-Way Power Adjustable Driver Seat
2nd-Row In-Floor Storage Bins
Power Front Windows with
1-Touch Up / Down 2nd-Row
Power Windows

Steering-Wheel-Mounted Audio Controls
Tilt / Telescope Steering-Column

Front Floor Mats
Air Conditioning with 3-Zone Temp Control
6 Speakers
SiriusXM® with 6-Month Radio
Power Liftgate
Power Sliding Doors
Heated Front Seats
Heated Steering Wheel
Integrated Active Noise Cancellation

EXTERIOR FEATURES

17-Inch x 7.0-Inch Aluminum Wheels
235/65R17 BSW All-Season Tires
Halogen Headlamps
High-Beam Daytime Running Headlamps
Body-Color with Black Power Mirrors
Exterior Mirrors with Heating Element
Remote Proximity Keyless Entry All Doors

OPTIONAL EQUIPMENT

Customer Preferred Package 27E
Quick Build no Additional Options