

**OSAGE AMBULANCE
SUPER WARRIOR**

TYPE I Ram 5500 4WD

Southeastern Specialty Vehicles
911 Martin Creek Road
Henderson, NC 27537

Customer Name: North Carolina Sheriff Associaton Purchasing Contract 2023
& Address

Shipping Address:

Fleet Number:

Contact Name:

Email:

Phone:

Fax:

Chassis Type: F550 4WD

Osage Unit #:

VIN:

Qty	CHEVROLET G-SERIES TYPE III - 2026 CHASSIS ONLY	
	Chevy G3500, 139" WB - Gas	EST
	Chevy G4500, 159" WB - Gas	EST
	CHEVROLET G-SERIES TYPE III - 2026 CONVERSION ONLY	
	Chevrolet 2148 Warrior	
	Chevrolet 2168 Super Warrior	
	FORD E-SERIES TYPE III - 2026 CHASSIS ONLY	
	Ford E350, 138" WB - GAS	EST
	Ford E450, 158" WB - GAS	EST
	FORD E-SERIES TYPE III - 2026 CONVERSION ONLY	
	Ford 2148 Warrior	
	Ford 2168 Super Warrior	
	MERCEDES-BENZ SPRINTER - 2026 CHASSIS ONLY	
	Mercedes-Benz Sprinter Diesel Chassis	EST
	MERCEDES-BENZ SPRINTER - 2026 CONVERSION ONLY	
	Mercedes-Benz Sprinter 2148 Warrior III	
	FORD F-SERIES TYPE I - 2026 w/UREA - D.E.F. - CHASSIS ONLY	
	(Call for Chassis Availability)	
	F-450, 169" WB, 4x2	EST
	F-450, 169" WB, 4x4	EST
	F-550, 193" WB, 4x2	EST
	F-550, 193" WB, 4x4	EST
	Option: Liquid Spring Suspension (Front: 110lbs, Rear: 150lbs)	
	Option: Add Front Liquid Spring	
	Option: Add Aluminum Wheels	
	FORD F-SERIES TYPE I - 2026 GAS - CHASSIS ONLY	
	(Call for Chassis Availability)	
	F-450, 169" WB, 4x2	EST
	F-450, 169" WB, 4x4	EST
	F-550, 193" WB, 4x2	EST
	F-550, 193" WB, 4x4	EST
	Option: Liquid Spring Suspension (Front: 110lbs, Rear: 150lbs)	
	Option: Add Front Liquid Spring	
	Option: Add Aluminum Wheels	
	FORD F-SERIES TYPE I - 2026 CONVERSION ONLY	
	Ford 2148 Warrior	
	Ford 2168 Super Warrior	

	RAM TYPE I w/UREA - 2026 CHASSIS ONLY	
	Ram 4500, 168" WB, 4x2	EST
	Ram 4500, 168" WB, 4x4	EST
	Ram 5500, 192" WB, 4x2	EST
<u>1</u>	Ram 5500, 192" WB, 4x4	EST
<u>1</u>	Option: Liquid Spring Suspension	
	Option: Add Front Liquid Spring	
	Option: Add Aluminum Wheels	
	RAM TYPE I - 2026 GAS - CHASSIS ONLY	
	Ram 4500, 168" WB, 4x2	EST
	Ram 4500, 168" WB, 4x4	EST
	Ram 5500, 192" WB, 4x2	EST
	Ram 5500, 192" WB, 4x4	EST
	Option: Liquid Spring Suspension	
	Option: Add Front Liquid Spring	
	Option: Add Aluminum Wheels	
	RAM TYPE I 2026 CONVERSION ONLY	
	Ram 2148 Warrior	
<u>1</u>	Ram 2168 Super Warrior	
	Freightliner / International TYPE I - 2026 CONVERSION ONLY	
	2168/Freightliner / International Med-Duty	

- Warrior: 148"L x 68" Headroom
- Super Warrior: 168"L x 72" Headroom
- Aluminum Diamond Plate Running Boards
- Rear Mud Flaps
- Totally "Seamless" Body Construction
- Exterior Side & Roof Panels .125" Aluminum
- One-Piece Exterior Side Panels
- One-Piece Crowned Roof
- Frame Members 2" x 2" Aluminum Tubing
- Frame Members on 12" Centers or Less
- Diamond Plate Shields:
 - Across Lower Rear of Body
 - Across Lower Front of Body
 - Lower 1/3 of Entry Doors
- All Exterior Doors "Pan-Formed" / Extruded Double Break Construction

- Two Red Whelen ION-T Mounted in grill
- Four Red Whelen ION-T Intersection Lights Mounted in Front and Rear Fenders
- Eight Red LED Whelen 9x7 Modular Lights
- One Clear LED Whelen 9x7 Front Modular Light
- One Amber LED Whelen 9x7 Rear Modular Light
- Two LED Whelen 9x7 Scene Lights Per Side

- 8" Belt Line Paint Stripe
- Base Coat / Clear Coat Modular Paint

- Digital Voltmeter
- Audible Low-Voltage Alarm
- Weldon V-Mux Electrical System w/ Load Management & Sequencing System
- Wiring Color-Coded and Heat Embossed Every 6" w/ Function
- Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area
- One Piece Molded Front Switch Console
- Hinge Mounted Attendant Switch Console
- Control Console Backlighting Dimmer

- All Vertical Corners 1" Radii
- Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060"
- Lon-Plate, non skid Vinyl Flooring Rolled 3" Up Both Sides of the Aisle
- EMT Seat, Pedestal Mounted Deluxe **Seamless** Vinyl Captains Chair w/3-Pt Belt
- CPR Seat, three piece, molded contoured cushions
- Squad Bench
- Retractable Seat Belts for All Locations
- Handicap Style, 1 ½" Diameter, Full Length, Stainless Steel Overhead Grab Rail. This Rail shall be treated with Agion Anti-Bacterial Coating.
- Handicap Style, 1 ½" Diameter, Stainless Steel Door Pulls on Patient Compartment Doors. These Bars shall be treated with Agion Anti-Bacterial Coating.
- Padded Bulk-Head Cabinet Doors
- ALS Compartment w/ In/Out Access

MODULE

- All Body Openings "**Seamless**"
- All Door Latches Mounted Behind Gaskets
- Exterior Compartment @ Front Left for Storage of Oxygen Tank and Back Boards
- Exterior Compartment Adjustable Shelving
- Exterior Compartment Lighting
- Cast "Grabber" Door Holders
- Lower Body Impact Rub Rails
- Polished Stainless Steel Fenderettes
- Flip-up Rear Step Bumper w/ 4" x 18" Dock Bumpers
- Automotive Undercoating

WARNING SYSTEM

- Two LED Whelen 9x7 Rear Load Lights
- Primary / Secondary Switching
- Whelen 295 SLA1 Siren
- Siren / Horn Switch
- Cast Siren Speaker
- Rear DOT Lighting Whelen LED 4x6 w/ Chrome Flanges: Red Tail / Brake, Amber Arrow Turn
- Reverse are LED

PAINT & MARKINGS

- "No Smoking" & "Fasten Seat Belt" Signs
- Ambulance / Star-of-Life Decals

ELECTRICAL

- Battery Switch Activated via Ignition Switch
- Open Door Warning Light
- Hand Held 300,000 CP Spotlight
- Whelen Dual Intensity LED Patient Compartment Dome Lights
- Exterior Weatherproof Shoreline Receptacle
- Two Interior 110V Duplex Receptacles
- Two Interior 12V Cigar Style Receptacles
- One Pre-Wire Antenna Cable
- Electrical Back-up Alarm

INTERIOR

- R-29 Reflectics Insulation Through-out Module
- Thermostatically Controlled Patient Compartment Heat & Cool System
- 3-Speed Manual Fan Control
- Rear Heat & Cool Unit Mounted Floor Level;
 - * Moisture Drains Directly Through Floor
 - * Short Coolant Circulation Distance
 - * Eliminates Vertical Circulation of Coolant
 - * Unit Easily Accessible for Maintenance
- Overhead Air Distribution w/ Floor Level Filtered Air Return for Optimum Circulation
- Two Recessed, Swing-up Dual IV Hangers
- "Zico" Retaining Bracket for Oxygen "M" Cyl
- Three "Ohio" Oxygen Outlets
- SSCOR Suction System
- Locking Sharps Container (Shipped Loose)
- Locking Drug Compartment
- Digital Clock
- Stryker Floor Plate
- Seamless Seat Cushions**

[illegible]

Qty	EMERGENCY & EXTERIOR LIGHTING & SIREN OPTIONS	
	Continued	
	Whelen Smart Linear LED's	
	W-13	Additional 900 Solid LED, R, B or A
	W-14	Additional 900 Solid LED, C
	W-15	Additional 900 Green
	W-16	Additional 900 R/B or R/A LED
	W-17	Additional 900 R/C or B/C LED
	W-18	Upgrade 900 LED to Solid C
	W-19	Upgrade 900 LED to Green
	W-20	Upgrade 900 to Split R/B or R/A
	W-21	Upgrade 900 to Split R/C or B/C
	W-22	700 LED I.L.O. ION-T, R, B or A
	W-23	700 LED I.L.O. ION-T R/B or R/A
	W-24	700 LED I.L.O. ION-T, All or 1/2 Clr
	W-25	Additional 700 LED R, B or A
	W-26	Additional 700, R/B or R/A
	W-27	Additional 700 LED All or 1/2 Clr
	W-28	Additional 600 LED, R, B or A
	W-29	Additional 600, R/B or R/A
	W-30	Additional 600 LED All or 1/2 Clr
	W-31	Additional 500 LED, R, B or A
	W-32	Additional 500, R/B or R/A
	W-33	Additional 500 LED, All or 1/2 Clr
	W-34	Upgrade 900 to M9 LED, R, B, A, R/B, R/A
	W-35	Upgrade 900 to M9, All or 1/2 Clear
	W-36	Additional M9, Red, B, A, R/B, R/A
	W-37	Additional M9 (All or 1/2 CLR)
	W-38	Upgrade ION-T to M6 Red, B, A
	W-39	Upgrade ION-T to M6, R/B, or R/A
	W-40	Upgrade ION-T to M6 All or 1/2 CLR
	W-41	Additional M6 LED, R, B or A
	W-42	Additional M6, R/B or R/A
	W-43	Additional M6 LED, All or 1/2 Clr
	W-44	Upgrade ION-T to M7 R, B or A
	W-45	Upgrade ION-T to M7 R/B, or R/A
	W-46	Upgrade ION-T to M7 All or 1/2 CLR
	W-47	Additional M7 LED, R, B or A
	W-48	Additional M7 LED, R/B, R/A
	W-49	Additional M7 LED, All or 1/2 Clr
	W-50	Whelen ION-T, R, B, A
	W-51	Whelen ION-T, R/B or R/A
	W-52	Whelen ION-T, All or 1/2 Clr
	W-53	Whelen OS Light
	W-54	Add Any Light to Interior of Door (Add to Light Price)
	Specify Flash Pattern to set LED's to _____	
	LED's to be: _____ Unsynchronized _____ Synchronized on K Flasher	
Qty	Scene Lights	
	W-55	Whelen 90COENZR 24-DIODE Scene Light, Additional
	W-56	Whelen 700 Scene LED Additional
	W-57	M9 LED Scene, Upgrade
	W-58	M9 LED Scene, Additional
	W-59	M7 LED Scene, Upgrade
	W-60	M7 LED Scene, Additional
	W-61	Pioneer Single w/Flange, Upgrade PCPSM1C
	W-62	Pioneer Spot & Flood w/Flange, Upgrade PCPSM2C
	W-63	Pioneer Single w/Flange, Additional PCPSM1C
	W-64	Pioneer Spot & Flood w/Flange, Additional PCPSM2C
	W-65	Upgrade Brake/Tail to M6 (Pair)
	W-66	Upgrade Turn to M6 (Pair)
	W-67	Upgrade Reverse to M6 (Pair)

EMERGENCY & EXTERIOR LIGHTING & SIREN OPTIONS	
<p>Emergency lighting is required for all buildings with a fire alarm system. The system must be designed to provide a minimum of 1 hour of illumination in the event of a power failure. The system must be designed to provide a minimum of 1 foot-candle of illumination on the exit path.</p> <p>Emergency lighting is required for all buildings with a fire alarm system. The system must be designed to provide a minimum of 1 hour of illumination in the event of a power failure. The system must be designed to provide a minimum of 1 foot-candle of illumination on the exit path.</p>	<p>Exterior lighting is required for all buildings with a fire alarm system. The system must be designed to provide a minimum of 1 hour of illumination in the event of a power failure. The system must be designed to provide a minimum of 1 foot-candle of illumination on the exit path.</p> <p>Exterior lighting is required for all buildings with a fire alarm system. The system must be designed to provide a minimum of 1 hour of illumination in the event of a power failure. The system must be designed to provide a minimum of 1 foot-candle of illumination on the exit path.</p>

Continued

Siren & Speakers

W-68	Federal Rumbler (Only Available w/ Federal Siren, Whelen 295 Sirens, Signal #SS700-008, Code 3 VCON & 3997RS, Carson SC-4074 Commander)
W-69	Federal E-Q2B
W-70	Federal PA-300
W-71	SA-430 Siren w/ Remote Control Head, Upgrade
W-72	SA-441 Siren w/Remote Control Head, Upgrade
W-73	SA-441-17F w/Mechanical Tone
W-74	295 HFSC9 Dual Tone
W-75	295 HFS2 Remote Head
W-76	295 HFS7 Remote Head, Dual Amps
W-77	Whelen Howler (Only Available w/ Whelen Siren)
W-78	Buell Dual Air Horns Mounted Under Front Bumper
W-79	Buell #16122 Compressor & # 5440 2nd Tank Upgrade

Exterior Lighting

	W-80 6 x 4 LED Turn Lights w/ Chrome Flanges Mounted Front of Module, (Per Pair)
	W-81 M6 Turn Lights w/Chrome Flanges on Front of Mod (per pair)
	W-82 Hella Fog Lights
	W-83 PIAA LED Fog Lights
	W-84 LED Running Board Lights
	W-85 Zico LED Under Body Lights (Per Pair)
	W-86 Zico Angled Reverse Lights White (Per Pair)
	W-87 Zico Angled Reverse Lights Polished (Per Pair)
	W-88 Additional LED Compartment Light to LED
	W-89 Techniques E-41 LED Strip Lighting in all Compartments

Additional Emergency & Exterior Lighting & Siren Options & Special Instructions

	ELECTRICAL OPTIONS	
Qty	Inverters, Chargers, Batteries, Shorelines & Outlets	
	E-01	Pre-Wire for Vanner Inverter with Remote Switch
	E-02	Vanner Inverter / Conditioner w/ Remote Switch, Model LSC12-1100
	Choose One: Inverter on with ____ Ignition ____ Switch in Rear Panel	
	E-03	Iota P.C. 30 Battery Charger
	E-04	Iota P.C. 45 Battery Charger (Requires 30 Amp Shoreline)
	NOTE: BATTERY CHARGER REQUIRED IN KKK-F	
	E-05	Add 2nd 20amp shoreline and circuit
	E-06	OEM Batteries Mounted in Slide Out Tray in Exterior Battery Compt. (N/A on Type I)
	E-07	Additional (3rd) Matching Battery (Requires Ordering Exterior Battery Compartment
	E-08	Upgrade to Twist Lock 30 Amp Shoreline
	E-09	Upgrade to Kussmaul Auto Eject Shoreline Plug, 20 Amp
	E-10	Upgrade to Kussmaul Auto Eject Shoreline Plug, 32 Amp
	E-11	Shoreline Indicator at Shoreline
Qty	Outlets & Interior Lighting	
	E-12	110 V Outlet, Additional per Outlet
		12V DC Outlet, Cigar Style, Additional per Outlet
		Note: Outlets will be Ignition Hot unless otherwise specified
	E-13	
	E-14	110/USB Outlet
	E-15	Dual USB Outlet
	E-16	Single Overhead Reading Light in Cab
	E-17	R/W Dome Light in Cab
	E-18	LED Federal Little Lite
	E-19	Interior Cabinet Lighting w/On/Off Switch Mounted in Action Panel (Strip LED)
	E-20	Power Door Lock Control Head
	E-21	Power Door Lock Per Door
	E-22	LED Lights (3) Above Rear Entry Doors (Brake & Turn)
	E-23	Whelen Round LED Domelights w/Chrome Flange (Upgrade per Lt)
	E-24	Whelen Rectangular LED Domes (Upgrade per Light)
	E-25	Intertech Round LED Domes (Upgrade per Light)
	E-26	Additional Dome Lights (Add to Cost of Upgrade Light, if Ordered)
	E-27	Upgrade Dome to Red/Clear
	E-28	Upgrade Dome to Blue/Clear
	E-29	Heart of Chrome Customs UV Light
Qty	Switches & Secure Idle	
	E-30	(3) Switch Auxiliary Panel (V-MUX Pod)
	E-31	Extra Switch & Pre-Wire (Separate From V-MUX System)
	E-32	Hidden Switch in Grill for Door Locks (All Other Chassis)
	E-33	Hidden Switch in Grill for Door Locks (F Series)
	E-34	Idle Lock Security System
	E-35	2nd Switch Panel on Curbside Wall
Qty	Pre-wires, Radios, Intercom, & Clocks	
	E-36	Antenna Pre-Wire, (additional per Pre-Wire)
	E-37	Pre-Wire & Ground for Radio, (additional per Pre-Wire)
		Install Customer Radio Cable (each)
	E-38	Note: Specify Brand of Radio Cable: _____
	E-39	Install Customer Antenna (each)
	E-40	Install Customer Radio Head (each)
	E-41	Two Radio Speakers in Patient Compartment
	E-42	Volume Control for Rear Speakers Mounted in Action Area
	E-43	Intelli-Tech Time Manager
	E-44	Carbon Monoxide Monitor

9 of 20

Qty

ELECTRICAL OPTIONS

Continued

DEDUCTIONS:

E-86 Delete: (2) Dome Lights

Qty

Additional Electrical Options & Special Instruction

11 of 20

Qty	INTERIOR OPTIONS	
	Laminate & Vinyl	
	I-01	Custom Laminate Color
	I-02	Custom Vinyl Color
Qty	Note Provide Colors: Laminate Color: (Standard Colors: Dove Grey, Grey Glace, Grey Nebula) Vinyl Color: (Standard Colors: Cobalt Blue, Wedge Wood Blue, Ash Gray, Desert Rose Red) Lonplate Color: #176 Pewter, #424 Gunmetal, #165 Sapphire	
	Flooring, Aisle, Backboard Slots	
	I-03	Lonspeck #SX112 Magnetic Gray
	I-04	Lon-Coin Flooring Note: Provide Color: _____
	I-05	Lon-Plate Flooring, Custom Color Note: Provide Custom Color: _____
	I-06	Composite Subfloor
Qty	Seating, Squad Bench, EMT, CPR	
	I-07	Swivel Pedestal for EVS Attendant Seat Price to Upgrade EMT Seat:
	I-08	3-Pt. Child Seat
	I-09	4-Pt. Bucket Seat
	I-10	4-Pt. Child Seat
	I-11	5-Pt. Bucket Seat
	I-12	5-Pt. Child Seat
	I-13	6-Pt. Bucket Seat
	I-14	6-Pt. Child Seat
	I-15	Add Recline to EVS Seat
	I-16	EVS Mobility I w/3-pt, 1769 Seat NOTE: This Seat Requires 39" From Wall for Swivel
	I-17	3-Pt 1769 Seat, fixed Pedistal, I.L.O. Bench or CPR
	I-18	4-Pt 1769 Seat, fixed Pedistal, I.L.O. Bench or CPR
	I-19	Armrest for EVS Seat (Each)
		6-Point Seat Belt, Per Position Note: Specify Color (If no color is chosen, black will be provided:
	I-20	Black _____ Orange _____ Red _____ Yellow _____
	I-21	Aluminum Plates in Wall for Future Installation of 6-Pt. Belts (per seating position)
	I-22	Cargo Net, End of Squad Bench
	I-23	12" Seat Belt Extension
	I-24	Seat Belt Monitor (requires sensors below)
	I-25	Sensor for EVS Seat (per position)
	I-26	Sensor for 2-Point Belt (per position)
	I-27	Sensor for 6-Point Belt (per position)

[illegible]

INTERIOR OPTIONS

Continued

Qty

Additional Headroom, Crawl Through (Type I), Bariatric Package

I-99 Custom Headroom. Fill in Height _____

I-100 Crawl Through to Cab, (Type I)

I-101 Move Struts to Ends of Bench

I-102 Move Paddle Latches to Ends of Bench

DEDUCTIONS:

I-103 Single Bench Lid

I-104 Delete Gas Struts on Bench

I-105 Laminated Counter

Qty

Additional Interior Options & Special Instructions

16 of 20

[illegible]

[illegible]

Qty

Additional Options & Instructions

Osage believes the proposed design (identified above with an *) could increase the chance of injury to passengers, and recommends the following:

_____ There would be no additional cost for this change.

_____ The additional charge for this change would be _____

_____ Dealer directs that Osage modify the design as recommended.

_____ Dealer acknowledges the above recommendation, and directs Osage to proceed with the original design.

This recommendation was reviewed with the purchaser, _____

of _____ Date _____

**Endows Responsibility for Full Payment for Unit#
within Three (3) Days of Completion.**

TERMS ARE F.O.B. LINN, MO

**OSAGE AMBULANCE WILL NOT BE RESPONSIBLE FOR THE
PERFORMANCE OF CUSTOMER SUPPLIED OR SPECIFIED PRODUCT.**

**THIS ORDER IS NOT BINDING UNTIL SIGNED BY BOTH AN OSAGE
DEALER, AND/ OR AN AUTHORIZED REPRESENTATIVE FOR AN OSAGE
DEALER, AND AN AUTHORIZED REPRESENTATIVE FOR OSAGE
AMBULANCE.**

Signature of Osage Dealer or Authorized Agent

Date Signed

Signature of Authorized Representative of Osage Ambulance

Date Signed