

RZR Pro XP Premium Super Graphite

Polaris Model #Z23RAB92AK



Key Specifications

| | | |
|-----|-------|------------------|
| 181 | 64" | 14.5" |
| HP | WIDTH | GROUND CLEARANCE |

ENGINE & DRIVETRAIN

| | |
|-----------------------------|--|
| Cooling | Liquid |
| Cylinders Displacement | 925cc |
| Drive System Type | Isolated Xtreme Performance True On-Demand AWD/2WD |
| Engine Braking System (EBS) | Not Equipped |
| Engine Type | 4-Stroke DOHC Twin Cylinder Turbocharged |
| Fuel System/Battery | Electronic Fuel Injection |
| Horsepower | 181 HP |
| Transmission/Final Drive | Automatic PVT P/R/N/L/H |

DIMENSIONS

| | |
|----------------------------------|---|
| Bed Box Dimensions (L x W x H) | 26 x 17.7 x 11.5 in (66 x 45 x 29.2 cm) |
| Box Capacity | 300 lb (136 kg) |
| Estimated Dry Weight | 1,784 lbs (809 kg) |
| Fuel Capacity | 12 gal (45.4 L) |
| Ground Clearance | 14.5 in (36.8 cm) |
| Hitch Towing Rating | N/A |
| Overall Vehicle Size (L x W x H) | 126 x 64 x 71.7 in (320 x 162.6 x 182.1 cm) |
| Payload Capacity | 740 lb (336 kg) |
| Wheelbase | 96 in (244 cm) |

BRAKES

| |
|-------------------|
| Front/Rear Brakes |
|-------------------|

| | |
|---------------|---|
| | 4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers |
| Parking Brake | Park In-Transmission |

ADDITIONAL SPECIFICATIONS

| | |
|---------------------------|--|
| Cargo System | Lock & Ride® |
| Doors | Full Doors |
| Electronic Power Steering | High Assist Electronic Power Steering with Quick Turn Rack; Race inspired Steering Wheel with Tilt and Telescoping Adjustment |
| Hitch Type | Not Equipped |
| Instrumentation | PMX-2 Head Unit, AM/FM/WB tuner, compact digital media receiver, 2.7 in. full color display, TFT display delivers full viewing capabilities in full sun, Pandora control capabilities, Bluetooth audio streaming, LED button illumination, water resistant rotary encoder knob, Rockford Fosgate® Premium Audio (Including 2 Tweeters & 2 Front Speakers), Dual-sweep Analog Dials w/ 4 in LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals, Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator, DC Outlet |
| Lighting | Signature White LED, Low / High & Red LED Tail / Brake Lights; Front & Rear LED Accent Lights |
| Other Standard Features | High Output 900w charging system with sealed electrical, Polaris Pulse system, Front Bumper, In-Dash Charge Port, Cut & Sew Seats, Polaris P.A.S.S., Rockford Fosgate Stage 1 Audio. |
| Seat Type | Bolstered Bucket Seats with 4-way adjustability (including 6" front to back toolless seat slider with tilt adjustability) and Retractable Click-6 Harnesses |

TIRES / WHEELS

| | |
|-------------|--|
| Front Tires | 30 x 10-14 MAXXIS Carnivore; Wheel Size 14x6 |
| Rear Tires | 30 x 10-14 MAXXIS Carnivore; Wheel Size 14x7 |
| Wheels | Cast Aluminum |

SUSPENSION

| | |
|--------------------------------------|--|
| Electronic Suspension Control System | Not Equipped |
| Front Shocks | 2" FOX Shocks with Position Sensitive Spiral Technology and QS3 compression adjusters |
| Front Suspension | High-Clearance Dual A-Arm with Stabilizer Bar and 20 in (50.8 cm) Usable Travel*, 17 in (43.2 cm) Wheel Travel |
| Rear Shocks | 2.5" FOX Shocks with Position Sensitive Spiral Technology and QS3 compression adjusters |
| Rear Suspension | |

Trailing Arm & Standard-Clearance Radius Rods with Stabilizer Bar and
22 in (55.9 cm) Usable Travel*, 20 in (50.8 cm) Wheel Travel