

PICKUP SERIES

B

LIFTGATES, INC

LIFTING CAPACITIES (LBS): 1500

8888 88

KEY ADVANTAGES

1. Twin Cylinder Drive

Cylinders provide powerful lifting at low hydraulic pressures for extended hydraulic system life.

2. **Stabilizer Beam** Minimizes lift sway and doubles as a step.

- 3. **Lifetime-Warranty Service Free Bushings** Used at all critical pivot points to reduce wear without the need for routine lubrication.
- 4. **Spare Tire Access** Spare tire accessible through two holes in rear frame.
- 5. **Marine Duty Potted Toggle Switch** Heavy duty toggle, potted to permanently separate and seal electrical connections from corrosion.

QUALITY, RELIABILITY, CUSTOMER SERVICE

MADE IN THE USA

(4)

BUILT FOR WORK A work truck should be tough. To be sure ALB is up to the task, we endurance tested it to 100,000 cycles at maximum capacity. The result: zero failure, and no visible signs of wear to critical pivot points. THAT is Anthony quality.

STANDARD FEATURES

- Anthony 3-Step Powder Coat

Steel components are washed, shot blast prepped, and coated with premium finish.

EZ Mount

Ships factory assembled, filled, and tested.

- Industry-Leading Warranty

2 years mechanical + 2 years electrical & hydraulic, parts and labor.

Circuit Protection

200 Amp fuse protects truck wiring from a "dead short".

- Pressure Compensated Flow Valve

Constant, controlled speeds at all times. Prevents "free-fall" under certain hydraulic failures.

Easy Access Power Unit

Accessible through steel panel on top of rear bumper housing.

Universal Mount

Fits most full size domestic or foreign pickups, and most utility bodies. Designed to allow clearance with most hitch assemblies.

QUALITY COMES STANDARD

AVAILABLE PLATFORMS

Platform Type	Load Area + Ramp	
Steel Ramped	50" x 41" + 6"	
Aluminum Ramped	50" x 41" + 6"	
Steel Bar Grate with Tire Rack	50" x 22"	

OPTIONS

- Galvanized finish with extended warranty

- Wireless, removable handheld corded, or dual control options.
- Access step kit
- Light kit
- Cab cutoff switch
- Utility body mounting kit

ALB DIMENSIONS

Bed Height Range Up to 4	6
--------------------------	---

А	61.7″		
В	52.5″		
С	19.5″		
D	50"		
Е	46″		
F	5″		
G	36.75″		
Н	4.6″		
	7.3″		
J	21.8"		
К	16.9″		



Anthony Liftgates, Inc.

1037 W. Howard Street P.O. Box 615 Pontiac, IL 61764-0615 Phone: 815.842.3383 Fax: 815.844.3612 Toll Free: 800.482.0003 www.anthonyliftgates.com



VAN & UTILITY BODY SERIES

LIFTING CAPACITIES (LBS): 1600, 2000

KEY ADVANTAGES

- 1. **Simple & Reliable Design** Proven for over 25 years.
- 2. Level Ride Platform Platform remains level throughout the lift cycle.
- 3. **EZ Mount** Ships factory assembled, filled, and tested.
- 4. **Marine Duty Potted Toggle Switch** Heavy duty toggle, potted to permanently separate and seal electrical connections from corrosion.



MADE IN THE USA

QUALITY, RELIABILITY, CUSTOMER SERVICE

STANDARD FEATURES

- **LED Lighting** Bright stop/turn/tail lights built in to the liftgate frame.
- **Anthony 3-Step Powder Coat** Steel components are washed, shot blast prepped, and coated with premium finish.

- **Pressure Compensated Flow Valve** Constant, controlled speeds at all times. Prevents "free-fall" under certain hydraulic failures.
- Circuit Protection
 200 Amp fuse protects truck wiring from a "dead short".

QUALITY COMES STANDARD

AVAILABLE MODELS, PLATFORMS, CAPACITIES

Model	LA-66	LA-86		
Capacity (lbs)	1600	2000		
Bed Height Range	Up to 54"			
Overall Width	72″	92″		
Available Platforms (Load Area + Ramp)				
All Aluminum	65" x 41" + 6"	85" x 41" + 6"		
Steel Bar Grate with Tire Rack	65" x 27"	85" x 27"		

OPTIONS

- Galvanized Finish
- Wireless, removable handheld corded, & dual control options
- Dual, foot operated cart stops

LA MOUNTING DIMENSIONS



Anthony Liftgates, Inc.

1037 W. Howard Street P.O. Box 615 Pontiac, IL 61764-0615 Phone: 815.842.3383 Fax: 815.844.3612 Toll Free: 800.482.0003 www.anthonyliftgates.com

FREIGHT NOT **INCLUDED IN** PRICE OF UNIT. FREIGHT WILL **BE BILLED UPON** PURCHASE.