

ITEM #:	1271
BRAND	Sound Off Signal
MODEL	Lightbars
DISCOUNT	15%

Available Units:


MODEL	MSRP	DISCOUNTED PRICE
EPL7M+GC	\$642.00	\$545.70
EPL7M+HC	\$642.00	\$545.70
EPL7M+JC	\$579.00	\$492.15
EPL7M+KC	\$579.00	\$492.15
EPL7M+MC	\$579.00	\$492.15
EPL7M+RC	\$579.00	\$492.15
EPL7M+WC	\$579.00	\$492.15
EPL7M+PC	\$642.00	\$545.70
EPL7PDNC	\$612.00	\$520.20
EPL7PDPC	\$612.00	\$520.20
EPL7HDAC	\$549.00	\$466.65
EPL7HDRC	\$549.00	\$466.65
EPL7HDFC	\$549.00	\$466.65
EPL7HDJC	\$549.00	\$466.65
EPL7HDKC	\$549.00	\$466.65
EPL7HDDC	\$549.00	\$466.65
EPL7PFPC	\$624.00	\$530.40
EPL7HDBC	\$549.00	\$466.65

MODEL	MSRP	DISCOUNTED PRICE
EPL7PFAC	\$579.00	\$492.15
EPL7PFBC	\$579.00	\$492.15
EPL7PFDC	\$579.00	\$492.15
EPL7PFFC	\$579.00	\$492.15
EPL7PFJC	\$579.00	\$492.15
EPL7PFRC	\$579.00	\$492.15
EPL7PFWC	\$579.00	\$492.15
EPL7HFAC	\$579.00	\$492.15
EPL7HFBC	\$579.00	\$492.15
EPL7HFDC	\$579.00	\$492.15
EPL7HFFC	\$579.00	\$492.15
EPL7HFJC	\$579.00	\$492.15
EPL7HFRC	\$579.00	\$492.15
EPL7HFWC	\$579.00	\$492.15
EPL7M+AA	\$579.00	\$492.15
EPL7HFAA	\$579.00	\$492.15
EPL7PFAA	\$579.00	\$492.15
EPL7PDAA	\$549.00	\$466.65
EPL7HDAA	\$549.00	\$466.65
EPL7PDAC	\$549.00	\$466.65
EPL7PDBC	\$549.00	\$466.65
EPL7PDRC	\$549.00	\$466.65
EPL7PDWC	\$549.00	\$466.65
EPL7PDDC	\$549.00	\$466.65
EPL7PDFC	\$549.00	\$466.65
EPL7PDJC	\$549.00	\$466.65
EPL7PDKC	\$549.00	\$466.65
EPL7PDMC	\$549.00	\$466.65
EPL7PDEC	\$549.00	\$466.65
EPL7PDGC	\$612.00	\$520.20
EPL7PDHC	\$612.00	\$520.20
EPL7M+AC	\$579.00	\$492.15
EPL7M+BC	\$579.00	\$492.15
EPL7M+DC	\$579.00	\$492.15

MODEL	MSRP	DISCOUNTED PRICE
EPL7M+EC	\$579.00	\$492.15
EPL7M+FC	\$579.00	\$492.15
EPL71PDAC	\$576.00	\$489.60
EPL71M+FC	\$597.00	\$507.45
RTL-ENFWB00001	\$899.99	\$764.99
RTL-ENFWB00002	\$899.99	\$764.99
EPL730001-A	\$369.00	\$313.65
EPL730001-D	\$479.00	\$407.15
EPL730001-F	\$479.00	\$407.15
EPL730001-M	\$479.00	\$407.15
EPL730001-P	\$479.00	\$407.15
EPL730002-A	\$369.00	\$313.65
EPL730004-A	\$389.00	\$330.65
EPL730003-A	\$389.00	\$330.65
EPL730003-D	\$499.00	\$424.15
EPL730003-F	\$499.00	\$424.15
EPL730003-M	\$499.00	\$424.15
EPL730003-P	\$499.00	\$424.15

*Freight is not included in pricing. * Options:

Auto Dim Retrofit Kit	Nroads	PNFLBTRDRLBL	\$163.00	\$138.55
Auto Dim Retrofit Kit	Nroads	PNFLBTRDRLGY	\$163.00	\$138.55
Auto Dim Retrofit Kit	Nroads	PNFLBTRDRLRD	\$163.00	\$138.55
Auto Dim Retrofit Kit	Nroads	PNFLBTRDRLY	\$163.00	\$138.55
Retrofit Solar Panel Kit	Nroads	PNFLBTSLGLBL	\$686.00	\$583.10
Retrofit Solar Panel Kit	Nroads	PNFLBTSLGLGY	\$686.00	\$583.10
Retrofit Solar Panel Kit	Nroads	PNFLBTSLGLRD	\$686.00	\$583.10
Retrofit Solar Panel Kit	Nroads	PNFLBTSLGLYL	\$686.00	\$583.10
Cigar Plug Controller	Nroads	PCPNR401	\$236.00	\$200.60



CONTROL Systems

WORK Area

9

LIGHTBARS

DIRECTIONAL WARNING

PERIMETER LIGHTING

EXTERIOR FULL SIZE LIGHTBARS

MPOVET LIGHTBAR

im vecces escetti cococo coco o sassasa an im

Revolutionizing emergency lighting through durable silicone lenses in a sleek design

EMPLB*	
At only 1" thick, mpower is 50 percent thinner than its leading competitors	
Single, dual, tricolor	
ullet , $ullet$, $ullet$, $ullet$, $ullet$	
48.4" (112cm), 54.8" (139 cm), 61" (154.9 cm)	
1.1" (2.7 cm)	
10.6" (27 cm)	
Standard hook bracket mount with angle adjustment wedge, headache rack mount	
SAE J595, SAE J845, CA Title 13, ECE R65, EMC/ECE R10-5, NFPA 1901	

nFORCE® nxt LIGHTBAR



High functioning lightbar with optimal light output

Product #:	ENNLB*	
Features:	Modules can be configured as single, dual or tricolor for maximum functionality	
LED Color Capabilities:	Single, dual, tricolor	
LED Color Options:	\bullet , \bullet , \bullet , \bullet	
Top Cover Options:	●, ●, ●, ● (translucent and opaque versions)	
Dimensions(I):	24" (61 cm), 36" (91cm), 42" (107 cm), 48" (122cm), 54" (137cm), 60" (152 cm), 72" (183 cm)	
Dimensions(h):	2.24" (5.79cm)	
Dimensions(d):	12" (31cm)	
Mounts:	Standard hook kit mount with angle adjustment wedge, headache rack mount	
Certifications:	SAE J595, SAE J845, ECE R10, ECE R65, ECE R148, NFPA 1901	

EXTERIOR FULL SIZE LIGHTBARS

nFUSE® LIGHTBAR



The right features, including dual-color capability, for the right price

Product #:	ENULB*	
Features:	Numerous configuration capabilities allow for maximum functionality	
LED Color Capabilities:	Single, dual	
LED Color Options:	$lackbox{\circ}_{,$	
Lens Options:	o, ●, ●, ● (tinted version also available)	
Dimensions(I):	36" (91cm), 42" (107 cm), 48" (122cm), 54" (137cm), 60" (152 cm), 72" (183 cm)	
Dimensions(h):	1.9" (4,8 cm)	
Dimensions(d):	12" (30.5 cm)	
Mounts:	Standard hook bracket mount with angle adjustment wedge, headache rack mount	
Certifications:	SAE J595, SAE J845, CA Title 13, NFPA 1901, KKK 1822-F	

nFUSE® xl LIGHTBAR



Dual level lightbar with 360-degrees of continuous light



Product #:	ENULB*
Features:	Top and bottom levels are individually programmable for maximum functionality
LED Color Capabilities:	Single, dual
LED Color Options:	ullet , $ullet$, $ullet$, $ullet$, $ullet$
Lens Color Options:	\circ , \bullet , \bullet (tinted version also available)
Dimensions(I):	24" (61cm), 42" (107 cm), 48" (122cm), 54" (137cm), 60" (152 cm), 72" (183 cm)
Dimensions(h):	3.6" (9 cm)
Dimensions(d):	12" (30.5 cm)
Mounts:	Standard hook bracket mount with wide angle adjustments, headache rack mount
Certifications:	SAE J595, SAE J845, CA Title 13, NFPA 1901, KKK 1822-F

• • • • • This is a configured model number. To configure product to your exact needs, visit soundoffsignal.com or contact customer service.

• • • • • • *This is a configured model number. To configure product to your exact needs, visit soundoffsignal.com or contact customer service.

soundoffsignal.com

CONTROL SYSTEMS

SIRENS & SPEAKERS

11

EXTERIOR FULL SIZE LIGHTBARS

FLEET SERIES LED LIGHTBAR



Sturdy, dependable construction to work as hard as your work truck

Dual color modules with white LEDs provide full, bright scene lighting. Single, dual
Single, dual
\bullet , \bullet , \bullet , \bullet
$lackbox{}_{i}lackbox{}_{i}lackbox{}_{i}$
36" (91cm), 42" (107 cm), 48" (122cm), 54" (137cm), 60" (152 cm)
2.55" (6.5 cm)
12" (31 cm)
Standard hook bracket mount with wide angle adjustment wedges, headache rack mount
SAE J845, CA Title 13
(

nROADS Accessories

Auto Dim Retrofit Kit		
Includes auto dim sensor board, harnesses, mounting hardware and top cover.	Blue	PNFLBTRDRLBL
	Graphite	PNFLBTRDRLGY
	Red	PNFLBTRDRLRD
	Amber	PNFLBTRDRLYL
Retrofit Solar Panel Kit		
Charges batteries while the vehicle is sitting idle. Alleviates dead batteries.	Blue	PNFLBTSLGLBL
	Graphite	PNFLBTSLGLGY
	Red	PNFLBTSLGLRD
	Amber	PNFLBTSLGLYL



EXTERIOR FULL SIZE LIGHTBARS

FLEET CONNECT-N-GO SYSTEM



Product #:	ENRLB*
Features:	Reduces complexity and time for installation. Connect-n-Go lightbars are preprogrammed to
	get you up and running faster.

NOTE: This system is ordered only through the configurator.

Included in the Connect-n-Go system:

■ nROADS Fleet Series exterior lightbar and handheld remote controller

Choice of:

- Four mpower® 4" lights (2 front, 2 rear). Fascia: mpower Fascia 4" lights
- Two mpower® 4" lights (choice of installation front or rear). Fascia: mpower Fascia 4" lights
- No mpower® 4" lights mpower. Fascia: Fascia 4" lights

mpower Fascia 4" Mounting Options

Quick Mount		Stud Mount	
Single Color		Single Color	
6 LED, Single Color	EMPSCG2QMS2(x)	6 LED, Single Color	EMPSCG2STS2(x)
8 LED, Single Color	EMPSCG2QMS3(x)	8 LED, Single Color	EMPSCG2STS3(x)
Dual Color		Dual Color	
12 LED, Dual Color	EMPSCG2QMS4(y)	12 LED, Dual Color	EMPSCG2STS4(y)
Tricolor		Tricolor	
18 LED, Tricolor	EMPSCG2QMS5(z)	18 LED, Tricolor	EMPSCG2STS5(z)

Screw Mount			
Single Color			
6 LED, Single Color	EMPSCG2SMS2(x)		
8 LED, Single Color	EMPSCG2SMS3(x)		
Dual Color			
12 LED, Dual Color	EMPSCG2STS4(y)		
Tricolor			
18 LED, Tricolor	EMPSCG2SMS5(z)		
	-		

Replace (x), (y) or (z) in the	ne Order Number for Standard Color Selection
6 or 8 LED Single Color (x)	A= • B= • R= • W= ○
8 or 12 LED Dual Color (y)	D= • O E= • O F= • O J= • • K= • • M= • •
18 LED Tricolor (z)	$BAW = \bullet \bullet \bigcirc \qquad RAW = \bullet \bullet \bigcirc \qquad RBA = \bullet \bullet \bullet \qquad RBW = \bullet \bullet \bigcirc$

• • • O *This is a configured model number. To configure product to your exact needs, visit soundoffsignal.com or contact customer service.

soundoffsignal.com

PERIMETER LIGHTING

CONTROL SYSTEMS

LIGHTBARS

EXTERIOR MINI & MIDSIZE LIGHTBARS

MINI & MIDSIZE LIGHTBAR





Rugged design with extreme durability

Product #:	ENRMB*		
Features:	Lightbars can be configured with 3, 6, 9, 12 or 18 LEDs for maximum functionality.		
LED Color Capabilities:	Single, dual, tricolor (flashes single or dual)		
LED Color Options:	ullet , $ullet$, $ullet$, $ullet$, $ullet$		
Lens Color Options:	\circ , \bullet		
Dimensions(I):	17.2" (43.7 cm), 24.25" (61.6 cm)		
Dimensions(h):	2.83" (7.2 cm)		
Dimensions(d):	7.95" (20.2 cm)		
Mounts:	Magnetic mount, Standard Permanent mount, Headache Rack mount		
Certifications:	SAE J845, CA Title 13, NFPA 1901		

Accessories		
Cigar Plug Controller (configuration option)	Four Button	PCPNR401
VHB Magnetic Plate Adapter Kit	One VHB pad and metal plate	PNRLBK03

EXTERIOR MINI & MIDSIZE LIGHTBARS

PINNACLE MINI LED LIGHTBAR





Optimal lighting output spread far and wide, in a compact footprint

Product #:	EPL7MB*
Features:	Magnetic mount has cigar plug with 3-position rocker switch panel (on, off and flash pattern advance)
Dimensions(I):	14.16" (36 cm)
Dimensions(h):	1.90" (4.8 cm)
Dimensions(d):	8.27" (21 cm)
Certifications:	SAE J845

Pinnacle 7000 Product #: EPL7**		
LED Color Capabilities:	Single, split	
Available Single LED Colors:	•,•,•,•,○	
Available Split LED Colors:	ullet $ullet$ $$	
Available Lens Colors:	O, •	
Mounts:	Magnetic, permanent and high permanent mounts	

Pinnacle 7100 Product #: EPL71**		
LED Color Capabilities:	Single, split	
Available Single LED Colors:	●,●,●,●,○	
Available Split LED Colors:	ullet $ullet$ $$	
Available Lens Colors:	0,•	
Mounts:	Magnetic, permanent and high permanent mounts	

Pinnacle 7300 Product #: EPL73**	
LED Color Capabilities:	Single, dual
Available Single LED Colors:	•
Available Split LED Colors:	●○, ●●, ●●, ●○
Available Lens Colors:	○,•
Mounts:	Magnetic, permanent
Brackets sold separately for high	permanent mount.



soundoffsignal.com

1.800.338.7337

WORK Area

^{**} Standard part numbers can be found on soundoffsignal.com

^{● ● ● ○ *}This is a configured model number. To configure product to your exact needs, visit soundoffsignal.com or contact customer service.

PERIMETER LIGHTING

CONTROL SYSTEMS

SIRENS & SPEAKERS

ELECTRONICS

WORK Area

15

LIGHTBARS

INTERIOR WINDSHIELD LIGHTBARS

nFORCE® INTERIOR LIGHTBARS







Perfect blend of SoundOff Signal technology, dependability and versatility





Front Interior, 6 module, universal fitment

Product #: ENFWB*		
Features:	Lower profile than competing lightbars for less windshield and personal obstruction	
LED Color Capabilities:	ingle, dual, tricolor	
LED Color Options:	$lackbox{\circ},lackbox{\circ},lackbox{\circ},lackbox{\circ}$	
Dimensions(I):	14.3" (36 cm) 3 Module, 20" (51 cm) 4 Module	
Dimensions(h):	1" (2.5 cm) 3 & 4 Module	
Dimensions(d):	5" (12.7 cm) to 7.5" (19 cm). Each side adjustable 7.5" (19 cm) (universal, each side)	
A -1 1 1 C C - 1	. 11.11	

Available for front and rear windshield.

Many vehicle-	spe	cific solutions available!		
EMANAGE	Veh	icles supported:		
	•	Chevrolet Tahoe, Silverado	•	Universal fitment
	•	Ford Expedition, Police Interceptor Utility, F-Series, Mustang Mach-E	•	And more!
	•	Dodge Durango, Charger		
Visit soundoffsignal.co	om to	configure the product to your specific ve	hicle	or contact your sales representative.

POD LIGHTS







1x1 Single Stack with Flat Mount

2x2 Single Stack with Magnet Mount

The industry's first tricolor pod

Product #: EMPGL	*	
Features:	The power of a lightbar in the footprint of a beacon.	
LED Color Capabilities:	Single, dual, tricolor	
LED Color Options:	•,•,•,•,○	
Туре:	1x1 Single Stack	2x2 Single Stack
Dimensions(I):	7.46" (19 cm)	11.71" (29.74 cm)
Dimensions(h):	1.5" (3.8 cm)	1.5" (3.8 cm)
Mounts:	Combo, flat, magnetic	c and mirror mounts
Certifications:	SAE J845, NFPA 190)1

soundoffsignal.com