



Solar Sign Alert Systems

Solar-Powered LED Inserts for Highway Signs

Brighter signs mean safer roads.

K&K Systems' Solar Sign Alert Systems are powered by a solar panel and designed to enhance the visibility of highway signs in any weather conditions to increase road safety. With Sign Alert's ultra-bright LEDs, drivers are cautioned in advanced of dangerous intersections or curves, hazardous road conditions, or entering work zones or school zones and much more. K&K's smart controller allows our sign alert systems to preserve energy and battery life with its auto-dimming feature while maintaining brightness. K&K Sign Alert Systems paired with K&K SMART Add-Ons can be activated using our moisture sensor, radar sensor, high water sensor, push button, key fob remote, or by using any one of our timing systems such as the CrossTalk. Any sign can be a Sign Alert!

Download our Sign Alert app for Apple or Android to build your own Sign Alert and get an instant quote.





le

K&K Systems, Inc. has been serving the traffic industry since 1997. Since that time we have become a leader in the traffic safety industry. K&K Systems offers a complete line of traffic safety products that include solar beacons, variable message boards, arrow boards, radar speed monitors, solar school zone flashers, solar 24-hour stop beacons, solar 24-hour warning flashers, and many other quality products that serve our industry today.

Should K&K not have a system that meets your needs, we will custom design a system to meet your specifications.



Regulatory Signs

Solar Stop Sign Alert, Solar Yield Sign Alert, Solar Wrong Way Sign Alert, and many more! K&K Systems can make any sign a Sign Alert Sign. If you don't see a sign you need, contact our sales department for a product quote.





24" x 24" x 24" R1-2 18" x 18" R1-1 30" x 30" x 30" R1-2 24" x 24" R1-1 36" x 36" x 36" R1-2 30" x 30" R1-1 30" x 30" R5-1 36" x 36" R1-1

18" x 18" R5-1

24" x 24" R5-1

ROAD CLOSED * MILES AHEAD LOCAL TRAFFIC ONLY

*Specify miles

CLOSED ROAD THRU TRAFFIC

> R11-3B *Specify miles

BRIDGE OUT

* MILES AHEAD

LOCAL TRAFFIC ONLY

BRIDGE CLOSED 48" x 30'

30" x 30" R3-7L

MUST MUST 30" x 30"

RIGHT LANE

18" x 24" R12-1 24" x 30" R12-1

R3-8

WEIGHT LIMIT 10 TONS BEGIN ONE WAY END ONE WAY 24" x 30'

SPEED ZONE AHEAD 24" x 30'







30" x 30" R3-1S

WAY 30" x 18" R5-9 36" x 24" R5-9

WRONG



ONLY



WEIGHT LIMIT 33T

S.TOP RED

18"x24" R10-11 24"x30" R10-11

ROAD

CLOSED

• 18"x24" R10-12

12" x 18" R2-1 18" x 24" R2-1

LEFT LANE

*Specify MPH in increments

24" x 30" R2-1

of 5, from 5-55













2-WAY 3-WAY 4-WAY 12" x 6" 12" x 6" 12" x 6" 12" x 6" R1-3C R1-3B R1-3A 18" x 6' R1-4

TRUCK рното ROUTE 24" x 18" R10-19 36" x 30" R10-19

NO TRUCKS 24" x 18' R5-2P

NO LEFT TURN

KEEP RIGHT 24" x 18' R4-7P

R12-5

NO RIGHT TURN

R10-6

NO U

ONE WAY

24"x30"

ONE WAY

SPEED CHECKED BY RADAR

DO NOT BLOCK INTERSECTION

DO NOT PASS











STREET

NOT THRU























