



Division of THC Enterprises, Inc.

Easton, MD * Baltimore, MD * Chesapeake, VA Chester, PA *
Clinton, MD * Cheswick, PA * Salem, VA

Phone 800-338-7274 Fax 410-820-9916
Visit us on the web! www.mawaste.com



PROPOSAL

Remittance Address for Deposits:

10641 Cordova Road
Easton, MD 21601

SOLD TO

SHIP TO

VSA 24-05-0713

Quote #: RSSQ39584

Account:

Terms:

Date: 07/06/23

QTY	DESCRIPTION	UNIT PRICE	EXT PRICE
<i>Galbreath Single Axle Hooklifts. Other Model Available By Request</i>			
1.00	SINGLE AXLE SINGLE PIVOT HOOK HOIST 30K Capacity on 156 MODELS - Adj. 54" or 62" Hook Height	\$62,102.00	\$62,102.00
1.00	SINGLE AXLE DUAL PIVOT HOOK HOIST 30K Capacity on 176 MODELS - Fixed 54" Hook Height	\$61,302.00	\$61,302.00
1.00	SINGLE AXLE DUAL PIVOT HOOK HOIST 20K Capacity on 144 MODELS - Fixed 54" Hook Height	\$53,047.00	\$53,047.00
1.00	SINGLE AXLE SINGLE PIVOT HOOK HOIST 25K or 18K Capacity on 144 MODELS - Adj. 35.5" or 54" Hook Height	\$52,725.00	\$52,725.00
1.00	SINGLE AXLE SINGLE PIVOT HOOK HOIST 20K or 13K Capacity on 144 MODELS - Adj. 35.5" or 54" Hook Height	\$51,540.00	\$51,540.00
1.00	Factory Mounting - Single Axle Hoist / Container Handler - Includes Huck Bolts - Dual Viscosity Oil - Two Part Epoxy Primer & Paint		
1.00	Single Axles - Muncie DS PTO for (Allison direct mount) Automatic Transmission - Hot Shift		
1.00	Steel Half Round 44" Fenders (3114) - w/ Mounting Brackets (9616AO) - Single Axle - 8486BO prev. p/n		
1.00	FACTORY MOUNT - Any PTO option pick (labor only)		
1.00	Install Single Axle/Lift Axle Fenders		
1.00	Inbound Freight		
<i>Galbreath Tandem Axle Hooklifts. Other Models Available By Request</i>			
1.00	Galbreath U3-DPHK-160 30000# Hook Hoist; 54" Hook Height; Inside Controls; Air Controls; Outside Controls; Bumper with Recessed LED Lights (Reverse lighting also included); Direct Mount Pump; Steel Oil Reservoir; 2 Year Warranty on all Hydraulic Components; Operations - Installations - Service & Parts Manuals - Tandem Axle; Mid-body LED Lights - Hoist Up Alarm with Warning Light - Back Up Alarm Maximum Hook Height Above Truck (Frame- Loading/Unloading)- 119 1/16"; Maximum Hook Height Above Truck (Frame Dumping)- 160 3/4"; Cab to Hoist- 3 15/16"; Raised Angle- 57 Degrees (16')- 46 Degrees (18')- 39 Degrees (20'); Rated Capacity- 30000 lbs; Lift Cylinders- 6"x 3 1/2"x 78"; Jib Cylinder- 4" x 2 1/2"x 48"; Recommended Container Length- 14' - 18'; Approx Weight- 3768 lbs; Shipped in Black Primer; Stationary Rear Hold Down; Contoured Steel Fenders; HD Rear Hinge - Hoist Maintenance Props	\$64,428.00	\$64,428.00
1.00	Galbreath U5-DPHK-176 50000# Hook Hoist; 61-3/4" Hook Height; ; Inside Controls; Inside Air Controls; Hoist Up Alarm with Signal Light; Hoist Maintenance Props; Black Primer Paint; Stationary Rear Hold Down/Outside Controls; Bumper with Recessed LED Lights; Direct Mount Pump; Steel Tank: Mid-Body LED Lights - Bumper with Recessed LED Lighting (Reverse Lighting also Included) Steel Oil Reservoir - HD Rear Hinge - Back Up Alarm 18' to 20' Container Length.	\$70,931.00	\$70,931.00

QTY	DESCRIPTION	UNIT PRICE	EXT PRICE
-----	-------------	------------	-----------

***22' (Container Lengths will Overhang Between 24" & Under 48"); ***

1.00	Galbreath U4/U5-DPHK-176 40000#/50000# Hook Hoist; 54" or 61-3/4" Hook Height; Inside Controls; Inside Air Controls; Outside Controls; Bumper with Recessed LED Lights (Reversed lighting also included); Steel Oil Reservoir; Contour Steel Fenders; Direct Mount Pump; Steel Tank; Mid-Body Turn Signals - Hoist Up Alarm with Warning Light - Back Up Alarm; 2 Year Warranty on all Hydraulic Components; Hoist Maintenance Props; Stationary Rear Hold Down; Operations - Installations - Service & Parts Manuals - Black Primer Paint; Maximum Hook Height Above Truck (Frame-Loading/Unloading)- 132 5/8"; Maximum Hook Height Above Truck (Frame Dumping)- 203 5/16"; Cab to Hoist-3"; Raised Angle- 58 Degrees; After Frame- 40"; Hoist Length- 213"; Hook Height- Adjustable (See Drawing & Dimensions); Rated Capacity- 40000 lbs; Lift Cylinders- 7" x 3 1/2"x 81"; Jib Cylinder- 4"x 2 1/2"x 48"; Recommended Container Length- 16'-20' ; Approximate Weight- 6839 lbs 54" Hook Height Rates @ 40000# 61 3/4" Hook Height Rates @ 50000#	\$71,455.00	\$71,455.00
------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------	-------------

22' (Container Lengths will Overhang Between 24" & Under 48")

1.00	Galbreath U5-DPHK-200 50000# Hook Hoist; 61-3/4" Hook Height; ; Inside Controls; Inside Controls; Hoist Maintenance Props; Inside Air Controls; Outside Controls; Black Primer Paint; Stationary Rear Hold Down; Bumper with Recessed LED Lighting (Reverse lighting also included); Rear Stabilizer; Operation / Service / Parts Manuals; Steel Oil Reservoir; Direct Mount Pump; Steel Tank: Mid-Body LED Lights - Hoist Up Alarm with Signal Light - Back Up Alarm; HD Rear Hinge; 2 Year Hydraulic Warranty 18' to 20' Container Length.	\$71,835.00	\$71,835.00
------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------	-------------

***24' (Container Lengths will Overhang Between 24" & Under 48"); ***

1.00	Galbreath U4/U5-DPHK-200 40000#/50000# Hook Hoist; 54" or 61-3/4" Hook Height; Inside Controls; Inside Air Controls; Black Primer Paint; Outside Controls; Bumper with Recessed LED Lights; Contour Steel Fenders; Direct Mount Pump; Steel Tank; Mid-Body Turn Signals - Hoist Up Alarm with Warning Light - Hoist Maintenance Props; Back Up Alarm; 2 Year Warranty on all Hydraulic Components; Operations - Installations - Service & Parts Manuals - Steel Oil Reservoir; Maximum Hook Height Above Truck (Frame-Loading/Unloading)- 132 5/8"; Maximum Hook Height Above Truck (Frame Dumping)- 203 5/16"; Cab to Hoist-3"; Raised Angle- 49 Degrees; After Frame- 40"; Hoist Length- 237"; Hook Height- Adjustable (See Drawing & Dimensions); Rated Capacity- 40000 lbs; Lift Cylinders- 7" x 3 1/2"x 81"; Jib Cylinder- 4"x 2 1/2"x 48"; Recommended Container Length- 18'-22'; Approximate Weight- 7483 lbs 54" Hook Height Rates @ 40000# 61 3/4" Hook Height Rates @ 50000#	\$72,355.00	\$72,355.00
------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------	-------------

***24' (Container Lengths will Overhang Between 24" & Under 48"); ***

1.00	Galbreath U5-DPHK-224 50000# Hook Hoist; 61-3/4" Hook Height; ; Inside Controls; Inside Controls; Hoist Maintenance Props; Inside Air Controls; Outside Controls; Black Primer Paint; Stationary Rear Hold Down; Bumper with Recessed LED Lighting (Reverse lighting also included); Rear Stabilizer; Operation / Service / Parts Manuals; Steel Oil Reservoir; Direct Mount Pump; Steel Tank: Mid-Body LED Lights - Hoist Up Alarm with Signal Light - Back Up Alarm; HD Rear Hinge; 2 Year Hydraulic Warranty ; 20' to 24' Container Length.	\$76,830.00	\$76,830.00
------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------	-------------

1.00	Galbreath U6-DPHK-176 60000# Hook Hoist; 61-3/4" Hook Height; Inside Controls; Inside Air Controls; Outside Controls; Bumper with Recessed LED Lighting (Reverse Lighting also Included); Hoist Maintenance Props; Black Primer Paint; Stationary Rear Hold Down; Rear Stabilizer; Contoured Steel Fenders; Operation / Service / Parts Manual; Steel Oil Reservoir; Mid-Body LED Lights; HD Rear Hinge; Direct Mount Pump; Poly Tank: Mid-Body Turn Signal - Hoist Up Alarm with Signal Light - Back Up Alarm; 16' to 20' Container Length.	\$79,925.00	\$79,925.00
------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------	-------------

***22' (Container Lengths will Overhang Between 24" & Under 48"); ***

QTY	DESCRIPTION	UNIT PRICE	EXT PRICE
1.00	Galbreath U6-DPHK-200 60000# Hook Hoist; 61-3/4" Hook Height; ; Inside Controls; Hoist Maintenance Props; Inside Air Controls; Outside Controls; Black Primer Paint; Stationary Rear Hold Down; Bumper with Recessed LED Lighting (Reverse lighting also included); Rear Stabilizer; Contoured Steel Fenders; Operation / Service / Parts Manuals; Steel Oil Reservoir; Direct Mount Pump; Poly Tank: Mid-Body LED Lights - Hoist Up Alarm with Signal Light - Back Up Alarm; HD Rear Hinge; 2 Year Hydraulic Warranty; 18' to 22' Container Length. ***24' (Container Lengths will Overhang Between 24" & Under 48"); ***	\$80,825.00	\$80,825.00
1.00	Galbreath U6-DPHK-224 60000# Hook Hoist; 61-3/4" Hook Height; ; Rear Stabilizer; Inside Controls; Hoist Maintenance Props; Inside Air Controls; Outside Controls; Black Primer Paint; Stationary Rear Hold Down; Bumper with Recessed LED Lighting (Reverse lighting also included); Rear Stabilizer; Contoured Steel Fenders; Operation / Service / Parts Manuals; Steel Oil Reservoir; Direct Mount Pump; Poly Tank: Mid-Body LED Lights - Hoist Up Alarm with Signal Light - Back Up Alarm; HD Rear Hinge; 2 Year Hydraulic Warranty 20' to 24' Container Length.	\$85,820.00	\$85,820.00
1.00	Factory Mount of Tandem Axle Hoist. Includes Huck Bolts - Tarper Platform - Protective Valve Cover - Dual Viscosity Oil - Epoxy Primer and Paint		
1.00	AF/Lg. DPHK-Series - SHIP OUT - Muncie DS PTO for (Fuller direct mount) Manual Transmission - Electric Over Air - 212613 (For upgrade to WS ADD option WET (202702) - For factory mounting ADD option PTO INST)		
1.00	FACTORY MOUNT - Any PTO option pick (labor only)		
1.00	Installation of Tandem Axle Fenders		
1.00	Contoured Smooth Steel Tandem Fenders		
1.00	Inbound Freight		