



## Dart DX- Self-Levelling Drain Inspection Camera \$10,212.00 Each

The DX Drain Camera is part of the expanding range of specialist inspection products designed and manufactured by Dart Systems in the UK.

The DX is a modular system with a wide variety of standard user-friendly features. The system is versatile robust and easy to transport with the benefit of a detachable monitor to allow for easy charging and viewing on site.

The DX includes more user-friendly options such as a larger TFT Screen, brighter LED lighting, large internal memory, WiFi Connectivity and USB memory storage.

### Features:

- 10.1" sunlight readable TFT HD display, 1280 x 800
- Protected by Gorilla Glass Front Panel
- Self-levelling camera head
- Meter counter (Mtr/Ft.)
- Dart full pdf reporting software included
- USB 3.0 recording
- USB memory stick supplied
- 128Gb internal memory
- Recording to internal / external or both memories
- Integral high power (3 frequencies) Sonde
- WinCan / Viewline compatible
- Suitable for 2"-12" (50mm-300mm) pipe diameter with suitable skids
- Optional Brush Skid for 6" pipes
- For use in 2"-12" (50mm-300mm) diameter pipes

Specifications on reverse >



**+44 (0) 1761 404870 enquiries@dartsystems.co.uk**  
**www.dartsystems.co.uk**

Dart Systems Ltd, Environment House, First Avenue, Westfield Industrial Estate,  
 Radstock, Somerset BA3 4BS



## Specifications

### Monitor

10.1" sunlight readable TFT HD display, 1280 x 800  
Waterproof and impact resistant monitor cover, Gorilla Glass Front Panel  
Power supply AC 100/240V - 10-24VDC power unit and charges internal battery  
Internal memory 128GB  
File format MPEG4/JPEG (WinCan Pro Touch compatible)  
Full Qwerty Keyboard  
Meter counter - metres / feet  
WiFi connectivity  
Environmental rating IP53 in use and IP54 when closed  
Weight 11.2 lbs  
Dimensions 12.2" x 14.6" x 7.1"  
Sonde - 512Hz, 640Hz & 33kHz



### Camera Head

Stainless steel construction  
High impact Sapphire lens  
Diameter 1.4" (optional 2.1")  
Self-levelling camera head  
Ultra-bright LED lighting  
Colour Sony CCD Sensor  
Environmental rating IP68 to 10bar

### Reel

Steel frame construction zinc plated and powder coated  
Rod diameter 10.5mm  
200 ft or 400 ft length  
Waterproof rating IP65  
Weight 200 ft - 47 lbs, 400 ft - 56.6 lbs  
Dimensions 96cm x 66cm x 46cm



At Dart Systems we are committed to helping our customers solve their 'hidden problems' with a range of versatile, specialist inspection products that have been designed specifically to save you time and money.

### Bespoke Products

Because we have experience in numerous market sectors and we design and manufacture many of our own products, we are able to help, advise and in some cases provide bespoke solutions for your specific problems.


Distributor:



+44 (0) 1761 404870 [enquiries@dartsystems.co.uk](mailto:enquiries@dartsystems.co.uk)  
[www.dartsystems.co.uk](http://www.dartsystems.co.uk)

Dart Systems Ltd, Environment House, First Avenue, Westfield Industrial Estate,  
Radstock, Somerset BA3 4BS





## DX miCro


\$8,044.00 Each

### Pipe Inspection Camera

The DX miCro camera is designed to reach even the most difficult-to-reach places, even the tightest spaces and saving costly disassembles.

Tubes, cavities, welding seams, turbines, hollow profiles and castings. The ½" diameter Stainless Steel camera head inspects these easily. At the same time, the cameras are so robust that they can easily withstand the harsh field conditions. In this way you locate all surface damages, cracks, sediments and deteriorations with minimal effort.

The 5mm push rod and spring enable the system to navigate most buildings internal pipework and with a locatable Sonde and meter counter the camera head location can be pinpointed easily enable problems to be resolved quickly.



#### Features:

- Pipe diameter between 0.6" up to 3.1"
- 50 ft flexible push cable
- Colour camera head with 13mm diameter
- 5" TFT Monitor – Sun Light Readable
- 5 h battery life
- Photos / Video Stored to removeable SD Card
- Weight 7.7 lbs





Specifications on reverse >



+44 (0) 1761 404870 enquiries@dartsystems.co.uk  
www.dartsystems.co.uk

Dart Systems Ltd, Environment House, First Avenue, Westfield Industrial Estate,  
Radstock, Somerset BA3 4BS





## Specifications

- Diagonal field of view of 84°
- Location sonde (33 kHz / 512 Hz / 640 Hz)
- Up to 14.5 psi pressure proof
- Especially durable plastic Hand Drum
- Control unit with function keys to control the camera head
- Light regulation
- Anti-glare 5" Monitor
- BNC Video Out
- Meter counter
- Internal Battery (5 hours)
- Optional Wi-Fi Module to work in conjunction with Dart Viewer App

At Dart Systems we are committed to helping our customers solve their 'hidden problems' with a range of versatile, specialist inspection products that have been designed specifically to save you time and money.

### Bespoke Products

Because we have experience in numerous market sectors and we design and manufacture many of our own products, we are able to help, advise and in some cases provide bespoke solutions for your specific problems.



**+44 (0) 1761 404870 enquiries@dartsystems.co.uk**  
**www.dartsystems.co.uk**

Dart Systems Ltd, Environment House, First Avenue, Westfield Industrial Estate,  
 Radstock, Somerset BA3 4BS