Prepared for: Ms. Kaylyn Mitman, Manager-Business Development, North Carolina Sheriff's Association	'n
2025 F-650 Diesel Crew Cab Base (W6D) Price Level: 515	
Client Proposa	al
Prepared b SPENCER WOO Office: 336-668-240 Quote ID: NCSA25-2 Date: 10/23/202	D 01 29



Manager-Business Development, North Carolina Sheriff's Association





Carolina

2025 F-650 Diesel Crew Cab Base (W6D)

Description	otions Code	Available Op
		General Info
Initial Order Date: 10/27/2022	ORDER1	
		Engines
6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM	99C	\checkmark
	_	
6.7L Power Stroke V8 Turbo Diesel - 300 HP @ 2500 RPM	99E	
	_	
6.7L Power Stroke V8 Turbo Diesel - 330 HP @ 2600 RPM	99X	
	_	
50-State Emissions	425	\checkmark
Engine Block Heater, Phillips, 120 Volt/750 Watt	41H	
lle cover.	Includes removable gri	
Active Regen Control Automatic Regen until Regen can be performed in a Safe location.	98R Allows Driver to Inhibit	
Speed Limit - 65mph	916	
Speed Limit - 70mph	917	
:5	Initial Order Date: 10/27/2022 6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM chaust Brake and manual regen capability. Torque: 70 Includes CARB clean idle label - may be removed if un-necessary. 6.7L Power Stroke V8 Turbo Diesel - 300 HP @ 2500 RPM chaust Brake and manual regen capability. Torque: 72 Includes CARB clean idle label - may be removed if un-necessary. 6.7L Power Stroke V8 Turbo Diesel - 330 HP @ 2600 RPM chaust Brake and manual regen capability. Torque: 75 Includes CARB clean idle label - may be removed if un-necessary. 50-State Emissions Engine Block Heater, Phillips, 120 Volt/750 Watt Ille cover. Active Regen Control Automatic Regen until Regen can be performed in a Safe location. Speed Limit - 65mph	ORDER1 Initial Order Date: 10/27/2022 99C 6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM Includes Engine Exhaust Brake and manual regen capability. Torque: 70 Governed RPM: 3200. Includes CARB clean idle label - may be removed if un-necessary. 99E 6.7L Power Stroke V8 Turbo Diesel - 300 HP @ 2500 RPM Includes Engine Exhaust Brake and manual regen capability. Torque: 72 Governed RPM: 3300. Includes CARB clean idle label - may be removed if un-necessary. 99X 6.7L Power Stroke V8 Turbo Diesel - 330 HP @ 2600 RPM Includes Engine Exhaust Brake and manual regen capability. Torque: 75 Governed RPM: 3400. Includes CARB clean idle label - may be removed if un-necessary. 425 50-State Emissions 41H Engine Block Heater, Phillips, 120 Volt/750 Watt Includes removable grille cover. 98R Active Regen Control Allows Driver to Inhibit Automatic Regen until Regen can be performed in a Safe location. 916 Speed Limit - 65mph

Manager-Business Development, North Carolina Sheriff's Association






2025 F-650 Diesel Crew Cab Base (W6D)

Price Level: 515 | Quote ID: NCSA25-29

options (cont'd		
Code	Description	MSRP
62G	Air Compressor, Bendix, 13.2 CFM Capacity - Includes Direct Reading Air Pressure Gauge	\$1,175.00
For use as an Air	r Source when Air Brakes are not selected.	
94A	Engine Idle Shutdown Timer - 5 Minutes	\$25.00
94B	Engine Idle Shutdown Timer - 10 Minutes	\$25.00
94C	Engine Idle Shutdown Timer - 15 Minutes	\$25.00
94D	Engine Idle Shutdown Timer - 20 Minutes	\$25.00
44D	Ford TorqShift HD 10-Speed Automatic - with PTO Provision	STD
Includes tow/haul.		
Tires		
643	Wheels, Front 22.5x8.25 White Powder Coated Steel, 10-Hole	STD
(285.75MM BC) hub		
64H	Wheels, Front 22.5x8.25 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides	\$735.00
649 (285.75MM BC) hub	Wheels, Front 22.5x8.25 Black Wheel piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.	\$60.00
	62G For use as an Ai 94A 94B 94C 94D 44D Includes tow/haul. 643 (285.75MM BC) hut. 64H	Air Compressor, Bendix, 13.2 CFM Capacity - Includes Direct Reading Air Pressure Gauge For use as an Air Source when Air Brakes are not selected. 94A Engine Idle Shutdown Timer - 5 Minutes 94B Engine Idle Shutdown Timer - 10 Minutes 94C Engine Idle Shutdown Timer - 15 Minutes 94D Engine Idle Shutdown Timer - 20 Minutes 44D Ford TorqShift HD 10-Speed Automatic - with PTO Provision A Tires 643 Wheels, Front 22.5x8.25 White Powder Coated Steel, 10-Hole (285.75MM BC) hub piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs. 64H Wheels, Front 22.5x8.25 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides

Manager-Business Development, North Carolina Sheriff's Association





2025 F-650 Diesel Crew Cab Base (W6D)

Available O Selected	ptions (cont'd Code) Description	MSRP
\checkmark	T2B	Tires, Front Two 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD
	T2A	Tires, Front Two 11R22.5H Goodyear Fuel Max RSA (497 rev/mile)	\$45.00
	T2E	Tires, Front Two 11R22.5H Michelin X Multi Energy Z (501 rev/mile)	\$240.00
	TCH	Tires, Front Two 255/70R22.5H Goodyear Endurance RSA (566 rev/mile)	\$40.00
	T2F	Tires, Front Two 275/80R22.5G Michelin X Multi Energy Z (515 rev/mile)	\$190.00
	TRA	Tires, Front Two 295/75R22.5H Continental HSR3 (514 rev/mile)	\$130.00
	645 (275MM BC) hub pilo	Wheels, Front 19.5x6.75 White Powder Coated Steel, 8-Hole oted, flanged nut, metric mount, 6.75 DC rims; with steel hubs.	N/C
	646 (285.75MM BC) hub	Wheels, Front 19.5x7.5 White Powder Coated Steel, 10-Hole piloted, flanged nut, metric mount, 7.50 DC rims; with steel hubs.	\$25.00
	648	Wheels, Front 19.5x6.75 Aluminum, 8- Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides	\$470.00
	64D	Wheels, Front 19.5x7.5 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides	\$630.00

Manager-Business Development, North Carolina Sheriff's Association





274099308

2025 F-650 Diesel Crew Cab Base (W6D)

		Options (cont'd)	Available C
MSRP	Description	Code	Selected
N/C	Tires, Front Two 245/70R19.5G Hankook AH35 (628 rev/mile)	T9A	
\$80.00	Tires, Front Two 245/70R19.5H Michelin AGILIS HDZ (619 rev/mile)	TGK	
\$40.00	Tires, Front Two 245/70R19.5H Hankook AH35 (628 rev/mile)	T9F	
\$75.00	Tires, Front Two 265/70R19.5G Hankook AH35 (613 rev/mile)	Т9В	
		k Tires	Rear Wheels &
STD	Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole	663	\checkmark
	ted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.	(285.75MM BC) hub pi	
\$830.00	Wheels, Rear 22.5x8.25 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides	66H	
	rder-coated steel.	Inner wheel is white po	
\$1,470.00	Wheels, Rear 22.5x8.25 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	66C	
		Inner wheel is aluminu	
\$120.00	Wheels, Rear 22.5x8.25 Black Wheel ted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.	669 (285.75MM BC) hub pi	
\$145.00	Wheel, Spare 22.5x8.25 White Powder Coated Steel, 10-Hole - Quantity (One only)	60Z	

Manager-Business Development, North Carolina Sheriff's Association





2025 F-650 Diesel Crew Cab Base (W6D)

Available Options (cont'd) Selected Code Description			MSRP
✓	R2B	Tires, Rear Four 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD
	R2A	Tires, Rear Four 11R22.5H Goodyear Fuel Max RSA (497 rev/mile)	\$95.00
	R2G	Tires, Rear Four 11R22.5G Goodyear Fuel Max RTD (493 rev/mile)	\$140.00
	R2H	Tires, Rear Four 11R22.5H Goodyear Fuel Max RTD (493 rev/mile)	\$175.00
	R2E	Tires, Rear Four 11R22.5H Michelin X Multi Energy Z (501 rev/mile)	\$480.00
	RMB	Tires, Rear Four 11R22.5H Michelin X Multi D (494 rev/mile)	\$405.00
	R2K	Tires, Rear Four 255/70R22.5H Goodyear Fuel Max RTD (563 rev/mile)	\$140.00
	RCH	Tires, Rear Four 255/70R22.5H Goodyear Fuel Max RSA (563 rev/mile)	\$80.00
	R2J	Tires, Rear Four 275/80R22.5G Michelin X Multi Energy D (514 rev/mile)	\$265.00
	R2F	Tires, Rear Four 275/80R22.5G Michelin X Multi Energy Z (515 rev/mile)	\$375.00

Manager-Business Development, North Carolina Sheriff's Association





2025 F-650 Diesel Crew Cab Base (W6D)

Available (Options (cont'd	•	Medd
	RRC	Tires, Rear Four 295/75R22.5H Continental HDR2 ECO PLUS (514 rev/mile)	MSRP \$310.00
	RRA	Tires, Rear Four 295/75R22.5H Continental HSR3 (514 rev/mile)	\$260.00
	665 (275MM BC) hub pi	Wheels, Rear 19.5x6.75 White Powder Coated Steel, 8-Hole loted, flanged nut, metric mount, 6.75 DC rims; with steel hubs.	\$25.00
	668	Wheels, Rear 19.5x6.75 Aluminum, 8- Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount	\$705.00
	66A Inner wheel is alum	Wheels, Rear 19.5x6.75 DRW Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount	\$940.00
	666 (285.75MM BC) hul	Wheels, Rear 19.5x7.5 White Powder Coated Steel, 10-Hole piloted, flanged nut, metric mount, 7.50 DC rims; with steel hubs.	\$50.00
	66D	Wheels, Rear 19.5x7.5 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides	\$725.00
	66B	Wheels, Rear 19.5x7.5 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	\$1,260.00
	Inner wheel is alum	inum.	

Manager-Business Development, North Carolina Sheriff's Association





2025 F-650 Diesel Crew Cab Base (W6D)

Price Level: 515 | Quote ID: NCSA25-29

		Options (cont'd)	
MSRP	Description	Code	Selected
\$145.00	Wheel, Spare 19.5x6.75, White Powder Coated Steel, 8-Hole - Quantity (One only)	60W	
\$145.00	Wheel, Spare 19.5x7.5, White Powder Coated Steel, 10-Hole - Quantity (One only)	60X	
N/C	Tires, Rear Four 245/70R19.5G Hankook AH35 (621 rev/mile)	R9A	
\$80.00	Tires, Rear Four 245/70R19.5G Hankook DH35 (632 rev/mile)	R9C	
\$150.00	Tires, Rear Four 265/70R19.5G Hankook AH35 (613 rev/mile)	R9B	
\$100.00	Tires, Rear Four 265/70R19.5G Hankook DH35 (614 rev/mile)	R9D	
\$80.00	Tires, Rear Four 245/70R19.5H Hankook AH35 (621 rev/mile)	R9F	
\$165.00	Tires, Rear Four 245/70R19.5H Hankook DH35 (632 rev/mile)	R9E	
\$165.00	Tires, Rear Four 245/70R19.5H Michelin AGILIS HDZ (619 rev/mile)	RGK	
			Brakes
STD (Bosch) DSSA type	Hydraulic Brake System - Bosch HydroMax w/Traction Control c adjustment, 4-channel ABS antilock brake system. Includes 12" x 3"	67H Full power with automai	\checkmark

Manager-Business Development, North Carolina Sheriff's Association





2025 F-650 Diesel Crew Cab Base (W6D)

Available O	ptions (cont'd		
Selected	Code	Description	MSRP
	152 Mounted at rear of f	Trailer Connection Socket - 7-Way, Wired for Turn Signals Combined with Stop rame, for combined trailer stop, tail, turn, marker light circuits. Includes ele	\$100.00
	accommodation pac	kage with cab connections for mounting customer installed electric brake	unit.
	154	Trailer Connection Socket - 7-Way, Wired for Turn Signals, Separate of Stop	\$100.00
		rame, for separate trailer stop, tail, turn, marker light circuits. Includes elec kage with cab connections for mounting customer installed electric brake	
	67A	Air Brakes (4 WHEEL DRUM) - Straight Truck w/Traction Control	Variable
	Includes: - Air Dryer, Bendix A Mounted left frame compressor).	AD/IS w/Heater rail (for Hydraulic brake diesel applications that include air suspension or	stand alone engine air
	67C	Air Brakes (FRONT DISC / REAR DRUM) - Straight Truck w/Traction Control	\$3,020.00
	Deletes hand opera Includes: - Air Dryer, Bendix A		
	18A Deletes the standar	Electronic Stability Control DELETE	Variable
	98B	Final Upfit Center of Gravity - Low CG (38" to 48" FINAL Center of Gravity)	N/C
	(CG)" must be seled Where the final upfit	Electronic Stability Control Standard. When air brakes are selected, the "fin ted by dealer when ordering. If the final CG is not known, use the ESC de CG is known, and the unit requires ESC for other features (such as Drive te CG value range when ordering air brake during the specing process. C	elete (18A) feature. er Assist Technology)
	98C	Final Upfit Center of Gravity - Medium CG (48" to 58" FINAL Center of Gravity)	N/C

Manager-Business Development, North Carolina Sheriff's Association





274099308

2025 F-650 Diesel Crew Cab Base (W6D)

Price Level: 515 0	Quote ID: NCSA25-29		
Available C	Options (cont'd)		
Selected	Code	Description	MSRP
	(CG)" must be select Where the final upfit (ectronic Stability Control Standard. When air brakes are selected, the "fin ed by dealer when ordering. If the final CG is not known, use the ESC de CG is known, and the unit requires ESC for other features (such as Drive e CG value range when ordering air brake during the specing process. Ca ions.	lete (18A) feature. r Assist Technology)
	98E	Final Upfit Center of Gravity - High CG	N/C
		(58" to 68" FINAL Center of Gravity)	
	(CG)" must be select Where the final upfit (ectronic Stability Control Standard. When air brakes are selected, the "fined by dealer when ordering. If the final CG is not known, use the ESC dea CG is known, and the unit requires ESC for other features (such as Drive the CG value range when ordering air brake during the specing process. Casions.	lete (18A) feature. r Assist Technology)
	98F	Final Upfit Center of Gravity - Tanker	N/C
	001	High CG (58" to 68" FINAL Center of	
		Gravity)	
	(CG)" must be select Where the final upfit (ectronic Stability Control Standard. When air brakes are selected, the "fin ed by dealer when ordering. If the final CG is not known, use the ESC de CG is known, and the unit requires ESC for other features (such as Drive e CG value range when ordering air brake during the specing process. Ca	lete (18A) feature. r Assist Technology)
	98J	Final Upfit Center of Gravity - Tanker	N/C
		Medium CG (48" to 58" FINAL Center of Gravity)	
	(CG)" must be select Where the final upfit (ectronic Stability Control Standard. When air brakes are selected, the "fined by dealer when ordering. If the final CG is not known, use the ESC deacG is known, and the unit requires ESC for other features (such as Drive	lete (18A) feature. r Assist Technology)
	62F	Brake Chamber Spring Relocated	\$45.00
	Relocated to rear of r	ear axle for maximum ground clearance.	
	62D	Air Dryer, Bendix AD/IS w/Heater	\$460.00
	Mounted left frame ra compressor).	ail (for Hydraulic brake diesel applications that include air suspension or s	tand alone engine air
	158	Trailer Air Brake Package	\$365.00
		ear of frame, hand control valve and tractor protection valve.	
	159	Trailer Connection Socket - 7-Way,	\$100.00
	100	Wired for Turn Signals Combined with Stop	
	Marintad at wa = = = f f	ama for combined trailor stan tail turn (compatible with the ile or that we	

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Mounted at rear of frame, for combined trailer stop, tail, turn (compatible with trailers that use combined stop, tail, turn

Manager-Business Development, North Carolina Sheriff's Association





2025 F-650 Diesel Crew Cab Base (W6D)

Price Level: 515 | Quote ID: NCSA25-29

Rear Axle and Suspension

Manager-Business Development, North Carolina Sheriff's Association





(Jora)

2025 F-650 Diesel Crew Cab Base (W6D)


Price Level: 515 | Quote ID: NCSA25-29

Available Options (cont'd)

Selected	Code Code	Description	MSRP
\checkmark	472	17,500 lb. Single-Speed - Dana S17- 140	STD
	Single reduction with performance guideli	h Gentech Quiet Gears and 190 wheel ends. NOTE: When specifying an anes for startability and gradeability.	axle ratio, check
	474	19,000 lb. Single-Speed - Dana S19- 140	\$670.00
	WARNING! The Implications.	selection of this Axle may cause the GVWR to exceed 26,0	000 lbs., with CDL
	Single reduction with	h Gentech Quiet Gears and 190 wheel ends. NOTE: When specifying an anestor startability and gradeability.	axle ratio, check
\checkmark	68M 11-leaf. Includes 2,0	Multi-Leaf Springs - 19,000 lb. Cap 000 lb auxiliary springs for load stabilization.	STD
	68P 11-leaf. Includes 2,0	Multi-Leaf Springs - 21,000 lb. Cap 000 lb auxiliary springs for load stabilization.	\$110.00
	961	Shock Absorbers, Rear - Double Acting	\$165.00
	607	Lube, Rear Axle, EmGard 75W-90, Synthetic Oil	\$100.00
	X4G	4.88 Axle Ratio	N/C
	PRNDM/RNDM (determined by Rear Axle Ratio and Tire Size.	
	X5B	5.29 Axle Ratio	N/C
	PRNDM/RNDM (determined by Rear Axle Ratio and Tire Size.	
	X5D	5.57 Axle Ratio	N/C
	PRNDM/RNDM (determined by Rear Axle Ratio and Tire Size.	
	X6A	6.14 Axle Ratio	N/C
	PRNDM/RNDM (determined by Rear Axle Ratio and Tire Size.	

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Manager-Business Development, North Carolina Sheriff's Association





GDPa)

2025 F-650 Diesel Crew Cab Base (W6D)

Price Level: 515 | Quote ID: NCSA25-29

Available Options (cont'd)				
Selected	Code	Description	MSRP	
\checkmark	X6D PRNDM/RNDM o	6.50 Axle Ratio determined by Rear Axle Ratio and Tire Size.	N/C	
Wheelbase				
\checkmark	194WB	194" Wheelbase/84" CA/49" AF/282" OAL	\$85.00	
	212WB	212" Wheelbase/102" CA/70" AF/321" OAL	\$365.00	
	218WB	218" Wheelbase/108" CA/70" AF/327" OAL	\$430.00	
	230WB	230" Wheelbase/120" CA/75" AF/344" OAL	\$440.00	
	236WB	236" Wheelbase/126" CA/75" AF/350" OAL	\$515.00	
	248WB	248" Wheelbase/136" CA/81" AF/368" OAL	\$855.00	
	260WB	260" Wheelbase/150" CA/87" AF/386" OAL	\$890.00	
	266WB	266" Wheelbase/156" CA/87" AF/392" OAL	\$910.00	
	278WB	278" Wheelbase/168" CA/100" AF/417" OAL	\$945.00	
Frame				

Manager-Business Development, North Carolina Sheriff's Association






2025 F-650 Diesel Crew Cab Base (W6D)

Price Level: 515 | Quote ID: NCSA25-29

Avai	lab	le (Opt	ions	(con	t'd)
------	-----	------	------------	------	------	-----	---

534	Single Channel - Straight 'C' 12.64 SM, 50,000 PSI	STD
632,000 RBM. High	strength low alloy steel; 10.125" x 3.062" x 0.312" (257.2mm x 77.8mm x 8.0mm).	
533	Single Channel - Straight 'C' 10.75 SM, 80,000 PSI	N/C
860,000 RBM. High	strength low alloy steel; 9.125" x 3.062" x 0.312" (232.8mm x 77.8mm x 7.9mm).	
536	Single Channel - Straight 'C' 14.18 SM, 120,000 PSI	\$365.00
1,701,600 RBM. Hea	at treated alloy steel; 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm).	
535	Single Channel - Straight 'C' 15.14 SM, 80,000 PSI	\$490.00
1,211,200 RBM. High	th strength low alloy steel. 10.250" x 3.092" x 0.375" (260.4mm x 78.5mm x 9.5mm).	
532	Frame Extension, Front - Integral 20" In Front of Grille	\$490.00
765	Bumper, Front - Full Width, Chrome	\$490.00
	Plated Steel - (Included in (90E) Exterior Appearance Group)	
767	Pumper Front Swont Book Dointed	\$345.00
767	Steel	·
Dark shadow gray co	olor.	
76X	Bumper, Front - Delete - Also Deletes Mounting Brackets	-\$135.00
76F	3" Front Bumper Extension	\$175.00
76Y	Tow Hooks - Delete	-\$70.00
	632,000 RBM. High 533 860,000 RBM. High 536 1,701,600 RBM. High 535 1,211,200 RBM. High 532 Includes: - Grille, Fixed - Black - Bumper, Front - December 1 Property 1	50,000 PSI 632,000 RBM. High strength low alloy steel; 10.125" x 3.062" x 0.312" (257.2mm x 77.8mm x 8.0mm). 533 Single Channel - Straight 'C' 10.75 SM, 80,000 PSI 860,000 RBM. High strength low alloy steel; 9.125" x 3.062" x 0.312" (232.8mm x 77.8mm x 7.9mm). 536 Single Channel - Straight 'C' 14.18 SM, 120,000 PSI 1,701,600 RBM. Heat treated alloy steel; 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm). 535 Single Channel - Straight 'C' 15.14 SM, 80,000 PSI 1,211,200 RBM. High strength low alloy steel. 10.250" x 3.092" x 0.375" (260.4mm x 78.5mm x 9.5mm). 532 Frame Extension, Front - Integral 20" In Front of Grille Includes: - Grille, Fixed - Black/Gray - Bumper, Front - Delete - Also Deletes Mounting Brackets 765 Bumper, Front - Full Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Group) 767 Bumper, Front - Swept Back, Painted Steel Dark shadow gray color. 768 Bumper, Front - Delete - Also Deletes Mounting Brackets

Manager-Business Development, North Carolina Sheriff's Association






2025 F-650 Diesel Crew Cab Base (W6D)

Price Level: 515 | Quote ID: NCSA25-29

Available O	ptions (cont'c	I)	
Selected	Code	Description	MSRP
	18D	Special Rating GVWR - Limited to 25,999 lb. GVWR	\$120.00
	Only available to	GAWR combinations that EXCEED 26,000 lbs.	
	19D Factory pre-drilled h conversion.	Frame Rail Drill #3 noles in frame rails to support aftermarket install of Hydraulic pump system	\$50.00 for EZ-TRAC 4x4
	19E Factory pre-drilled h conversion.	Frame Rail Drill #2 noles in frame rails to support aftermarket install of transfer case brackets for	\$50.00 or a Meritor 4x4
	86C	Chrome Grille Surround - (Included in (90E) Exterior Appearance Group)	\$245.00
	86B	Grille, Fixed - Black/Gray	\$125.00
Exhaust			
\checkmark	91G	Under Cab, Right Side Outlet, Switchback-Style	STD
	Single, horizontal m	uffler, right side, under cab, outside of frame rail with rear discharge.	
	91D	Under Cab, Vertical Outlet, Right Side, Switchback-Style - Intrudes 2" into clean CA	\$715.00
		selection of this Exhaust could reduce the available CA dim suffler, right side under cab outside of frame rail with vertical exhaust passe turnout exit.	
Fuel Tanks			
\checkmark	65E	Fuel Tank - LH 65 Gallon Rectangular - Aluminum	STD
	65F	Fuel Tank - 115 Gallon Rectangular - Aluminum - LH 65-gal, RH 50-gal	\$915.00

Manager-Business Development, North Carolina Sheriff's Association





2025 F-650 Diesel Crew Cab Base (W6D)

Price Level: 515 | Quote ID: NCSA25-29

Available Options (cont'd)					
Selected	Code	Description	MSRP		
Electrical / Alte	rnator / Battery				
\checkmark	STDALT	Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5	STD		
	17D	Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2	\$855.00		
	17A	Extra Heavy Duty Alternator - 12-Volt, 240 Amps	\$410.00		
	55M	Jump Start Stud - Remote Mounted	\$90.00		
\Box	STDBAT 12Volt, Motorcraft.	Battery - Two 750 CCA, 1500 Total, Includes Steel Battery Box	STD		
	63B 12Volt, Motorcraft.	Battery - Two 900 CCA, 1800 Total, Includes Steel Battery Box	\$60.00		
	63D 12Volt, Motorcraft.	Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box	\$250.00		
	164	Roof Marker/Clearance Lights - Clear Lenses, 5 Lights (Replaces Standard Amber Lenses)	\$30.00		
	59C Includes sealed connector lamps. Also includes 2 add	Body Builder Wiring - At End of Frame, Combined - (ILO Standard - Back of Cab Combined) s for 2 ground circuits, with combined left/stop, combined right/stop, ditional pass through wires to cab.	\$135.00		

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Manager-Business Development, North Carolina Sheriff's Association





(Tord)

2025 F-650 Diesel Crew Cab Base (W6D)

Price Level: 515 | Quote ID: NCSA25-29

Available O	otions (cont'c	d)	
Selected	Code	Description	MSRP
	59D Includes sealed con includes 2 additional	Body Builder Wiring - At Back of Cab, Separate - (ILO Standard - Back of Cab Combined) nnectors for 2 ground circuits, with separate left/stop, separate right/stop, bal pass through wires to cab.	\$70.00 pack up lamps. Also
	59E Includes sealed cor	Body Builder Wiring - At End of Frame, Separate - (ILO Standard - Back of Cab Combined) nnectors for 2 ground circuits, with separate left/stop, separate right/stop, b	\$135.00
	includes 2 additiona	al pass through wires to cab.	
	17M	Back-Up Alarm - Electric, 102 dBA	\$110.00
	962	Daytime Running Lamps (Not Configurable)	\$25.00
	86M	Upfitter Interface Module	\$320.00
	55X Deletes stop, turn, t	Tail Light Delete tail and backup lights. Does not omit cable to end of frame.	N/C
	16V Available in messa	Voltmeter ge center.	\$100.00
Seats			
\checkmark	88A	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl	STD
	88B	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Cloth	\$125.00
	881	30/70 Fixed Driver & Fixed 2- Passenger Bench - Vinyl	\$350.00

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Manager-Business Development, North Carolina Sheriff's Association





2025 F-650 Diesel Crew Cab Base (W6D)

Price Level: 515 | Quote ID: NCSA25-29

Available Options (cont'd) Selected Code Description				
Selected	882	30/70 Fixed Driver & Fixed 2- Passenger Bench - Cloth	MSRP \$475.00	
	88R	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolette - Vinyl	\$440.00	
	88G	30/70 Air Ride Driver (External Air Source) & Fixed 2-Passenger Bench - Vinyl	\$395.00	
	88H	30/70 Air Ride Driver (External Air Source) & Fixed 2-Passenger Bench - Cloth	\$520.00	
	88L	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Vinyl	\$440.00	
	88M	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Cloth	\$565.00	
	88Y	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold-Down Console - Vinyl	\$420.00	
	88Z	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold-Down Console - Cloth	\$545.00	
\checkmark	87C Trim will match selec	60/40 Rear Bench Seat w/Flip-Up Cushion and Fold-Down Back sted driver seat material.	STD	
	Trim will match selec	cted driver seat material.		

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Manager-Business Development, North Carolina Sheriff's Association



10/23/2023



2025 F-650 Diesel Crew Cab Base (W6D)

Available Op	otions (cont'd)	
Selected	Code	Description	MSRP
	87X	Rear Bench - Delete	-\$120.00
Cab Interior			
	- Wheel Seals, Rear - Manual Regen Initi - Engine Exhaust Br - Extra Heavy Duty A - Painted Grille - Pla - Lights - Roof Marke - Tow Hooks, Front (- Four Body Builder With connector acc - Floor Covering - Bl - Intelligent Oil Life N - Steering Column Steering Wheel - B - Body Builder Wiring Includes sealed col	e - Oil lubricated, SKF ScotSeal PlusXL Seals - Oil lubricated, SKF ScotSeal PlusXL Seals ation - Driver Interface in Message Center ake Alternator - 12-Volt, 200 Amp Denso SC5 stic er/Clearance - Amber Lenses, 5 Lights (2) - Frame-Mounted, Painted Black Switches - Mounted in Center Instrument Panel ess located in engine compartment. Amperages vary by switch: 10, 15, 2 ack Vinyl Monitor	
	87H Includes Autonomou Control. Includes:	Driver Assist Technology Package. Hydraulic Brake s Emergency Braking, Forward Collision Warning, Lane Departure Warn	\$1,410.00 ing and Auto High Bean
	- Enhanced Cluster Electronic speedon tachometer, and indi	w/High-Level 8-Inch Display neter (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge cator lights. Also included is enhanced 3-button Message Center with od r fuel, average fuel economy, hour meter and warning messages. Transn	ometer, trip odometer,
	87A	Driver Assist Technology Package (w/Bendix Wingman Advanced). Air	\$3,050.00
		Brake	
	Control and Auto Hig Includes: - Enhanced Cluster v Electronic speedon tachometer, and indi	is Emergency Braking, Forward Collision Warning, Lane Departure Warn igh Beam Control. w/High-Level 8-Inch Display neter (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge icator lights. Also included is enhanced 3-button Message Center with od r fuel, average fuel economy, hour meter and warning messages. Transn	e, fuel gauge, lometer, trip odometer,
	61M Rear view mirror vid	Rear View Camera w/Mirror Display eo with full length display included in kit. To be installed by Upfitter.	\$510.00

Manager-Business Development, North Carolina Sheriff's Association





Ford

2025 F-650 Diesel Crew Cab Base (W6D)

Price Level: 515 | Quote ID: NCSA25-29

Available Opti	ons (cont'd)	Description	MSRP
	90A	Appearance Group	\$910.00
	Includes front-mounted of Includes:	overhead console with dual sunglass bins and integral front map reading	lights.
	- Chrome Trimmed Air R - 60/40 Rear Bench Sea Trim will match selected	Registers w/Positive Shut-Off t w/Flip-Up Cushion and Fold-Down Back d driver seat material. up - (Included in (90A) Appearance Group)	
	Includes power front side theft system.	de windows, power rear side windows, power door locks, door trim panel	and passive anti-
	key, programmed to the ignition key, its electronic	e Anti-Theft System is designed to help prevent the engine from being si vehicle, is used. It helps protect against drive-away theft through an elec cally coded ignition key features billions of possible codes to start the vel M aftermarket remote start systems.	ctronically coded
	92J	Enhanced Cluster w/High-Level 8-Inch	\$235.00
		Display	
	and indicator lights. Also	(MPH/KPH), includes oil pressure, coolant temperature, DEF gauge, fue included is enhanced 3-button Message Center with odometer, trip odowuel economy, hour meter and warning messages. Transmission tempera	meter, distance to
	90P	Power Equipment Group - (Included in	\$550.00
	001	(90A) Appearance Group)	
	Includes power front side	e windows, power rear side windows, power door locks, door trim panel a	and passive anti-theft
	system. Includes:	,	
	key, programmed to the ignition key, its electronic	e Anti-Theft System is designed to help prevent the engine from being sivehicle, is used. It helps protect against drive-away theft through an electally coded ignition key features billions of possible codes to start the velon aftermarket remote start systems.	ctronically coded
	- Nemote Reyless Entry	w/2 / Gy / GOS	
	86H	Rapid-Heat Supplemental Cab Heater	\$610.00
	Required with Alaska Hampshire, New Yo	a, Colorado, Idaho, Iowa, Maine, Michigan, Minnesota, Mork, North Dakota, South Dakota, Vermont, Wisconsin, Wyo	ontana, New oming.
	96C	Pull Out Cup Holder For Two Cups -	\$30.00
		Instrument Panel Mounted	
	55P	110 A/C Outlet - in Lower Center Finish	\$100.00
		Panel	

Manager-Business Development, North Carolina Sheriff's Association





2025 F-650 Diesel Crew Cab Base (W6D)

Price Level: 515 | Quote ID: NCSA25-29

Available C	ptions (cont'd Code) Description	MSRP
	214	4 Speaker Option for 588 Radio	\$30.00
	58B Deletes radio, speak and speaker location	Radio Delete Package ers, antenna and antenna cable. Includes radio instrument panel cover a s for future radio upfit if owner desires.	-\$60.00 nd aux audio jack cover
\checkmark	588	Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth	STD
	85B	Keyed Alike - Not Available with Anti- Theft System, Requires Multiple-Unit Order	\$45.00
	85L	Keyed Alike - Option 1 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00
	85M	Keyed Alike - Option 2 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00
	85N	Keyed Alike - Option 3 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00
	85P	Keyed Alike - Option 4 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00
	key, programmed to ignition key, its elect	SecuriLock Passive Anti-Theft System sive Anti-Theft System is designed to help prevent the engine from being the vehicle, is used. It helps protect against drive-away theft through an eronically coded ignition key features billions of possible codes to start the OEM aftermarket remote start systems.	electronically coded
	90M	Interior Rear View Mirror	\$75.00

Manager-Business Development, North Carolina Sheriff's Association





Carolina

2025 F-650 Diesel Crew Cab Base (W6D)

Price Level: 515 | Quote ID: NCSA25-29

•	otions (cont'd)	•	Medd
Selected	Code	Description	MSRP
Cab Exterior			
	90E Includes:	Exterior Appearance Group	\$730.00
	- Chromed Fender Ba	ll Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Group) adge ound - (Included in (90E) Exterior Appearance Group)	
	94T	Tamper-Proof Odometer	\$30.00
	59A Air solenoid operated	Horn, Air - Black, Single Trumpet d, chassis mounted on rail back of bumper.	\$90.00
	7 III Goldfiold operated	a, oracolo mountou on ran baok oi bampor.	
\checkmark	54M	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width	STD
	Integral mirror, sail ty	vpe, manual fold, solid black finish.	
	54P	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width	\$185.00
	Integral spot mirror, s	sail type, solid black finish.	
	54A	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width	\$245.00
	Integral spot mirror, s	w/Chrome Cap sail type.	
	54C	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width	\$30.00
	Integral spot mirror, s	sail type, manual fold, solid black finish.	
	54R	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width	\$215.00
	Integral spot mirror, s	sail type, solid black finish.	
	54K	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width	\$275.00
	Integral spot mirror, s	w/Chrome Cap	

Manager-Business Development, North Carolina Sheriff's Association





2025 F-650 Diesel Crew Cab Base (W6D)

Price Level: 515 | Quote ID: NCSA25-29

Available O	ptions (cont'd		
Selected	Code	Description	MSRP
	54F	Mirrors, Trailer Tow, Powered - Sail Mount - w/Power Telescoping & Power Folding ted glass, heated convex spotter and integrated clearance lights/turn sign	\$365.00
	mounted.	g,	
	63F	Aux Spot Mirrors - Front Fender Mounted - (2) Driver Side and Passenger Side	\$225.00
	63G	Aux Spot Mirror - Front Fender Mounted - (1) Passenger Side Only	\$120.00
	165	Mud Flap Holder Without Flaps	\$95.00
	166	Mud Flap Holder With Flaps	\$155.00
Ship-Thru			
	21A	Pre-Delivery Inspection	N/C
	Selection require have the Inspect	es that you also choose either (314) or (31F) or (31T) or (3 ion performed. Required with any final Ship-To that is not	1S) or (31Y) to a dealer.
	31T	Ship-Thru: Bobs Services LLC	\$0.00
	MAY be selected arrangements di	I w/o adding (21A). For MODIFICATIONS ONLY, Dealer rectly with Bob's Services (please use CVT Resources for	nust make r add. Info).
	314	Ship-Thru - Manning	N/C
	MAY be selected arrangements di	l w/o adding (21A). For MODIFICATIONS ONLY, Dealer rectly with Manning (please use CVT Resources for add. I	nust make nfo).
	31F	Ship-Thru - NFS National Fleet Services	N/C
	MAY be selected arrangements di	w/o adding (21A). For MODIFICATIONS ONLY, Dealer rectly with NFS (please use CVT Resources for add. Info).	nust make

Manager-Business Development, North Carolina Sheriff's Association





2025 F-650 Diesel Crew Cab Base (W6D)

Price Level: 515 | Quote ID: NCSA25-29

Available Opt	tions (cont'd) Description	MSRP		
Selected			\$0.00		
	31S MAY be selected arrangements dir	Ship-Thru: Roush CleanTech w/o adding (21A). For MODIFICATIONS ONLY, Dealer must make ectly with Roush (please use CVT Resources for add. Info).	•		
	31Y	Ship-Thru: Zoresco Equipment	\$0.00		
	MAY be selected w/o adding (21A). For MODIFICATIONS ONLY, Dealer must make arrangements directly with Zoresco (please use CVT Resources for add. Info).				
Miscellaneous					
\checkmark	PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"	STD		
	79V	COV Required	N/C		
	Send a paper Certificate of Origin for a Vehicle (COV) for those states that file electronically - CA or MI.				
Fleet Options					
	19A	Ambulance Prep Pkg w/Special Emissions	\$1,285.00		
	REQUIRES valid FIN code.				
	Includes EPA Special Emergency Vehicle Emissions. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford vehicles are suitable for producing ambulances with special emissions only if equipped with the Ford Ambulance Prep Package with EPA Special Emergency Vehicle Emissions. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). Using a Ford vehicle without the Ford Ambulance Package with EPA Special Emergency Vehicle Emissions to produce an ambulance with special emissions voids the Ford warranty. NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Allows operator commanded regen down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the Federal Register. NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California. Includes: - Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2 - Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box 12Volt, Motorcraft.				
	19F	Fire/Rescue Prep Pkg w/EPA Special Emissions	\$1,285.00		
	REQUIRES valid				

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Manager-Business Development, North Carolina Sheriff's Association





2025 F-650 Diesel Crew Cab Base (W6D)

Price Level: 515 | Quote ID: NCSA25-29


Available Options (cont'd)

Selected Code **Description MSRP** Includes EPA Special Emergency Vehicle Emissions. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford urges Fire/Rescue Vehicle manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Operator commanded regen down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the Federal Register. NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California. - Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2 - Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box 12 Volt, Motorcraft. \$60.00 19**B** Reverage Delivery Package

	19B Includes body builder wiring a combined right/stop, stop lam	Beverage Delivery Package at back of cab at frame, sealed connectors for 2 ground circuits, wit aps, park lamps, back up lamps, also includes 2 additional pass thro- commodate drop frame beverage body application.	th combined left/stop, ough wires to cab with
	6 feet additional length to acc	commodate drop frame beverage body application.	
✓	B4A	Net Invoice Fleet Option	\$0.00
	56A	CPA Fleet Incentive	N/C
	56B	Commercial Repurchase	N/C
	56F	FRCS Long Term	N/C
	56K	Long Term Fleet Incentive	\$0.00
	56M	National Fleet Incentive	N/C
	56Y	DDR Program	N/C
	FLADCR	Fleet Special Adjustment Credit	\$0.00
	55D Requires Valid Code.	Driver Assistance - FLEET SETTINGS	\$35.00
	Note: Settings are locked and	I cannot be changed by driver or fleet administrator. Includes driver	r alert set to ON

Note: Settings are locked and cannot be changed by driver or fleet administrator. Includes driver alert set to ON, collision assist - alert sensitivity set to NORMAL, distance indication is set to ON, active braking set to ON, pre collision warning set to ON, lane keeping set to ON, sensitivity set to NORMAL, auto lamp delay set to 20 sec, auto high beam set to ON and daytime lights set to ON.

Manager-Business Development, North Carolina Sheriff's Association





h Carolina I

2025 F-650 Diesel Crew Cab Base (W6D)

Price Level: 515 | Quote ID: NCSA25-29

10/23/2023

Available Options (cont'd)

Selected	Code	Description	MSRP	
	87S	Fleet Safety Kit	\$205.00	
	Includes 5 lb fire extinguisher class A, B and C with mounting brackets, triangle reflector and vehicle fuse kit (shipped loose not installed at plant).			