Prepared for: Ms. Kaylyn Mitman, Manager-Business Development, North Carolina Sheriff's Association	i
2025 F-650 Diesel Regular Cab Base (F6D) Price Level: 515	
	_
Client Proposa	I
Prepared by	
SPENCER WOOL	
Office: 336-668-240°	
Quote ID: NCSA25-3	
Date: 10/23/2023	3



Manager-Business Development, North Carolina Sheriff's Association





. 0----

2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

Available Op	otions		
Selected	Code	Description	MSRP
General Info			
	ORDER1	Initial Order Date: 10/27/2022	N/C
Engines			
\checkmark	99C	6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM	STD
	_	xhaust Brake and manual regen capability. Torque: 700 . Includes CARB clean idle label - may be removed if un-necessary.	0 ft.lbs. @ 1500 rpm.
	99E	6.7L Power Stroke V8 Turbo Diesel - 300 HP @ 2500 RPM	\$1,995.00
	_	xhaust Brake and manual regen capability. Torque: 725	5 ft.lbs. @ 1500 rpm.
	99X	6.7L Power Stroke V8 Turbo Diesel - 330 HP @ 2600 RPM	\$3,495.00
	_	xhaust Brake and manual regen capability. Torque: 750. Includes CARB clean idle label - may be removed if un-necessary.	0 ft.lbs. @ 1500 rpm.
\checkmark	425	50-State Emissions	N/C
	41H Includes removable g	Engine Block Heater, Phillips, 120 Volt/750 Watt rille cover.	\$155.00
	98R Allows Driver to Inhibi	Active Regen Control it Automatic Regen until Regen can be performed in a Safe location.	\$205.00
	916	Speed Limit - 65mph	N/C
	917	Speed Limit - 70mph	N/C

Manager-Business Development, North Carolina Sheriff's Association





2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

	options (cont'd				
Selected	Code	Description	MSRP		
	62G	Air Compressor, Bendix, 13.2 CFM Capacity - Includes Direct Reading Air Pressure Gauge	\$1,175.00		
	For use as an Aiı	r Source when Air Brakes are not selected.			
	94A	Engine Idle Shutdown Timer - 5 Minutes	\$25.00		
	94B	Engine Idle Shutdown Timer - 10 Minutes	\$25.00		
	94C	Engine Idle Shutdown Timer - 15 Minutes	\$25.00		
	94D	Engine Idle Shutdown Timer - 20 Minutes	\$25.00		
Transmissions					
\checkmark	44D	Ford TorqShift HD 10-Speed Automatic - with PTO Provision	STD		
	Includes tow/haul.				
Front Wheels &	Tires				
\checkmark	643	Wheels, Front 22.5x8.25 White Powder Coated Steel, 10-Hole	STD		
	(285.75MM BC) hub	piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.			
	64H	Wheels, Front 22.5x8.25 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides	\$735.00		
	649 (285.75MM BC) hub	Wheels, Front 22.5x8.25 Black Wheel piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.	\$60.00		

Manager-Business Development, North Carolina Sheriff's Association





l. O - - - li-- - l

2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

Available C	options (cont'd)) Description	MSRP
<u> </u>	T2B	Tires, Front Two 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD
	T2A	Tires, Front Two 11R22.5H Goodyear Fuel Max RSA (497 rev/mile)	\$45.00
	T2E	Tires, Front Two 11R22.5H Michelin X Multi Energy Z (501 rev/mile)	\$240.00
	TCH	Tires, Front Two 255/70R22.5H Goodyear Endurance RSA (566 rev/mile)	\$40.00
	T2F	Tires, Front Two 275/80R22.5G Michelin X Multi Energy Z (515 rev/mile)	\$190.00
	TRA	Tires, Front Two 295/75R22.5H Continental HSR3 (514 rev/mile)	\$130.00
	645 (275MM BC) hub pilo	Wheels, Front 19.5x6.75 White Powder Coated Steel, 8-Hole oted, flanged nut, metric mount, 6.75 DC rims; with steel hubs.	N/C
	646 (285.75MM BC) hub	Wheels, Front 19.5x7.5 White Powder Coated Steel, 10-Hole piloted, flanged nut, metric mount, 7.50 DC rims; with steel hubs.	\$25.00
	648	Wheels, Front 19.5x6.75 Aluminum, 8- Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides	\$470.00
	64D	Wheels, Front 19.5x7.5 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides	\$630.00

Manager-Business Development, North Carolina Sheriff's Association





(Tord)

2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

MODD	Description.	Options (cont'd)	
MSRP	Description	Code	Selected
N/C	Tires, Front Two 245/70R19.5G Hankook AH35 (628 rev/mile)	Т9А	
\$80.00	Tires, Front Two 245/70R19.5H Michelin AGILIS HDZ (619 rev/mile)	TGK	
\$40.00	Tires, Front Two 245/70R19.5H Hankook AH35 (628 rev/mile)	T9F	
\$75.00	Tires, Front Two 265/70R19.5G Hankook AH35 (613 rev/mile)	Т9В	
		Tires	Rear Wheels &
STD	Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole	663	\checkmark
	oted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.	(285.75MM BC) hub pilo	
\$830.00	Wheels, Rear 22.5x8.25 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides	66H	
	vder-coated steel.	Inner wheel is white pov	
\$1,470.00	Wheels, Rear 22.5x8.25 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	66C	
	1.	Inner wheel is aluminum	
\$120.00	Wheels, Rear 22.5x8.25 Black Wheel oted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.	669 (285.75MM BC) hub pilo	
\$145.00	Wheel, Spare 22.5x8.25 White Powder Coated Steel, 10-Hole - Quantity (One only)	60Z	

Manager-Business Development, North Carolina Sheriff's Association





(Ford)

2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

Available C	options (cont'd)			
Selected	Code	Description	MSRP	
\checkmark	R2B	Tires, Rear Four 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD	
	R2A	Tires, Rear Four 11R22.5H Goodyear Fuel Max RSA (497 rev/mile)	\$95.00	
	R2G	Tires, Rear Four 11R22.5G Goodyear Fuel Max RTD (493 rev/mile)	\$140.00	
	R2H	Tires, Rear Four 11R22.5H Goodyear Fuel Max RTD (493 rev/mile)	\$175.00	
	R2E	Tires, Rear Four 11R22.5H Michelin X Multi Energy Z (501 rev/mile)	\$480.00	
	RMB	Tires, Rear Four 11R22.5H Michelin X Multi D (494 rev/mile)	\$405.00	
	R2K	Tires, Rear Four 255/70R22.5H Goodyear Fuel Max RTD (563 rev/mile)	\$140.00	
	RCH	Tires, Rear Four 255/70R22.5H Goodyear Fuel Max RSA (563 rev/mile)	\$80.00	
	R2J	Tires, Rear Four 275/80R22.5G Michelin X Multi Energy D (514 rev/mile)	\$265.00	
	R2F	Tires, Rear Four 275/80R22.5G Michelin X Multi Energy Z (515 rev/mile)	\$375.00	

Manager-Business Development, North Carolina Sheriff's Association





(Ford)

2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

Available C	options (cont'c		
Selected	Code	Description	MSRP
	RRC	Tires, Rear Four 295/75R22.5H Continental HDR2 ECO PLUS (514 rev/mile)	\$310.00
	RRA	Tires, Rear Four 295/75R22.5H Continental HSR3 (514 rev/mile)	\$260.00
	665 (275MM BC) hub pi	Wheels, Rear 19.5x6.75 White Powder Coated Steel, 8-Hole loted, flanged nut, metric mount, 6.75 DC rims; with steel hubs.	\$25.00
	668	Wheels, Rear 19.5x6.75 Aluminum, 8- Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount	\$705.00
	66A Inner wheel is alum	Wheels, Rear 19.5x6.75 DRW Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount	\$940.00
	666 (285.75MM BC) hul	Wheels, Rear 19.5x7.5 White Powder Coated Steel, 10-Hole piloted, flanged nut, metric mount, 7.50 DC rims; with steel hubs.	\$50.00
	66D	Wheels, Rear 19.5x7.5 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides	\$725.00
	66B Inner wheel is alum	Wheels, Rear 19.5x7.5 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	\$1,260.00

Manager-Business Development, North Carolina Sheriff's Association






2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

		Options (cont'd)	
MSRP	Description	Code	Selected
\$145.00	Wheel, Spare 19.5x6.75, White Powder Coated Steel, 8-Hole - Quantity (One only)	60W	
\$145.00	Wheel, Spare 19.5x7.5, White Powder Coated Steel, 10-Hole - Quantity (One only)	60X	
N/C	Tires, Rear Four 245/70R19.5G Hankook AH35 (621 rev/mile)	R9A	
\$80.00	Tires, Rear Four 245/70R19.5G Hankook DH35 (632 rev/mile)	R9C	
\$150.00	Tires, Rear Four 265/70R19.5G Hankook AH35 (613 rev/mile)	R9B	
\$100.00	Tires, Rear Four 265/70R19.5G Hankook DH35 (614 rev/mile)	R9D	
\$80.00	Tires, Rear Four 245/70R19.5H Hankook AH35 (621 rev/mile)	R9F	
\$165.00	Tires, Rear Four 245/70R19.5H Hankook DH35 (632 rev/mile)	R9E	
\$165.00	Tires, Rear Four 245/70R19.5H Michelin AGILIS HDZ (619 rev/mile)	RGK	
			Brakes
STD (Bosch) DSSA type	Hydraulic Brake System - Bosch HydroMax w/Traction Control ic adjustment, 4-channel ABS antilock brake system. Includes 12" x 3"	67H Full power with automa	\checkmark

Manager-Business Development, North Carolina Sheriff's Association





(Tord)

2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

Available C	ptions (cont'd			
Selected	Code	Description	MSRP	
	Mounted at rear of taccommodation page	Trailer Connection Socket - 7-Way, Wired for Turn Signals Combined with Stop Trame, for combined trailer stop, tail, turn, marker light circuits. Includes elected with cab connections for mounting customer installed electric brake	\$100.00 ectric trailer brake unit.	
		Trailer Connection Socket - 7-Way, Wired for Turn Signals, Separate of Stop frame, for separate trailer stop, tail, turn, marker light circuits. Includes elections and the connections for mounting customer installed electric brake		
	67A Includes: - Air Dryer, Bendix A	Air Brakes (4 WHEEL DRUM) - Straight Truck w/Traction Control	Variable	
	Deletes hand opera Includes: - Air Dryer, Bendix A	Air Brakes (FRONT DISC / REAR DRUM) - Straight Truck w/Traction Control apacity air compressor, instrument panel mounted yellow knob parking brated park brake lever. AD/IS w/Heater rail (for Hydraulic brake diesel applications that include air suspension or		
	18A Deletes the standar	Electronic Stability Control DELETE d ESC feature.	Variable	
	(CG)" must be seled Where the final upfi	Final Upfit Center of Gravity - Low CG (38" to 48" FINAL Center of Gravity) Electronic Stability Control Standard. When air brakes are selected, the "finited by dealer when ordering. If the final CG is not known, use the ESC det CG is known, and the unit requires ESC for other features (such as Drive te CG value range when ordering air brake during the specing process. Cottons.	elete (18A) feature. er Assist Technology)	
	98C	Final Upfit Center of Gravity - Medium CG (48" to 58" FINAL Center of Gravity)	N/C	

Manager-Business Development, North Carolina Sheriff's Association



10/23/2023



2025 F-650 Diesel Regular Cab Base (F6D)


Available Option	ons (cont'd)		
Selected	Code	Description	MSRP
	(CG)" must be selected by dea Where the final upfit CG is kno	Stability Control Standard. When air brakes are selected, the "final CG is not known, use the ESC decown, and the unit requires ESC for other features (such as Drive use range when ordering air brake during the specing process. Co	elete (18A) feature. er Assist Technology)
	98E	Final Upfit Center of Gravity - High CG	N/C
		(58" to 68" FINAL Center of Gravity)	
	(CG)" must be selected by dea Where the final upfit CG is known	Stability Control Standard. When air brakes are selected, the "finaler when ordering. If the final CG is not known, use the ESC decown, and the unit requires ESC for other features (such as Drive use range when ordering air brake during the specing process. Co	elete (18A) feature. er Assist Technology)
	98F	Final Upfit Center of Gravity - Tanker	N/C
	301	High CG (58" to 68" FINAL Center of	
		Gravity)	
	(CG)" must be selected by dea Where the final upfit CG is known	Stability Control Standard. When air brakes are selected, the "finaler when ordering. If the final CG is not known, use the ESC de own, and the unit requires ESC for other features (such as Drive use range when ordering air brake during the specing process. Co	elete (18A) feature. er Assist Technology)
	98J	Final Upfit Center of Gravity - Tanker	N/C
		Medium CG (48" to 58" FINAL Center	
		of Gravity)	
	(CG)" must be selected by dea Where the final upfit CG is known	Stability Control Standard. When air brakes are selected, the "finaler when ordering. If the final CG is not known, use the ESC decown, and the unit requires ESC for other features (such as Drive use range when ordering air brake during the specing process. Co	elete (18A) feature. er Assist Technology)
	62F	Brake Chamber Spring Relocated - Required	N/C
	Relocated to rear of rear axle	for maximum ground clearance.	
			\$45.00
	62F_	Brake Chamber Spring Relocated -	Ψ45.00
		Optional	
	Relocated to rear of rear axle	for maximum ground clearance.	
	62D	Air Dryer, Bendix AD/IS w/Heater	\$460.00
		draulic brake diesel applications that include air suspension or s	stand alone engine air
	62H	Air Dryer, Bendix AD/IS w/Heater,	\$120.00

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Alternate Position

Manager-Business Development, North Carolina Sheriff's Association





2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

Available C Selected	ptions (cont'd Code		MSRP
Selected		Description side the left Frame rail as close to cab as available.	IVISKE
	158 Includes air lines to	Trailer Air Brake Package rear of frame, hand control valve and tractor protection valve.	\$365.00
	159	Trailer Connection Socket - 7-Way, Wired for Turn Signals Combined with Stop	\$100.00
	Mounted at rear of fallights).	rame, for combined trailer stop, tail, turn (compatible with trailers that use o	combined stop, tail, turn
	157	Trailer Connection Socket - 7-Way, Wired for Turn Signals, Separate of Stop	\$100.00
	Mounted at rear of families amber or side turn la	rame, for separate trailer stop, tail, turn, marker light circuits (compatible w amps with separate stop/turn).	ith trailers that have
Front Axle and	Suspension		
\checkmark	43A	8,500 lb. Cap. Non-Driving - Dana D- 850F	STD
	43N	10,000 lb. Cap. Non-Driving - Dana E- 1002l - I-Beam Type	\$685.00
	WARNING! The Implications.	selection of this Axle may cause the GVWR to exceed 26,0	00 lbs., with CDL
\checkmark	61B	Taper-Leaf Springs, Parabolic - 8,500	STD
	2-leaf, 62" x 3.15". A	Also includes, standard duty, dual, double acting shock absorbers.	
	61C	Taper-Leaf Springs, Parabolic - 10,000 lb. Cap	\$125.00
	2-leaf, 62" x 3.15". A	Also includes, standard duty, dual, double acting shock absorbers.	
	61D	Taper-Leaf Springs, Parabolic - 12,000 lb. Cap	\$305.00
	2-leaf, 62" x 3.15". A	Also includes, standard duty, dual, double acting shock absorbers.	

Manager-Business Development, North Carolina Sheriff's Association





Oora)

2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

		Options (cont'd)	Available Op	
MSRF	Description	Code	Selected	
\$490.00	Front Stabilizer Bar	15S		
\$50.00	Lube, Front Axle, EmGard 50W, Synthetic Oil	60A		
		Suspension	Rear Axle and S	
STD	17,500 lb. Single-Speed - Dana S17- 140	472	\checkmark	
n axle ratio, check	entech Quiet Gears and 190 wheel ends. NOTE: When specifying an s for startability and gradeability.			
\$670.00	19,000 lb. Single-Speed - Dana S19- 140	474		
5,000 lbs., with CDL	lection of this Axle may cause the GVWR to exceed 26,0	WARNING! The se Implications.		
n axle ratio, check	entech Quiet Gears and 190 wheel ends. NOTE: When specifying an s for startability and gradeability.	Single reduction with performance guideline		
STD	Multi-Leaf Springs - 19,000 lb. Cap Ib auxiliary springs for load stabilization.	68M 11-leaf. Includes 2,00	\checkmark	
\$110.00	Multi-Leaf Springs - 21,000 lb. Cap Ib auxiliary springs for load stabilization.	68P 11-leaf. Includes 2,00		
\$165.00	Shock Absorbers, Rear - Double Acting	961		
\$100.00	Lube, Rear Axle, EmGard 75W-90, Synthetic Oil	607		
N/C	4.88 Axle Ratio	X4G		
	termined by Rear Axle Ratio and Tire Size.	PRNDM/RNDM de		
N/C	5.29 Axle Ratio	X5B		
	termined by Rear Axle Ratio and Tire Size.	PRNDM/RNDM de		

Manager-Business Development, North Carolina Sheriff's Association





2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

Available O	ptions (cont'c	l)	
Selected	Code	Description	MSRP
	X5D	5.57 Axle Ratio	N/C
	PRNDM/RNDM	determined by Rear Axle Ratio and Tire Size.	
	X6A	6.14 Axle Ratio	N/C
	PRNDM/RNDM	determined by Rear Axle Ratio and Tire Size.	
\checkmark	X6D	6.50 Axle Ratio	N/C
	PRNDM/RNDM	determined by Rear Axle Ratio and Tire Size.	
Wheelbase			
\checkmark	158WB	158" Wheelbase/84" CA/49" AF/246" OAL	STD
	176WB	176" Wheelbase/102" CA/70" AF/285" OAL	\$125.00
	182WB	182" Wheelbase/108" CA/70" AF/291" OAL	\$210.00
	194WB	194" Wheelbase/120" CA/75" AF/308" OAL	\$325.00
	200WB	200" Wheelbase/126" CA/75" AF/314" OAL	\$490.00
	212WB	212" Wheelbase/138" CA/81" AF/332" OAL	\$515.00
	218WB	218" Wheelbase/144" CA/81" AF/338" OAL	\$550.00

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Manager-Business Development, North Carolina Sheriff's Association





274099308

2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

Available (Options (cont'd)	Description	MSRP
	224WB	224" Wheelbase/150" CA/87" AF/350" OAL	\$570.00
	230WB	230" Wheelbase/156" CA/87" AF/356" OAL	\$585.00
	242WB	242" Wheelbase/168" CA/100" AF/381" OAL	\$805.00
	260WB	260" Wheelbase/186" CA/120" AF/419" OAL	\$965.00
	281WB	281" Wheelbase/207" CA/120" AF/440" OAL	\$1,150.00
Frame			
\checkmark	534 632,000 RBM. High stren	Single Channel - Straight 'C' 12.64 SM, 50,000 PSI agth low alloy steel; 10.125" x 3.062" x 0.312" (257.2mm x 77.8mm x 8.0mm)	STD
	533 860,000 RBM. High stren	Single Channel - Straight 'C' 10.75 SM, 80,000 PSI agth low alloy steel; 9.125" x 3.062" x 0.312" (232.8mm x 77.8mm x 7.9mm)	N/C
	536 1,701,600 RBM. Heat tree	Single Channel - Straight 'C' 14.18 SM, 120,000 PSI ated alloy steel; 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm).	\$365.00
	535 1,211,200 RBM. High stre	Single Channel - Straight 'C' 15.14 SM, 80,000 PSI ength low alloy steel. 10.250" x 3.092" x 0.375" (260.4mm x 78.5mm x 9.5m	\$490.00
	538 2,037,600 RBM. Heat tre	Single Channel - Straight 'C' 16.98 SM, 120,000 PSI ated alloy steel; 10.250" x 3.610" x 0.375" (260.4mm x 91.66mm x 9.5mm).	\$650.00

Manager-Business Development, North Carolina Sheriff's Association





Obra)

2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

Available C	ptions (cont'd		
Selected	Code	Description	MSRP
	532	Frame Extension, Front - Integral 20" In Front of Grille	\$490.00
	Includes: - Grille, Fixed - Blac - Bumper, Front - De	k/Gray elete - Also Deletes Mounting Brackets	
	765	Bumper, Front - Full Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Group)	\$490.00
	767 Dark shadow gray c	Bumper, Front - Swept Back, Painted Steel	\$345.00
	76X	Bumper, Front - Delete - Also Deletes Mounting Brackets	-\$135.00
	76F	3" Front Bumper Extension	\$175.00
	76Y	Tow Hooks - Delete	-\$70.00
	18D	Special Rating GVWR - Limited to 25,999 lb. GVWR	\$120.00
	Only available to	GAWR combinations that EXCEED 26,000 lbs.	
	86C	Chrome Grille Surround - (Included in (90E) Exterior Appearance Group)	\$245.00
	86B	Grille, Fixed - Black/Gray	\$125.00
	19D Factory pre-drilled h conversion.	Frame Rail Drill #3 noles in frame rails to support aftermarket install of Hydraulic pump system	\$50.00 for EZ-TRAC 4x4
	19E	Frame Rail Drill #2	\$50.00

Manager-Business Development, North Carolina Sheriff's Association





2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

	Options (cont'c	•	
Selected	Code	Description	MSRP
	Factory pre-drilled f conversion.	oles in frame rails to support aftermarket install of transfer case brackets for	r a Meritor 4x4
Exhaust			
\checkmark	91G	Under Cab, Right Side Outlet, Switchback-Style	STD
	Single, horizontal m	uffler, right side, under cab, outside of frame rail with rear discharge.	
	91B	Back of Cab, Right Side Outlet, Torpedo-Style	N/C
	Single, horizontal m	uffler/pipe, inline, right side exhaust with underbody exit, in front of axle.	
	91D	Under Cab, Vertical Outlet, Right Side, Switchback-Style - Intrudes 2" into clean CA	\$715.00
	WARNING! The	selection of this Exhaust could reduce the available CA dime	ension.
	Single, horizontal m with heat shield and	uffler, right side under cab outside of frame rail with vertical exhaust passen I turnout exit.	ger side rear corner
Fuel Tanks			
\checkmark	65B	Fuel Tank - LH 50 Gallon Rectangular - Aluminum	STD
	65C	Fuel Tank - LH 55 Gallon Rectangular - Aluminum	\$305.00
	65E	Fuel Tank - LH 65 Gallon Rectangular - Aluminum	\$425.00
	65F	Fuel Tank - 115 Gallon Rectangular - Aluminum - LH 65-gal, RH 50-gal	\$915.00
Electrical / Alte	ernator / Battery		
\checkmark	STDALT	Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5	STD

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Manager-Business Development, North Carolina Sheriff's Association





(Ford)

2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

Available C	options (cont'd)		
Selected	Code	Description	MSRP
	17D	Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2	\$855.00
	17A	Extra Heavy Duty Alternator - 12-Volt, 240 Amps	\$410.00
	55M	Jump Start Stud - Remote Mounted	\$90.00
\checkmark	STDBAT 12 Volt, Motorcraft.	Battery - Two 750 CCA, 1500 Total, Includes Steel Battery Box	STD
	63B 12Volt, Motorcraft.	Battery - Two 900 CCA, 1800 Total, Includes Steel Battery Box	\$60.00
	63D 12Volt, Motorcraft.	Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box	\$250.00
	164	Roof Marker/Clearance Lights - Clear Lenses, 5 Lights (Replaces Standard Amber Lenses)	\$30.00
	59C	Body Builder Wiring - At End of Frame, Combined - (ILO Standard - Back of Cab Combined)	\$135.00
	Includes sealed conne lamps. Also includes 2	ctors for 2 ground circuits, with combined left/stop, combined right/stop, additional pass through wires to cab.	stop lamps, back up
	59D	Body Builder Wiring - At Back of Cab, Separate - (ILO Standard - Back of Cab Combined)	\$70.00
	Includes sealed conne includes 2 additional pa	ctors for 2 ground circuits, with separate left/stop, separate right/stop, ba ass through wires to cab.	nck up lamps. Also

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Manager-Business Development, North Carolina Sheriff's Association





2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

Available C	options (cont'd		
Selected	Code	Description	MSRP
	59E	Body Builder Wiring - At End of Frame, Separate - (ILO Standard - Back of Cab Combined)	\$135.00
	Includes sealed con includes 2 additiona	nectors for 2 ground circuits, with separate left/stop, separate right/stop, k I pass through wires to cab.	oack up lamps. Also
	17M	Back-Up Alarm - Electric, 102 dBA	\$110.00
	962	Daytime Running Lamps (Not Configurable)	\$25.00
	86M	Upfitter Interface Module	\$320.00
	55X Deletes stop, turn, ta	Tail Light Delete ail and backup lights. Does not omit cable to end of frame.	N/C
	16V Available in messag	Voltmeter e center.	\$100.00
Seats			
\checkmark	88A	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl	STD
	88B	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Cloth	\$125.00
	881	30/70 Fixed Driver & Fixed 2- Passenger Bench - Vinyl	\$350.00
	882	30/70 Fixed Driver & Fixed 2- Passenger Bench - Cloth	\$475.00
	88R	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolette - Vinyl	\$440.00

Manager-Business Development, North Carolina Sheriff's Association








2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

Available (Options (cont'd)		
Selected	Code	Description	MSRP
	88\$	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolette - Cloth	\$565.00
	88G	30/70 Air Ride Driver (External Air Source) & Fixed 2-Passenger Bench - Vinyl	\$395.00
	88H	30/70 Air Ride Driver (External Air Source) & Fixed 2-Passenger Bench - Cloth	\$520.00
	88J	30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Vinyl	\$855.00
	88K	30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Cloth	\$980.00
	88L	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Vinyl	\$440.00
	88M	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Cloth	\$565.00
	88N	30/0/30 Air Ride Driver (External Air Source) & Fixed Passenger w/Consolette - Vinyl	\$395.00
	88P	30/0/30 Air Ride Driver (External Air Source) & Fixed Passenger w/Consolette - Cloth	\$520.00

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Manager-Business Development, North Carolina Sheriff's Association





2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

Available C	options (cont'd)	
Selected	Code	Description	MSRP
	88E	30/0/30 Air Ride Driver (External Air Source) & Air Ride Passenger (External Air Source) w/Consolette - Vinyl	\$810.00
	88F	30/0/30 Air Ride Driver (External Air Source) & Air Ride Passenger (External Air Source) w/Consolette - Cloth	\$935.00
	88Y	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold-Down Console - Vinyl	\$420.00
	88Z	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold-Down Console - Cloth	\$545.00
Cab Interior			
	- Wheel Seals, Rear - Manual Regen Initia - Engine Exhaust Bra - Extra Heavy Duty A - Painted Grille - Plas - Lights - Roof Marke - Tow Hooks, Front (- Four Body Builder S - With connector acc - Floor Covering - Bla - Intelligent Oil Life N - Steering Column Steering Wheel - Black Body Builder Wiring - Includes sealed con	e - Oil lubricated, SKF ScotSeal PlusXL Seals - Oil lubricated, SKF ScotSeal PlusXL Seals ation - Driver Interface in Message Center ake Alternator - 12-Volt, 200 Amp Denso SC5 stic er/Clearance - Amber Lenses, 5 Lights (2) - Frame-Mounted, Painted Black Switches - Mounted in Center Instrument Panel ess located in engine compartment. Amperages vary by switch: 10, 15, 25, 25. ack Vinyl Monitor	N/C
	87H Includes Autonomou Control.	Driver Assist Technology Package. Hydraulic Brake s Emergency Braking, Forward Collision Warning, Lane Departure Warning and	\$1,410.00 Auto High Beam

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Manager-Business Development, North Carolina Sheriff's Association

Prepared by: SPENCER WOOD

10/23/2023



2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

Available Options (cont'd)

Selected Code **MSRP Description** - Enhanced Cluster w/High-Level 8-Inch Display Electronic speedometer (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge, fuel gauge, tachometer, and indicator lights. Also included is enhanced 3-button Message Center with odometer, trip odometer, distance to empty for fuel, average fuel economy, hour meter and warning messages. Transmission temperature in message center. \$3,050.00 87A **Driver Assist Technology Package** (w/Bendix Wingman Advanced). Air Includes Autonomous Emergency Braking, Forward Collision Warning, Lane Departure Warning, Adaptive Cruise Control and Auto High Beam Control. Includes - Enhanced Cluster w/High-Level 8-Inch Display Electronic speedometer (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge, fuel gauge, tachometer, and indicator lights. Also included is enhanced 3-button Message Center with odometer, trip odometer, distance to empty for fuel, average fuel economy, hour meter and warning messages. Transmission temperature in message center. \$510.00 61M Rear View Camera w/Mirror Display Rear view mirror video with full length display included in kit. To be installed by Upfitter. \$815.00 90A Appearance Group Includes front-mounted overhead console with dual sunglass bins and integral front map reading lights. - Chrome Trimmed Air Registers w/Positive Shut-Off - Power Equipment Group - (Included in (90A) Appearance Group) Includes power front side windows, power door locks, door trim panel and passive anti-theft system. - SecuriLock Passive Anti-Theft System The SecuriLock Passive Anti-Theft System is designed to help prevent the engine from being started unless a coded key, programmed to the vehicle, is used. It helps protect against drive-away theft through an electronically coded ignition key, its electronically coded ignition key features billions of possible codes to start the vehicle and is not compatible with non-OEM aftermarket remote start systems. - Remote Keyless Entry w/2 Key Fobs \$235.00 92J Enhanced Cluster w/High-Level 8-Inch Display Electronic speedometer (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge, fuel gauge, tachometer, and indicator lights. Also included is enhanced 3-button Message Center with odometer, trip odometer, distance to empty for fuel, average fuel economy, hour meter and warning messages. Transmission temperature in message center \$550.00 90P Power Equipment Group - (Included in (90A) Appearance Group) Includes power front side windows, power door locks, door trim panel and passive anti-theft system. Includes:

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

The SecuriLock Passive Anti-Theft System is designed to help prevent the engine from being started unless a coded key, programmed to the vehicle, is used. It helps protect against drive-away theft through an electronically coded ignition key, its electronically coded ignition key features billions of possible codes to start the vehicle and is not

- SecuriLock Passive Anti-Theft System

compatible with non-OEM aftermarket remote start systems.

Manager-Business Development, North Carolina Sheriff's Association






2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

•	tions (cont'd)	
elected	Code	Description	MSRP
	- Remote Keyless Er	ntry w/2 Key Fobs	
	86H	Rapid-Heat Supplemental Cab Heater	\$610.00
	Required with Ala Hampshire, New	aska, Colorado, Idaho, Iowa, Maine, Michigan, Minnesota, N York, North Dakota, South Dakota, Vermont, Wisconsin, W	lontana, New yoming.
	96C	Pull Out Cup Holder For Two Cups -	\$30.00
		Instrument Panel Mounted	
	55P	110 A/C Outlet - in Lower Center Finish Panel	\$100.00
	214	4 Speaker Option for 588 Radio	\$30.00
	58B	Radio Delete Package	-\$60.00
	and speaker location	ers, antenna and antenna cable. Includes radio instrument panel cover and ns for future radio upfit if owner desires.	u aux audio jack covei
$\overline{\vee}$	588	Radio: AM/FM Stereo w/2 Speakers,	STD
		USB input, Clock Display and Bluetooth	
	85B	Keyed Alike - Not Available with Anti-	\$45.00
		Theft System, Requires Multiple-Unit Order	
		Oluci	
	85L	Keyed Alike - Option 1 - Not Available	\$45.00
		with Anti-Theft System, Requires Multiple-Unit Order	
		ividitiple-offit Order	
	85M	Keyed Alike - Option 2 - Not Available	\$45.00
		with Anti-Theft System, Requires Multiple-Unit Order	
	85N	Keyed Alike - Option 3 - Not Available	\$45.00
	55.1	with Anti-Theft System, Requires Multiple-Unit Order	

Manager-Business Development, North Carolina Sheriff's Association





2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

Available Op	otions (cont'd)	
Selected	Code	Description	MSRP
	85P	Keyed Alike - Option 4 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00
	key, programmed to ignition key, its elect	SecuriLock Passive Anti-Theft System sive Anti-Theft System is designed to help prevent the engine from being the vehicle, is used. It helps protect against drive-away theft through an eronically coded ignition key features billions of possible codes to start the OEM aftermarket remote start systems.	electronically coded
	90M	Interior Rear View Mirror	\$75.00
Cab Exterior			
	- Chromed Fender E	Exterior Appearance Group Ill Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Groups Badge round - (Included in (90E) Exterior Appearance Group)	\$730.00 roup)
	94T	Tamper-Proof Odometer	\$30.00
	59A Air solenoid operate	Horn, Air - Black, Single Trumpet d, chassis mounted on rail back of bumper.	\$90.00
\checkmark	54M Integral mirror, sail t	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width ype, manual fold, solid black finish.	STD
	54P Integral spot mirror,	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width sail type, solid black finish.	\$185.00
	54A Integral spot mirror,	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width w/Chrome Cap	\$245.00

Manager-Business Development, North Carolina Sheriff's Association





Oora)

2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

Available O	ptions (cont'c	1)	
Selected	Code	Description	MSRP
	54C	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width	\$30.00
	Integral spot mirror,	sail type, manual fold, solid black finish.	
	54R	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width	\$215.00
	Integral spot mirror,	sail type, solid black finish.	
	54K	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width w/Chrome Cap	\$275.00
	Integral spot mirror,	·	
	54F	Mirrors, Trailer Tow, Powered - Sail Mount - w/Power Telescoping & Power Folding	\$365.00
	Includes power hea mounted.	ted glass, heated convex spotter and integrated clearance lights/turn sign	nals. Heat controls dash
	63F	Aux Spot Mirrors - Front Fender Mounted - (2) Driver Side and Passenger Side	\$225.00
	63G	Aux Spot Mirror - Front Fender Mounted - (1) Passenger Side Only	\$120.00
	165	Mud Flap Holder Without Flaps	\$95.00
	166	Mud Flap Holder With Flaps	\$155.00
Ship-Thru			
	21A	Pre-Delivery Inspection	N/C
	Selection require have the Inspect	es that you also choose either (314) or (31F) or (31T) or (3 cion performed. Required with any final Ship-To that is not a	1S) or (31Y) to a dealer.
	have the Inspec	ion performed. Required with any final Ship-To that is not a	a dealer.

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Manager-Business Development, North Carolina Sheriff's Association





h Carolina I

2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

Available Optio	,	Description	MODD
Selected	Code	Description	MSRP
	31T	Ship-Thru: Bobs Services LLC	\$0.00
	MAY be selected w/o addi arrangements directly with	ng (21A). For MODIFICATIONS ONLY, Dealer must make Bob's Services (please use CVT Resources for add. Info)	
	314	Ship-Thru - Manning	N/C
	MAY be selected w/o addi arrangements directly with	ng (21A). For MODIFICATIONS ONLY, Dealer must make Manning (please use CVT Resources for add. Info).	
	31F	Ship-Thru - NFS National Fleet Services	N/C
	MAY be selected w/o addi arrangements directly with	ng (21A). For MODIFICATIONS ONLY, Dealer must make INFS (please use CVT Resources for add. Info).	
	31S	Ship-Thru: Roush CleanTech	\$0.00
	MAY be selected w/o addi arrangements directly with	ng (21A). For MODIFICATIONS ONLY, Dealer must make Roush (please use CVT Resources for add. Info).	
	31Y	Ship-Thru: Zoresco Equipment	\$0.00
	MAY be selected w/o addi arrangements directly with	ng (21A). For MODIFICATIONS ONLY, Dealer must make Zoresco (please use CVT Resources for add. Info).	
Miscellaneous			
\checkmark	PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"	STD
	79V	COV Required	N/C
	Send a paper Certificate of CA or MI.	f Origin for a Vehicle (COV) for those states that file electron	onically -
Fleet Options			
	19A	Ambulance Prep Pkg w/Special Emissions	\$1,285.00
	REQUIRES valid FIN code	Э.	

Manager-Business Development, North Carolina Sheriff's Association





2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

Available Options (cont'd)

Selected Code **Description MSRP**

> Includes EPA Special Emergency Vehicle Emissions. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford vehicles are suitable for producing ambulances with special emissions only if equipped with the Ford Ambulance Prep Package with EPA Special Emergency Vehicle Emissions. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford incomplete vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). Using a Ford vehicle without the Ford Ambulance Package with EPA Special Emergency Vehicle Emissions to produce an ambulance with special emissions voids the Ford warranty. NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Allows operator commanded regen down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the Federal Register. NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California. Includes.

- Dual Heavy Duty Alternators 357 Amp Capacity 200 & 157 amp Denso SC5/SC2
- Battery Three 900 CCA, 2700 Total, Includes Steel Battery Box 12 Volt. Motorcraft.

\$1,285.00 19F Fire/Rescue Prep Pkg w/EPA Special

REQUIRES valid FIN code.

Includes EPA Special Emergency Vehicle Emissions. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford urges Fire/Rescue Vehicle manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Operator commanded regen down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the Federal Register. NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.

- Dual Heavy Duty Alternators 357 Amp Capacity 200 & 157 amp Denso SC5/SC2
- Battery Three 900 CCA, 2700 Total, Includes Steel Battery Box

\$60.00 19B Beverage Delivery Package Includes body builder wiring at back of cab at frame, sealed connectors for 2 ground circuits, with combined left/stop, combined right/stop, stop lamps, park lamps, back up lamps, also includes 2 additional pass through wires to cab with 6 feet additional length to accommodate drop frame beverage body application. \$0.00 B4A Net Invoice Fleet Option N/C 56A **CPA Fleet Incentive** N/C 56B Commercial Repurchase N/C 56F FRCS Long Term \$0.00 56K Long Term Fleet Incentive

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Manager-Business Development, North Carolina Sheriff's Association



10/23/2023



(Jord)

2025 F-650 Diesel Regular Cab Base (F6D)

Price Level: 515 | Quote ID: NCSA25-31

Available C	options (cont'd)		
Selected	Code	Description	MSRP
	56M	National Fleet Incentive	N/C
	56Y	DDR Program	N/C
	FLADCR	Fleet Special Adjustment Credit	\$0.00
	55D	Driver Assistance - FLEET SETTINGS	\$35.00
	Requires Valid Code.		
	Note: Settings are locked and cannot be changed by driver or fleet administrator. Includes driver alert set to ON, collision assist - alert sensitivity set to NORMAL, distance indication is set to ON, active braking set to ON, pre collision warning set to ON, lane keeping set to ON, sensitivity set to NORMAL, auto lamp delay set to 20 sec, auto high beam set to ON and daytime lights set to ON.		
	87S	Fleet Safety Kit	\$205.00
	Includes 5 lb fire extinguisher class A, B and C with mounting brackets, triangle reflector and vehicle fuse kit (shipped loose not installed at plant).		