Prepared for: Ms. Kaylyn Mitman, Manager-Business Development, North Carolina Sheriff's Association	1
	_
2025 F-750 Diesel Crew Cab Base (W7D)	
Price Level: 515	
Client Proposa	l
Prepared by	/ :
SPENCER WOOL	
Office: 336-668-240	
Quote ID: NCSA25-4	
Date: 10/23/202	3



Manager-Business Development, North Carolina Sheriff's Association





2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

Available Opti	ions		
Selected	Code	Description	MSRF
General Info			
	ORDER1	Initial Order Date: 10/27/2022	N/C
Engines			
\checkmark	99C	6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM	STD
	_	xhaust Brake and manual regen capability. Torque: 700 no. Includes CARB clean idle label - may be removed if un-necessary.) ft.lbs. @ 1500 rpm
	99E	6.7L Power Stroke V8 Turbo Diesel - 300 HP @ 2500 RPM	\$1,995.00
	_	xhaust Brake and manual regen capability. Torque: 725	5 ft.lbs. @ 1500 rpm
	99X	6.7L Power Stroke V8 Turbo Diesel - 330 HP @ 2600 RPM	\$3,495.00
	_	xhaust Brake and manual regen capability. Torque: 750) ft.lbs. @ 1500 rpm
\checkmark	425	50-State Emissions	N/C
	41H Includes removable g	Engine Block Heater, Phillips, 120 Volt/750 Watt rille cover.	\$155.00
	98R Allows Driver to Inhibi	Active Regen Control it Automatic Regen until Regen can be performed in a Safe location.	\$205.00
	916	Speed Limit - 65mph	N/C
	917	Speed Limit - 70mph	N/C

Manager-Business Development, North Carolina Sheriff's Association





2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

	options (cont'd		
Selected	Code	Description	MSRP
	62G	Air Compressor, Bendix, 13.2 CFM Capacity - Includes Direct Reading Air Pressure Gauge	\$1,175.00
	For use as an Air	Source when Air Brakes are not selected.	
	94A	Engine Idle Shutdown Timer - 5 Minutes	\$25.00
	94B	Engine Idle Shutdown Timer - 10 Minutes	\$25.00
	94C	Engine Idle Shutdown Timer - 15 Minutes	\$25.00
	94D	Engine Idle Shutdown Timer - 20 Minutes	\$25.00
Transmissions			
\checkmark	44D	Ford TorqShift HD 10-Speed Automatic - with PTO Provision	STD
	Includes tow/haul.		
Front Wheels &	Tires		
\checkmark	643	Wheels, Front 22.5x8.25 White Powder Coated Steel, 10-Hole	STD
	(285.75MM BC) hub	piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.	
	64H	Wheels, Front 22.5x8.25 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides	\$735.00
	649 (285.75MM BC) hub	Wheels, Front 22.5x8.25 Black Wheel piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.	\$60.00

Manager-Business Development, North Carolina Sheriff's Association





Corolina I

2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

	Options (cont'd)		
Selected	Code	Description	MSRP
\checkmark	T2B	Tires, Front Two 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD
	T2A	Tires, Front Two 11R22.5H Goodyear Fuel Max RSA (497 rev/mile)	\$45.00
	T2E	Tires, Front Two 11R22.5H Michelin X Multi Energy Z (501 rev/mile)	\$240.00
	ТСН	Tires, Front Two 255/70R22.5H Goodyear Endurance RSA (566 rev/mile)	\$40.00
	T2F	Tires, Front Two 275/80R22.5G Michelin X Multi Energy Z (515 rev/mile)	\$190.00
	TRA	Tires, Front Two 295/75R22.5H Continental HSR3 (514 rev/mile)	\$130.00
Rear Wheels &	Tires		
\checkmark	663	Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole	STD
	(285.75MM BC) hub _l	piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.	
	66H	Wheels, Rear 22.5x8.25 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides	\$830.00
	Inner wheel is white p	_	
	66C	Wheels, Rear 22.5x8.25 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	\$1,470.00
	Inner wheel is alumin		

Manager-Business Development, North Carolina Sheriff's Association





2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

Available Opt	ions (cont'd) Description	MSRP
Ocicotou	Oode	Description	- WOR
	669 (285.75MM BC) hub	Wheels, Rear 22.5x8.25 Black Wheel piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.	\$120.00
	60Z	Wheel, Spare 22.5x8.25 White Powder Coated Steel, 10-Hole - Quantity (One only)	\$145.00
	R2B	Tires, Rear Four 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD
	R2A	Tires, Rear Four 11R22.5H Goodyear Fuel Max RSA (497 rev/mile)	\$95.00
	R2G	Tires, Rear Four 11R22.5G Goodyear Fuel Max RTD (493 rev/mile)	\$140.00
	R2H	Tires, Rear Four 11R22.5H Goodyear Fuel Max RTD (493 rev/mile)	\$175.00
	R2E	Tires, Rear Four 11R22.5H Michelin X Multi Energy Z (501 rev/mile)	\$480.00
	RMB	Tires, Rear Four 11R22.5H Michelin X Multi D (494 rev/mile)	\$405.00
	R2K	Tires, Rear Four 255/70R22.5H Goodyear Fuel Max RTD (563 rev/mile)	\$140.00
	RCH	Tires, Rear Four 255/70R22.5H Goodyear Fuel Max RSA (563 rev/mile)	\$80.00
	R2J	Tires, Rear Four 275/80R22.5G Michelin X Multi Energy D (514 rev/mile)	\$265.00

Manager-Business Development, North Carolina Sheriff's Association





2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

Available C	options (cont'd)	
Selected	Code	Description	MSRP
	R2F	Tires, Rear Four 275/80R22.5G Michelin X Multi Energy Z (515 rev/mile)	\$375.00
	RRC	Tires, Rear Four 295/75R22.5H Continental HDR2 ECO PLUS (514 rev/mile)	\$310.00
	RRA	Tires, Rear Four 295/75R22.5H Continental HSR3 (514 rev/mile)	\$260.00
Brakes			
\checkmark		Hydraulic Brake System - Bosch HydroMax w/Traction Control matic adjustment, 4-channel ABS antilock brake system. Includes 12" x 3" arking brake, Orscheln lever control, right of driver and hand operated park	
		Trailer Connection Socket - 7-Way, Wired for Turn Signals Combined with Stop Fame, for combined trailer stop, tail, turn, marker light circuits. Includes elective with cab connections for mounting customer installed electric brake u	
	154	Trailer Connection Socket - 7-Way, Wired for Turn Signals, Separate of Stop	\$100.00
	Mounted at rear of fr	rame, for separate trailer stop, tail, turn, marker light circuits. Includes elect kage with cab connections for mounting customer installed electric brake u	ric trailer brake nit.
	67A	Air Brakes (4 WHEEL DRUM) - Straight	Variable
		Truck w/Traction Control	
	reading air pressure panel mounted yello parking air brake cha Builders Book for loc system to minimize v	ABS, Bendix Anti-Lock Brake System, 4-channel. Includes 15" x 4" front bragauges, brake lines color coded nylon, Bendix 13.2 CFM capacity air compound with kind parking brake control valve, automatic slack adjusters front and reambers mounted on front of rear axle, three drain valves and two air tanks cation). Rear brake size and components dependent upon axle selection. Uwheel slipping during acceleration. Usage determined by the air brake pack-li-Rail Train Systems). Deletes hand operated park brake lever.	oressor, instrument ar, two rear spring (Reference Body Ises existing ABS

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Includes:

- Air Dryer, Bendix AD/IS w/Heater

Manager-Business Development, North Carolina Sheriff's Association



10/23/2023



(Jord)

2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

Available C	ptions (cont'd)	
Selected	Code	Description	MSRP
	Mounted left frame compressor).	rail (for Hydraulic brake diesel applications that include air suspension or	stand alone engine air
	67D	Air Brakes (4 WHEEL DISC) w/Traction Control	\$3,755.00
	Deletes hand operat Includes: - Air Dryer, Bendix A Mounted left frame compressor).	•	stand alone engine air
	67C	Air Brakes (FRONT DISC / REAR DRUM) - Straight Truck w/Traction Control	\$3,020.00
	Deletes hand operat Includes: - Air Dryer, Bendix A	pacity air compressor, instrument panel mounted yellow knob parking bra ed park brake lever.	
	18A Deletes the standard	Electronic Stability Control DELETE # ESC feature.	Variable
	98B	Final Upfit Center of Gravity - Low CG (38" to 48" FINAL Center of Gravity)	N/C
	(CG)" must be selec Where the final upfit	electronic Stability Control Standard. When air brakes are selected, the "fir ted by dealer when ordering. If the final CG is not known, use the ESC de CG is known, and the unit requires ESC for other features (such as Drive te CG value range when ordering air brake during the specing process. Cations.	lete (18A) feature. r Assist Technology)
	98C	Final Upfit Center of Gravity - Medium CG (48" to 58" FINAL Center of Gravity)	N/C
	(CG)" must be selec Where the final upfit	electronic Stability Control Standard. When air brakes are selected, the "fir ted by dealer when ordering. If the final CG is not known, use the ESC de CG is known, and the unit requires ESC for other features (such as Drive te CG value range when ordering air brake during the specing process. Ca	lete (18A) feature. r Assist Technology)
	98E	Final Upfit Center of Gravity - High CG (58" to 68" FINAL Center of Gravity)	N/C
	(CG)" must be selec Where the final upfit	lectronic Stability Control Standard. When air brakes are selected, the "fir ted by dealer when ordering. If the final CG is not known, use the ESC de CG is known, and the unit requires ESC for other features (such as Drive te CG value range when ordering air brake during the specing process. Ca	lete (18A) feature. r Assist Technology)

select the appropriate CG value range when ordering air brake during the specing process. Call TRKLINE (877-875-5463) with any questions.

Manager-Business Development, North Carolina Sheriff's Association





2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

		ptions (cont'd)	Available O
MSRP	Description	Code	Selected
N/C	Final Upfit Center of Gravity - Tanker High CG (58" to 68" FINAL Center of	98F	
lelete (18A) feature. ver Assist Technology)	Gravity) ctronic Stability Control Standard. When air brakes are selected, the "fad by dealer when ordering. If the final CG is not known, use the ESC dG is known, and the unit requires ESC for other features (such as Driv CG value range when ordering air brake during the specing process. CG value range when ordering air brake during the specing process. CG value range when ordering air brake during the specing process.	(CG)" must be selecte Where the final upfit C	
		5463) with any question	
N/C	Final Upfit Center of Gravity - Tanker Medium CG (48" to 58" FINAL Center of Gravity)	98J	
lelete (18A) feature. ver Assist Technology)	ctronic Stability Control Standard. When air brakes are selected, the "f d by dealer when ordering. If the final CG is not known, use the ESC d G is known, and the unit requires ESC for other features (such as Driv CG value range when ordering air brake during the specing process. C	(CG)" must be selecte Where the final upfit C	
\$45.00	Brake Chamber Spring Relocated ar axle for maximum ground clearance.	62F Relocated to rear of re	
\$460.00 stand alone engine air	Air Dryer, Bendix AD/IS w/Heater (for Hydraulic brake diesel applications that include air suspension or	62D Mounted left frame rai compressor).	
\$365.00	Trailer Air Brake Package ar of frame, hand control valve and tractor protection valve.	158 Includes air lines to re	
\$100.00	Trailer Connection Socket - 7-Way, Wired for Turn Signals Combined with Stop	159	
combined stop, tail, turr	me, for combined trailer stop, tail, turn (compatible with trailers that use	Mounted at rear of fra lights).	
\$100.00	Trailer Connection Socket - 7-Way, Wired for Turn Signals, Separate of Stop	157	
with trailers that have	me, for separate trailer stop, tail, turn, marker light circuits (compatible ps with separate stop/turn).	Mounted at rear of fra amber or side turn lan	

Front Axle and Suspension

Manager-Business Development, North Carolina Sheriff's Association





2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

Available C	ptions (cont'd Code	Description	MSRP
✓	43N	10,000 lb. Cap. Non-Driving - Dana E- 1002l - I-Beam Type	STD
	43P	12,000 lb. Cap. Non-Driving - Dana E- 1202l - I-Beam Type	\$525.00
	43D	14,000 lb. Cap. Non-Driving - Dana	\$1,280.00
	61D 2-leaf, 62" x 3.15". A	Taper-Leaf Springs, Parabolic - 12,000 Ib. Cap Also includes, standard duty, dual, double acting shock absorbers.	\$305.00
	61E 3-leaf, 62" x 3.15". A	Taper-Leaf Springs, Parabolic - 13,200 lb. Cap Also includes, standard duty, dual, double acting shock absorbers.	\$365.00
	61F 3-leaf, 62" x 3.15". A	Taper-Leaf Springs, Parabolic - 14,000 Ib. Cap Also includes, standard duty, dual, double acting shock absorbers.	\$425.00
	158	Front Stabilizer Bar	\$490.00
	60A	Lube, Front Axle, EmGard 50W, Synthetic Oil	\$50.00
\checkmark	61C 2-leaf, 62" x 3.15". A	Taper-Leaf Springs, Parabolic - 10,000 lb. Cap Also includes, standard duty, dual, double acting shock absorbers.	STD
Rear Axle and S	Suspension		
\checkmark	475 NOTE: When specif	21,000 lb. Single Reduction - Open - Dana / Spicer 21060S fying an axle ratio, check performance guidelines for startability and gradeability.	STD

Manager-Business Development, North Carolina Sheriff's Association





Carolina

2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

Selected	Code	Description	MSRP
	476	21,000 lb. Single Reduction - Locking - Dana / Spicer 21060D	\$1,830.00
	NOTE: When speci	ifying an axle ratio, check performance guidelines for startability and gradeability.	
	479	23,000 lb. Single Reduction - Open - Dana / Spicer S23-172	\$2,320.00
	NOTE: When speci	ifying an axle ratio, check performance guidelines for startability and gradeability.	
	47P	23,000 lb. Single Reduction - Locking - Dana / Spicer S23-172D	\$2,100.00
	NOTE: When speci	ifying an axle ratio, check performance guidelines for startability and gradeability.	
	47X	26,000 lb. Single Reduction - Open - Dana / Spicer S26-190	\$2,445.00
	NOTE: When speci	ifying an axle ratio, check performance guidelines for startability and gradeability.	
\checkmark	68P 11-leaf. Includes 2,	Multi-Leaf Springs - 21,000 lb. Cap 000 lb auxiliary springs for load stabilization.	STD
	68R 11-leaf. Includes 2,	Multi-Leaf Springs - 23,000 lb. Cap 000 lb auxiliary springs for load stabilization.	\$230.00
	68T 11-leaf. Includes 2,	Multi-Leaf Springs - 31,000 lb. Cap 000 lb auxiliary springs for load stabilization.	\$490.00
	961	Shock Absorbers, Rear - Double Acting	\$165.00
	607	Lube, Rear Axle, EmGard 75W-90, Synthetic Oil	\$100.00
	X4G	4.88 Axle Ratio	N/C
	X5B	5.29 Axle Ratio	N/C
	X5D	5.57 Axle Ratio	N/C

Manager-Business Development, North Carolina Sheriff's Association





2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

Available Option Selected	ons (cont'd) Code	Description	MSRP
	X6A	6.14 Axle Ratio	N/C
	X6B	6.17 Axle Ratio	N/C
\checkmark	X6D	6.50 Axle Ratio	N/C
	X6E	6.83 Axle Ratio	N/C
Wheelbase			
\checkmark	194WB	194" Wheelbase/84" CA/49" AF/282" OAL	\$85.00
	212WB	212" Wheelbase/102" CA/70" AF/321" OAL	\$365.00
	218WB	218" Wheelbase/108" CA/70" AF/327" OAL	\$430.00
	230WB	230" Wheelbase/120" CA/75" AF/344" OAL	\$440.00
	236WB	236" Wheelbase/126" CA/75" AF/350" OAL	\$515.00
	248WB	248" Wheelbase/136" CA/81" AF/368" OAL	\$855.00
	260WB	260" Wheelbase/150" CA/87" AF/386" OAL	\$890.00
	266WB	266" Wheelbase/156" CA/87" AF/392" OAL	\$910.00

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Manager-Business Development, North Carolina Sheriff's Association





2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

Available Option	ons (cont'd)		
Selected	Code	Description	MSRP
Frame			
\checkmark	535 1,211,200 RBM. High streng	Single Channel - Straight 'C' 15.14 SM, 80,000 PSI th low alloy steel. 10.250" x 3.092" x 0.375" (260.4mm x 78.5mm x 9.5mn	STD
	Includes: - GVWR Limit: 37,000 lbs.		
	536	Single Channel - Straight 'C' 14.18 SM, 120,000 PSI	\$365.00
	1,701,600 RBM. Heat treated	d alloy steel; 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm).	
	538	Single Channel - Straight 'C' 16.98 SM, 120,000 PSI	\$650.00
	2,037,600 RBM. Heat treated	d alloy steel; 10.250" x 3.610" x 0.375" (260.4mm x 91.66mm x 9.5mm).	
	539	Single Channel - Straight 'C' 20.11 SM, 120,000 PSI	\$1,075.00
	2,413,200 RBM. Heat treated	d alloy steel; 10.375" x 3.705" x 0.438" (263.5mm x 94.1mm x 11.1mm).	
	41R	Outer "C" Channel Reinforcement - 120,000 PSI	\$1,160.00
	29.84 SM; 3,580,800 RBM. F	Heat treated alloy steel; 10.813" x 3.892" x 0.312"; (274.6 mm x 98.9 mm	x 8.0 mm).
	532	Frame Extension, Front - Integral 20" In Front of Grille	\$490.00
	Includes: - Grille, Fixed - Black/Gray - Bumper, Front - Delete - Al:	so Deletes Mounting Brackets	
	765	Bumper, Front - Full Width, Chrome Plated Steel - (Included in (90E)	\$490.00
		Exterior Appearance Group)	
	767	Bumper, Front - Swept Back, Painted Steel	\$345.00

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Dark shadow gray color.

Manager-Business Development, North Carolina Sheriff's Association






2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

Available	Options (cont'd)	
Selected	Code	Description	MSRP
	76X	Bumper, Front - Delete - Also Deletes Mounting Brackets	-\$135.00
	76F	3" Front Bumper Extension	\$175.00
	76Y	Tow Hooks - Delete	-\$70.00
	18D	Special Rating GVWR - Limited to 25,999 lb. GVWR	\$120.00
	Only available to	GAWR combinations that EXCEED 26,000 lbs.	
	18G	Special De-Rating GVWR - Limited to 33,000 lb. GVWR	\$120.00
		GAWR combinations that EXCEED 33,000 lbs. ed to pay 12% Federal Excise Tax (F. E. T.).	
	19D Factory pre-drilled ho conversion.	Frame Rail Drill #3 ples in frame rails to support aftermarket install of Hydraulic pump system	\$50.00 n for EZ-TRAC 4x4
	19E Factory pre-drilled ho conversion.	Frame Rail Drill #2 ples in frame rails to support aftermarket install of transfer case brackets	\$50.00 for a Meritor 4x4
	86C	Chrome Grille Surround - (Included in (90E) Exterior Appearance Group)	\$245.00
	86B	Grille, Fixed - Black/Gray	\$125.00
Exhaust			
\checkmark	91G	Under Cab, Right Side Outlet, Switchback-Style iffler, right side, under cab, outside of frame rail with rear discharge.	STD
	Single, nonzonial mi	nnor, ngnt side, under cab, odiside of frame fall with feat discridige.	

Manager-Business Development, North Carolina Sheriff's Association





Gora

2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

	Options (cont'd)		
Selected	Code	Description	MSRP
	91D	Under Cab, Vertical Outlet, Right Side, Switchback-Style - Intrudes 2" into clean CA	\$715.00
		election of this Exhaust could reduce the available CA dime fler, right side under cab outside of frame rail with vertical exhaust passer urnout exit.	
Fuel Tanks			
\checkmark	65E	Fuel Tank - LH 65 Gallon Rectangular - Aluminum	STD
	65F	Fuel Tank - 115 Gallon Rectangular - Aluminum - LH 65-gal, RH 50-gal	\$915.00
Electrical / Alte	ernator / Battery		
\checkmark	STDALT	Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5	STD
	17A	Extra Heavy Duty Alternator - 12-Volt, 240 Amps	\$410.00
	17D	Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2	\$855.00
	55M	Jump Start Stud - Remote Mounted	\$90.00
\checkmark	STDBAT 12Volt, Motorcraft.	Battery - Two 750 CCA, 1500 Total, Includes Steel Battery Box	STD
	63B 12Volt, Motorcraft.	Battery - Two 900 CCA, 1800 Total, Includes Steel Battery Box	\$60.00

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Manager-Business Development, North Carolina Sheriff's Association





2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

Available Options (cont'd)				
Selected	Code	Description	MSRP	
	63D	Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box	\$250.00	
	12Volt, Motorcraft.			
	164	Roof Marker/Clearance Lights - Clear Lenses, 5 Lights (Replaces Standard Amber Lenses)	\$30.00	
	59C	Body Builder Wiring - At End of Frame, Combined - (ILO Standard - Back of	\$135.00	
		Cab Combined) nectors for 2 ground circuits, with combined left/stop, combined right/stops 2 additional pass through wires to cab.	o, stop lamps, back up	
	59D	Body Builder Wiring - At Back of Cab,	\$70.00	
	390	Separate - (ILO Standard - Back of Cab		
		Combined) nectors for 2 ground circuits, with separate left/stop, separate right/stop, I pass through wires to cab.	back up lamps. Also	
	59E	Body Builder Wiring - At End of Frame,	\$135.00	
		Separate - (ILO Standard - Back of Cab Combined)		
	Includes sealed con includes 2 additional	nectors for 2 ground circuits, with separate left/stop, separate right/stop, I pass through wires to cab.	back up lamps. Also	
	17M	Back-Up Alarm - Electric, 102 dBA	\$110.00	
	962	Daytime Running Lamps (Not Configurable)	\$25.00	
	86M	Upfitter Interface Module	\$320.00	
	55X Deletes stop, turn, ta	Tail Light Delete ail and backup lights. Does not omit cable to end of frame.	N/C	
	16V	Voltmeter	\$100.00	

Manager-Business Development, North Carolina Sheriff's Association





2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

Available O	ptions (cont'd)	Description	MSRP
	Available in message o	<u> </u>	
Seats			
\checkmark	88A	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl	STD
	88B	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Cloth	\$125.00
	881	30/70 Fixed Driver & Fixed 2- Passenger Bench - Vinyl	\$350.00
	882	30/70 Fixed Driver & Fixed 2- Passenger Bench - Cloth	\$475.00
	88R	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolette - Vinyl	\$440.00
	88G	30/70 Air Ride Driver (External Air Source) & Fixed 2-Passenger Bench - Vinyl	\$395.00
	88H	30/70 Air Ride Driver (External Air Source) & Fixed 2-Passenger Bench - Cloth	\$520.00
	88L	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Vinyl	\$440.00
	88M	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Cloth	\$565.00

Manager-Business Development, North Carolina Sheriff's Association





2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

Available O	ptions (cont'd)	
Selected	Code	Description	MSRP
	88Y	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold-Down Console - Vinyl	\$420.00
	88Z	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold-Down Console - Cloth	\$545.00
\checkmark	87C Trim will match selec	60/40 Rear Bench Seat w/Flip-Up Cushion and Fold-Down Back cted driver seat material.	STD
	87X	Rear Bench - Delete	-\$120.00
Cab Interior			
	- Wheel Seals, Rear - Manual Regen Initi - Engine Exhaust Br - Extra Heavy Duty / - Painted Grille - Pla - Lights - Roof Mark - Tow Hooks, Front - Four Body Builder With connector acc - Floor Covering - Bl - Intelligent Oil Life N - Steering Column Steering Wheel - B - Body Builder Wirin Includes sealed co	t - Oil lubricated, SKF ScotSeal PlusXL Seals - Oil lubricated, SKF ScotSeal PlusXL Seals ation - Driver Interface in Message Center ake Alternator - 12-Volt, 200 Amp Denso SC5 stic er/Clearance - Amber Lenses, 5 Lights (2) - Frame-Mounted, Painted Black Switches - Mounted in Center Instrument Panel ess located in engine compartment. Amperages vary by switch: 10, 15, 20 ack Vinyl Monitor	
	87H	Driver Assist Technology Package. Hydraulic Brake	\$1,410.00

Includes Autonomous Emergency Braking, Forward Collision Warning, Lane Departure Warning and Auto High Beam Control.

Includes:

- Enhanced Cluster w/High-Level 8-Inch Display

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Manager-Business Development, North Carolina Sheriff's Association



10/23/2023



2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

Available O	ptions ((cont'd))
-------------	----------	----------	---

Selected Code **Description MSRP** Electronic speedometer (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge, fuel gauge tachometer, and indicator lights. Also included is enhanced 3-button Message Center with odometer, trip odometer, distance to empty for fuel, average fuel economy, hour meter and warning messages. Transmission temperature in message center. \$3,050.00 87A **Driver Assist Technology Package** (w/Bendix Wingman Advanced). Air Includes Autonomous Emergency Braking, Forward Collision Warning, Lane Departure Warning, Adaptive Cruise Control and Auto High Beam Control. Includes. - Enhanced Cluster w/High-Level 8-Inch Display Electronic speedometer (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge, fuel gauge, tachometer, and indicator lights. Also included is enhanced 3-button Message Center with odometer, trip odometer, distance to empty for fuel, average fuel economy, hour meter and warning messages. Transmission temperature in message center \$510.00 61M Rear View Camera w/Mirror Display Rear view mirror video with full length display included in kit. To be installed by Upfitter. \$910.00 90A Appearance Group Includes front-mounted overhead console with dual sunglass bins and integral front map reading lights. Includes. - Chrome Trimmed Air Registers w/Positive Shut-Off - 60/40 Rear Bench Seat w/Flip-Up Cushion and Fold-Down Back Trim will match selected driver seat material. - Power Equipment Group - (Included in (90A) Appearance Group) Includes power front side windows, power rear side windows, power door locks, door trim panel and passive antitheft system. SecuriLock Passive Anti-Theft System The SecuriLock Passive Anti-Theft System is designed to help prevent the engine from being started unless a coded key, programmed to the vehicle, is used. It helps protect against drive-away theft through an electronically coded ignition key, its electronically coded ignition key features billions of possible codes to start the vehicle and is not compatible with non-OEM aftermarket remote start systems. - Remote Keyless Entry w/2 Key Fobs \$235.00 92J Enhanced Cluster w/High-Level 8-Inch Display Electronic speedometer (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge, fuel gauge, tachometer, and indicator lights. Also included is enhanced 3-button Message Center with odometer, trip odometer, distance to empty for fuel, average fuel economy, hour meter and warning messages. Transmission temperature in message center \$550.00 90P Power Equipment Group - (Included in (90A) Appearance Group) Includes power front side windows, power rear side windows, power door locks, door trim panel and passive anti-theft Includes - SecuriLock Passive Anti-Theft System

Manager-Business Development, North Carolina Sheriff's Association





2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

Available Options (cont'd)

Selected	Code	Description	MSRP	
	The SecuriLock Passive Anti-Theft System is designed to help prevent the engine from key, programmed to the vehicle, is used. It helps protect against drive-away theft through ignition key, its electronically coded ignition key features billions of possible codes to stan compatible with non-OEM aftermarket remote start systems. - Remote Keyless Entry w/2 Key Fobs		lectronically coded	
	86H	Rapid-Heat Supplemental Cab Heater	\$610.00	
	Required with Ala Hampshire, New	Required with Alaska, Colorado, Idaho, Iowa, Maine, Michigan, Minnesota, Montana, New Hampshire, New York, North Dakota, South Dakota, Vermont, Wisconsin, Wyoming.		
	96C	Pull Out Cup Holder For Two Cups - Instrument Panel Mounted	\$30.00	
	55P	110 A/C Outlet - in Lower Center Finish Panel	\$100.00	
	214	4 Speaker Option for 588 Radio	\$30.00	
		Radio Delete Package ers, antenna and antenna cable. Includes radio instrument panel cover ar s for future radio upfit if owner desires.	-\$60.00 nd aux audio jack cover	
\checkmark	588	Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth	STD	
	85B	Keyed Alike - Not Available with Anti- Theft System, Requires Multiple-Unit Order	\$45.00	
	85L	Keyed Alike - Option 1 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	
	85M	Keyed Alike - Option 2 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00	

Manager-Business Development, North Carolina Sheriff's Association





Carolina

2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

.	. ,	
Description	Code	Selected
Keyed Alike - Option 3 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	85N	
Keyed Alike - Option 4 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	85P	
SecuriLock Passive Anti-Theft System	85A	
e vehicle, is used. It helps protect against drive-away theft through an el nically coded ignition key features billions of possible codes to start the v	key, programmed to the ianition key, its electro	
Interior Rear View Mirror	90M	
		Cab Exterior
Exterior Appearance Group	90E	
/ge	- Chromed Fender Bad	
Tamper-Proof Odometer	94T	
Horn, Air - Black, Single Trumpet chassis mounted on rail back of bumper.	59A Air solenoid operated,	
Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width	54M	\checkmark
e, manual fold, solid black finish.	Integral mirror, sail typ	
Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width	54P	
e v	with Anti-Theft System, Requires Multiple-Unit Order Keyed Alike - Option 4 - Not Available with Anti-Theft System, Requires Multiple-Unit Order SecuriLock Passive Anti-Theft System Ye Anti-Theft System is designed to help prevent the engine from beine e vehicle, is used. It helps protect against drive-away theft through an ically coded ignition key features billions of possible codes to start the EM aftermarket remote start systems. Interior Rear View Mirror Exterior Appearance Group Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance alige and - (Included in (90E) Exterior Appearance Group) Tamper-Proof Odometer Horn, Air - Black, Single Trumpet chassis mounted on rail back of bumper. Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width e, manual fold, solid black finish. Mirrors, Dual - Heated & Motorized	Keyed Alike - Option 3 - Not Available with Anti-Theft System, Requires Multiple-Unit Order 85P Keyed Alike - Option 4 - Not Available with Anti-Theft System, Requires Multiple-Unit Order 85A SecuriLock Passive Anti-Theft System Multiple-Unit Order 85A SecuriLock Passive Anti-Theft System is designed to help prevent the engine from bein key, programmed to the vehicle, is used. It helps protect against drive-away theft through an ignition key, its electronically coded ignition key features billions of possible codes to start the compatible with non-OEM aftermarket remote start systems. 90M Interior Rear View Mirror 90E Exterior Appearance Group Includes: - Bumper, Front - Full Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance - Chromed Fender Badge - Chrome Grille Surround - (Included in (90E) Exterior Appearance Group) 94T Tamper-Proof Odometer 59A Horn, Air - Black, Single Trumpet Air solenoid operated, chassis mounted on rail back of bumper. 54M Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width Integral mirror, sail type, manual fold, solid black finish.

Manager-Business Development, North Carolina Sheriff's Association



Ship-Thru



2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

Selected	Code	Description	MSRP
	54A	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width w/Chrome Cap	\$245.00
	Integral spot mirror, sail	type.	
	54C	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width	\$30.00
	Integral spot mirror, sail	type, manual fold, solid black finish.	
	54R	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width	\$215.00
	Integral spot mirror, sail	type, solid black finish.	
	54K	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width w/Chrome Cap	\$275.00
	Integral spot mirror, sail	•	
	54F	Mirrors, Trailer Tow, Powered - Sail Mount - w/Power Telescoping & Power Folding	\$365.00
	Includes power heated mounted.	glass, heated convex spotter and integrated clearance lights/turn signal	ls. Heat controls dash
	63F	Aux Spot Mirrors - Front Fender Mounted - (2) Driver Side and Passenger Side	\$225.00
	63G	Aux Spot Mirror - Front Fender Mounted - (1) Passenger Side Only	\$120.00
	165	Mud Flap Holder Without Flaps	\$95.00
	166	Mud Flap Holder With Flaps	\$155.00

Manager-Business Development, North Carolina Sheriff's Association





2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

Available Options (cont'd) Selected Code **Description MSRP** N/C 21A Pre-Delivery Inspection Selection requires that you also choose either (314) or (31F) or (31T) or (31S) or (31Y) to have the Inspection performed. Required with any final Ship-To that is not a dealer. \$0.00 31T Ship-Thru: Bobs Services LLC MAY be selected w/o adding (21A). For MODIFICATIONS ONLY, Dealer must make arrangements directly with Bob's Services (please use CVT Resources for add. Info). N/C 314 Ship-Thru - Manning MAY be selected w/o adding (21A). For MODIFICATIONS ONLY, Dealer must make arrangements directly with Manning (please use CVT Resources for add. Info). N/C 31F Ship-Thru - NFS National Fleet Services MAY be selected w/o adding (21A). For MODIFICATIONS ONLY, Dealer must make arrangements directly with NFS (please use CVT Resources for add. Info). \$0.00 31S Ship-Thru: Roush CleanTech MAY be selected w/o adding (21A). For MODIFICATIONS ONLY, Dealer must make arrangements directly with Roush (please use CVT Resources for add. Info). \$0.00 31Y Ship-Thru: Zoresco Equipment MAY be selected w/o adding (21A). For MODIFICATIONS ONLY, Dealer must make arrangements directly with Zoresco (please use CVT Resources for add. Info). Miscellaneous STD Paint Type - Environmentally Friendly, **PAINT** "3 - Wet System" N/C 79V **COV** Required Send a paper Certificate of Origin for a Vehicle (COV) for those states that file electronically -CA or MI

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Manager-Business Development, North Carolina Sheriff's Association





2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

Selected Code **Description MSRP**

Fleet Options

10/23/2023

\$1,285.00 19A Ambulance Prep Pkg w/Special

Emissions

REQUIRES valid FIN code.

Includes EPA Special Emergency Vehicle Emissions. Incomplete vehicle package - requires further manufacture and Includes EPA Special Emergency Vehicle Emissions. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford vehicles are suitable for producing ambulances with special emissions only if equipped with the Ford Ambulance Prep Package with EPA Special Emergency Vehicle Emissions. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). Using a Ford vehicle without the Ford Ambulance Package with EPA Special Emergency Vehicle Emissions to produce an ambulance with special emissions voids the Ford warranty. NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Allows operator commanded regen down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the Federal Register. NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California. emergency vehicles in California.

Includes:

- Dual Heavy Duty Alternators 357 Amp Capacity 200 & 157 amp Denso SC5/SC2
- Battery Three 900 CCA, 2700 Total, Includes Steel Battery Box 12 Volt. Motorcraft.

19F Fire/Rescue Prep Pkg w/EPA Special \$1,285.00

Emissions

REQUIRES valid FIN code.

Includes EPA Special Emergency Vehicle Emissions. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford urges Fire/Rescue Vehicle manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Operator commanded regen down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the Federal Register. NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.

- Dual Heavy Duty Alternators 357 Amp Capacity 200 & 157 amp Denso SC5/SC2
- Battery Three 900 CCA, 2700 Total, Includes Steel Battery Box 12 Volt. Motorcraft.

19B Beverage Delivery Package

> Includes body builder wiring at back of cab at frame, sealed connectors for 2 ground circuits, with combined left/stop, combined right/stop, stop lamps, park lamps, back up lamps, also includes 2 additional pass through wires to cab with 6 feet additional length to accommodate drop frame beverage body application.

\$0.00 B4A Net Invoice Fleet Option

N/C 56A **CPA Fleet Incentive**

N/C 56B Commercial Repurchase

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Manager-Business Development, North Carolina Sheriff's Association





2025 F-750 Diesel Crew Cab Base (W7D)

Price Level: 515 | Quote ID: NCSA25-41

Selected	Code	Description	MSRP
	56F	FRCS Long Term	N/C
	56K	Long Term Fleet Incentive	\$0.00
	56M	National Fleet Incentive	N/C
	56Y	DDR Program	N/C
	FLADCR	Fleet Special Adjustment Credit	\$0.00
	55D Requires Valid Co Note: Settings are loc	ked and cannot be changed by driver or fleet administrator. Includes drive	\$35.00 er alert set to ON,
	collision warning set to	sensitivity set to NORMÅL, distance indication is set to ON, active braking oON, lane keeping set to ON, sensitivity set to NORMAL, auto lamp dela and daytime lights set to ON.	g set to ON, pre ny set to 20 sec, auto
	87S	Fleet Safety Kit	\$205.00