Price Level: 420



#### **Client Proposal**

Prepared by: Jeff Williams

Office: 182-869-34281

Email: jeffwilliams@parksautogroup.com

Date: 08/08/2023





Available Option	ONS Code	Description	MSRP
Packages		•	
$\checkmark$	650A Includes: - Engine: 7.3L 2V DEVCT N	Order Code 650A	N/C
	- Transmission: TorqShift 1 10R140 with neutral idle. Itrail 4.88 Axle Ratio - GVWR: 16,500 lb Payload - Tires: 225/70Rx19.5G BS - Wheels: 19.5" x 6" Argent Hub covers/center orname - HD Vinyl 40/20/40 Split Be Includes center armrest, c lumbar Radio: AM/FM Stereo w/N Includes 6 speakers SYNC 4 Communication Includes enhanced voice if	0-Speed Automatic Includes SelectShift and selectable drive modes: normal, tow/order Includes SelectShift and selectable drive modes: normal, tow/order Includes Included Steel Included Seet Included Seet Inchesion Seat Inchesion Seat Inchesion Storage, 2-way adjustable driver/passenger headres	sts and driver's side manual
Powertrain	and trailer brake controller.		
	99N	Engine: 7.3L 2V DEVCT NA PFI V8 Gas	STD
	99T	Engine: 6.7L 4V OHV Power Stroke V8 Turbo Diesel B20	\$9,995.00
	Includes Operator Commar manual push-button engine Includes: - 4.10 Axle Ratio - Dual 68 AH/65 AGM Batte	nded Regeneration (OCR), Diesel Exhaust Fluid (DEF) tank, in e-exhaust braking.	ntelligent oil-life monitor and
$\square$	44G	Transmission: TorqShift 10-Speed Automatic	STD
	10R140 with neutral idle. In trail.	acludes SelectShift and selectable drive modes: normal, tow/h	aul, eco, slippery roads and
	X48	4.88 Axle Ratio	STD
	X41	4.10 Axle Ratio	N/C
	X4N	Limited Slip w/4.10 Axle Ratio	\$395.00



Available Opt		Description	MSRP
Selected	X4L	Description  Limited Slip w/4.30 Axle Ratio	\$395.00
	X8L	Limited Slip w/4.88 Axle Ratio	\$395.00
$\checkmark$	STDGV	GVWR: 16,500 lb Payload Package	STD
	68D	GVWR: 15,000 lb Payload Downgrade Package	N/C
	68L	GVWR: 16,000 lb Payload Package	N/C
Wheels & Tires			
$\checkmark$	TGJ	Tires: 225/70Rx19.5G BSW A/P	STD
	TGM Includes 4 traction tires on the re	Tires: 225/70Rx19.5G BSW Traction ear and 2 A/P tires on the front.	\$190.00
$\checkmark$	64Z  Hub covers/center ornaments no	Wheels: 19.5" x 6" Argent Painted Steel of included.	STD
	512 Required in Rhode Island. Excludes carrier. Includes: - 6-Ton Hydraulic Jack	Spare Tire & Wheel	\$350.00
	51D Only available to pool acco	Spare Tire & Wheel Delete (Regional) punts for sales to Rhode Island.	-\$85.00
	945 Front and rear.	Stainless Steel Wheel Covers (Pre- Installed)	\$500.00

#### **Seats & Seat Trim**



Available Option	ons (cont'd) Code	Description	MSRP
✓	A Includes center armrest, cupho lumbar.	HD Vinyl 40/20/40 Split Bench Seat older, storage, 2-way adjustable driver/passenger headrests and d	STD Iriver's side manual
	1 Includes center armrest, cupho	Cloth 40/20/40 Split Bench Seat older, storage and driver's side manual lumbar.	\$315.00
	L Includes driver's side manual l	Vinyl 40/Mini-Console/40 Front Seat umbar.	\$355.00
	4 Includes driver's side manual l	Cloth 40/Mini-Console/40 Front Seat	\$615.00
Other Options			
$\checkmark$	PAINT	Monotone Paint Application	STD
$\checkmark$	179WB	179" Wheelbase	STD
$\checkmark$	STDRD  Includes 6 speakers. Includes: - SYNC 4 Communications & E Includes enhanced voice rect and trailer brake controller.	Radio: AM/FM Stereo w/MP3 Player  Entertainment System ognition, 911 Assist, 8" LCD center stack screen, AppLink, 1 sman	STD
	96V Includes: - Chrome Front Bumper - Bright Grille - Power Sliding Rear Glass - Rear Window Defroster - Remote Start - Halogen Fog Lamps	XL Chrome Package	\$225.00
	specific vehicle configurations) such as heavy-duty winches, b	Heavy-Service Front Suspension Package ervice front springs (see Order Guide Supplemental Reference for I. Recommended only on vehicles which will permanently utilize af orush guards or other apparatus which loads the front axle to the spring the spring of the spring	termarket equipment pecified Gross Axle



Available O	ptions (cont'd	1)	
Selected	Code	Description	MSRP
	67X	Extra Heavy-Service Suspension Package	\$125.00
	springs/FGAWR of s aftermarket equipme specified Gross Axle	ed extra heavy-service front springs (see Order Guide Supplemental Refespecific vehicle configurations). Recommended only on vehicles which with ent such as heavy-duty winches, brush guards or other apparatus which less weight Rating (GAWR). Note 1: May result in a deterioration of ride quawith the addition of this package.	ll permanently utilize oads the front axle to the
	67P	Extra Heavy-Duty Front End Suspension - 7,500 GAWR	\$285.00
		front axle and max 7,500 lbs. Front springs/GAWR rating for configuration equires further manufacture and certification by a final stage manufacturer	
	473	Snow Plow Prep Package	\$250.00
	configurations). Not 2: Also allows for the	ed springs (see order guide supplemental reference for springs/FGAWR o e 1: Restrictions apply; see supplemental reference or body builders layou e attachment of a winch. Note 3: Highly recommended to add (86M) dual B) 410 amp dual alternators for diesel engine is highly recommended for n	ut book for details. Note battery on 7.3L gas
	535	High Capacity Trailer Tow Package	\$580.00
	Salesperson's Portfe	e wiring kit and upgraded rear axle. Increases GCW from 32,500 lbs. to 3 olio or Trailer Towing Guide should be consulted for specific trailer towing ired equipment, axle ratios and model availability. See Supplemental Refe	or camper limits and
	86S	Low Deflection Package	\$110.00
	Includes 2-inch spa	cer blocks. Recommended for rear-biased loading, such as wrecker/retrie	ver applications.
	98G	CNG/Propane Gaseous Engine Prep Package	\$315.00
	tanks, lines, etc. Ve. combined with certil CNG/propane fueled Company does not CNG or propane fue applicable U.S. or Cinstaller, alterer or scomplies with U.S. f	engine intake valves and valve seats. Note: This package does not include hicle will be equipped with the standard factory gasoline fuel system. Add fied calibration reflash is required, from an external upfitter, to convert the d vehicle. See Alternative Fuel Buyers Guide: www.ford.com/altfuelbuyers provide an exhaust or evaporative emissions certificate with this option whel. Ford does not represent that a vehicle converted to use CNG or propar canadian safety standards. It is the responsibility of the final stage manufacturer) to determine that any vehicle converted to dedral, California or Canadian exhaust and evaporative emission requirer, U.S. and Canadian safety standards, labeling and any other requiremen	itional equipment vehicle to a siguide. Ford Motor hen converted to use me will comply with all cturer (body-builder, o use CNG or propanements, federal fuel
	41H	Engine Block Heater	\$100.00
	86K	Programmable Engine Idle Shutdown Timer	\$250.00
		ion enables the driver to select a time period between 1 to 30 minutes bet e will not be an option to override this timing. Customers needing to idle the	



Code	Description	MSRP
60X	Automated Emergency Braking (AEB) Removal	N/C
Removes Pre-Collision Assist beams, post impact braking an	with Automated Emergency Barking (AEB) and forward collision wid audible lane departure warning.	varning, auto high
18Y	Ford Pro Upfit Integration System Removal	-\$400.00
43K Includes dual alternators 12V 2 responsibility of the final stage	Pro Power Onboard - 2kW 250 Amp + 24V 150 Amp. Placement and connection of the aux of manufacturer.	\$985.00 utlet is the
61J	6-Ton Hydraulic Jack	\$55.00
61J_ Standard in Rhode Island	6-Ton Hydraulic Jack (Regional) I.	N/C
86M	Dual 68 AH/65 AGM Battery	Variable
67A Includes 190 Amp + 160 Amp.	350 Amp Dual Alternators	N/C
67B Includes 250 Amp + 160 Amp.	410 Amp Dual Alternators	\$115.00
65M Removes 40 gallon fuel tank.	26.5 Gallon Mid Ship Fuel Tank	\$125.00
65C Combines 40 gallon aft-of-axle	Dual Diesel Fuel Tanks and 26.5 gallon mid ship tank.	\$625.00
18B	Platform Running Boards	\$445.00
59H	Center High-Mounted Stop Lamp (CHMSL)	N/C



Available Option Selected	ons (cont'd) Code	Description	MSRP
	153 Standard in states requiring	Front License Plate Bracket ag 2 license plates and optional to all others.	N/C
	872 Pre-installed content includes camera with mounting bracket,	Rear View Camera & Prep Kit  ab wiring and frame wiring to the rear most cross member. Upfitters kit incl 20' jumper wire and camera mounting/aiming instructions.	\$415.00 ludes
	528	Interior Work Surface	\$140.00
	41A Includes: - 410 Amp Dual Alternators Includes 250 Amp + 160 Amp.	Rapid-Heat Supplemental Cab Heater	\$250.00
	43C Includes: - Dual 68 AH/65 AGM Battery	110V/400W Outlet	\$175.00
	76C	Exterior Backup Alarm (Pre-Installed)	\$175.00
	91S  Pre-installed.	Amber 360-Degree Dual Beacon LED Warning Strobes	\$650.00
	91G  Pre-installed.	Amber-Wht 360-Deg Dual Beacon LED Warning Strobes	\$650.00
	61L	Front Wheel Well Liners (Pre-Installed)	\$180.00
	79V	COV Required	N/A
	C09	Priced DORA	N/C

#### **Dealer Installed Options**



Selected	Code	Description	MSRP		
	AILDS	Smoke Side Window Deflector Kit (Set of 4)	\$160.00		
	Low profile by Lund.	Shipped separately from the vehicle for dealer installation.			
	AHQAB	First Aid Kit w/Ford Logo	\$50.00		
	Sпірреа separately li	rom the vehicle for dealer installation.			
	AHMAB Shipped separately fi	Roadside Assistance Kit w/Ford Logo rom the vehicle for dealer installation.	\$70.00		
	АНМАС	Commercial USA Roadside Assistance Kit	\$230.00		
	Shipped separately fi	rom the vehicle for dealer installation.			
Fleet Options					
	47A	Ambulance Prep Package (LPO)	\$1,205.00		
	Requires valid FIN code.				
	complete details. Inco manufacturer. Ford v Package. In addition Vehicle Manual and t without the Ford Amb	ont springs/GAWR rating, please see Supplemental Order Guide or visit omplete vehicle package - requires further manufacture and certification rehicles are suitable for producing ambulances only if equipped with the Ford urges ambulance manufacturers to follow the recommendations of the Ford Truck Body Builders Layout Book (and pertinent supplements). Deviance Prep Package to produce an ambulance voids the Ford warrant (SEIC) has been integrated into the engine control module.	by a final stage Ford Ambulance Prep of the Ford Incomplete Using a Ford vehicle		
	- 410 Amp Dual Alter Includes 250 Amp +				
	47L	Ambulance Prep Pkg w/Special	\$1,205.00		
		Emissions (LPO)			
	Requires valid FI				
	complete details. Incomanufacturer. Ford volumer. Ford volumer. Ford volumer. Ford volumer. Ford Ambulance Promanufacturers to followers. Layout Book EPA Special Emerge. Note 1: Stationary Elecalibration significant the definition of an Elecalibration of an Elecalibration of an Elecalibration.	ont springs/GAWR rating, please see Supplemental Order Guide or visit omplete vehicle package - requires further manufacture and certification rehicles are suitable for producing ambulances with special emissions of p Package with EPA Special Emergency Vehicle Emissions. In addition, but the recommendations of the Ford Incomplete Vehicle Manual and the cand pertinent supplements). Using a Ford vehicle without the Ford Arrency Vehicle Emissions to produce an ambulance with special emissions reveated Idle Control (SEIC) has been integrated into the engine control rely reduces the possibility of depower mode when in stationary PTO open mergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 de of Regulations allows for the sale of federally certified emergency verticators.	by a final stage hy if equipped with the Ford urges ambulance or Ford Truck Body houlance Package with svoids the Ford warrant module. Note 3: Must mer in the Federal Register.		
	- 410 Amp Dual Alter Includes 250 Amp +				



Available C	ptions (cont'd	)	
Selected	Code	Description	MSRP
	47J	Fire/Rescue Prep Pkg w/EPA Special Emissions (LPO)	\$1,205.00
	Requires valid Fl	N code.	
	complete details. Ind manufacturer. Ford Vehicle Manual and Elevated Idle Contro significantly reduces definition of an eme		n by a final stage s of the Ford Incomplete . Note 1: Stationary igine calibration e 3: Must meet the he federal register. Note
	927	Speed Limitation - 75-MPH Governed Top Speed (LPO)	\$80.00
	Requires valid Fl	N code.	
	D9E	Built: Kentucky Truck Plant	N/C
	D9D	Built: Ohio Plant	N/C
	315	Ship-Thru: Alt Fuel Innovations, LLC (AFI)	\$0.00
	31A	Ship-Thru: Altec	N/C
	<b>31</b> T	Ship-Thru: Bobs Services LLC	\$0.00
	311	Ship-Thru: Dejana	\$0.00
	31U	Ship-Thru: General Truck Body	Variable
	31L	Ship-Thru: Holman	N/C
	319	Ship-Thru: KC Truck Systems Inc.	\$0.00



Available (	Options (cont'd)	Description	MSRP
	31W	Ship-Thru: Knapheide - IN	N/C
	31V	Ship-Thru: Knapheide Truck Equipment	\$0.00
	31M	Ship-Thru: Manning Truck Equipment	N/C
	31N	Ship-Thru: Monroe Truck Equipment	Variable
	31G	Ship-Thru: NBC Truck Equipment	\$0.00
	314	Ship-Thru: Reading Equipment & Distribution	\$0.00
	31B	Ship-Thru: Reading Equipment	\$0.00
	31S	Ship-Thru: Reading Equipment	N/C
	31P	Ship-Thru: Roush CleanTech	Variable
	31C	Ship-Thru: Zoresco Equipment	\$0.00
	31Z	Ship-Thru: Knapheide	\$0.00
	31H	Ship-Thru: Manning Truck Equipment	\$0.00
	312	Ship-Thru: National Fleet Services	\$0.00
	31Y	Ship Thru: Zoresco Equipment	\$0.00
	FLADCR	Fleet Advertising Credit	N/A



Available Op	otions (cont'd)		
Selected	Code	Description	MSRP
$\checkmark$	WARANT	Fleet Customer Powertrain Limited Warranty	N/C
	Requires valid FIN	code.	
	Ford is increasing the 5-year 60,000-mile limited powertrain warranty to 5-years, 100,000 miles. Only Fleet purchasers with a valid Fleet Identification Number (FIN code) will receive the extended warranty. When the sale entered into the sales reporting system with a sales type fleet along with a valid FIN code, the warranty extensio automatically be added to the vehicle. The extension will stay with the vehicle even if it is subsequently sold to a fleet customer before the expiration. This extension applies to both gas and diesel powertrains. Dealers can che the warranty extension on eligible fleet vehicles in OASIS. Please refer to the Warranty and Policy Manual section 3.13.00 Gas Engine Commercial Warranty. This change will also be reflected in the printed Warranty Guided distributed with the purchase of every new vehicle.		
	FINAL1	Fleet Final Order Date: TBD	N/C
	56M	Ford US National Fleet Incentives Ford US National - 07/27/23	\$0.00
Emissions			
$\checkmark$	425	50-State Emissions System	STD
General Info			
	ORDER1	Initial Order Date: TBD	N/C
	START1	Start-Up Date: TBD	N/C
	BUILD1	Build-Out Date: TBD	N/C