NCSA Contract discount of 6% on all option pricing




Prepared by: Jeff Williams 08/07/2021

Four Seasons Ford Inc. | 601 Duncan Hill Rd Hendersonville North Carolina | 287922722

2022 F-650 Diesel Regular Cab Base (F6E)

Price Level: 215


Available Op	otions		
Selected	Code	Description	MSRP
General Info			
	ORDER1	Initial Order Date: TBA	N/C
Engines			
\checkmark	99C	6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM	STD
	_	xhaust Brake and manual regen capability. Torque: 700. Includes CARB clean idle label - may be removed if un-necessary.	ft.lbs. @ 1500 rpm.
	99E	6.7L Power Stroke V8 Turbo Diesel - 300 HP @ 2500 RPM	\$1,995.00
	Includes Engine Exhaust Brake and manual regen capability. Torque: 725 ft.lbs. @ 1500 rpm Governed RPM: 3300. Includes CARB clean idle label - may be removed if un-necessary.		
	99X	6.7L Power Stroke V8 Turbo Diesel - 330 HP @ 2600 RPM	\$3,495.00
	_	xhaust Brake and manual regen capability. Torque: 750 Includes CARB clean idle label - may be removed if un-necessary.	ft.lbs. @ 1500 rpm.
\checkmark	425	50-State Emissions	N/C
	41H	Engine Block Heater, Phillips, 120 Volt/750 Watt	\$60.00
	98R Allows Driver to Inhibi	Active Regen Control t Automatic Regen until Regen can be performed in a Safe location.	\$205.00
	916	Speed Limit - 65mph	N/C
	917	Speed Limit - 70mph	N/C
	98R Allows Driver to Inhibi	Volt/750 Watt Active Regen Control t Automatic Regen until Regen can be performed in a Safe location. Speed Limit - 65mph	\$205.00 N/C





Price Level: 215


	Options (cont'd		
Selected	Code	Description	MSRP
	62G	Air Compressor, Bendix, 13.2 CFM Capacity - Includes Direct Reading Air Pressure Gauge	\$1,175.00
	For use as an Ai	r Source when Air Brakes are not selected.	
	94A	Engine Idle Shutdown Timer - 5 Minutes	\$25.00
	94B	Engine Idle Shutdown Timer - 10 Minutes	\$25.00
	94C	Engine Idle Shutdown Timer - 15 Minutes	\$25.00
	94D	Engine Idle Shutdown Timer - 20 Minutes	\$25.00
Transmissions	3		
✓	44G	Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision - Park Pawl determined by Rear Axle Ratio and Tire Size	STD
	41A	Transmission Power Take-Off Provision w/LiveDrive Capability and Tow/Haul	\$895.00
Front Wheels 8	& Tires		
\checkmark	645 (275MM BC) hub pi	Wheels, Front 19.5x6.75 White Powder Coated Steel, 8-Hole loted, flanged nut, metric mount, 6.75 DC rims; with steel hubs.	STD





Price Level: 215


	Options (cont'd)		_
Selected	Code	Description	MSRP
	648	Wheels, Front 19.5x6.75 Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides	\$470.00
	646 (285.75MM BC) hub pl	Wheels, Front 19.5x7.5 White Powder Coated Steel, 10-Hole iloted, flanged nut, metric mount, 7.50 DC rims; with steel hubs.	\$25.00
	64D	Wheels, Front 19.5x7.5 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides	\$630.00
\checkmark	Т9А	Tires, Front Two 245/70R19.5G Hankook AH35 (628 rev/mile)	STD
	TGK	Tires, Front Two 245/70R19.5H Michelin XZE (619 rev/mile)	\$70.00
	T9F	Tires, Front Two 245/70R19.5H Hankook AH35 (628 rev/mile)	\$40.00
	Т9В	Tires, Front Two 265/70R19.5G Hankook AH35 (613 rev/mile)	\$75.00
Rear Wheels	& Tires		
\checkmark	665 (275MM BC) hub pilote	Wheels, Rear 19.5x6.75 White Powder Coated Steel, 8-Hole ed, flanged nut, metric mount, 6.75 DC rims; with steel hubs.	STD
	668	Wheels, Rear 19.5x6.75 Aluminum, 8- Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount	\$705.00
	With white steel wheel	s inside mount.	





Price Level: 215


	ptions (cont'd)	Available C
Description	Code	Selected
Wheels, Rear 19.5x6.75 DRW Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount	66A	
	Inner wheel is aluminu	
Wheels, Rear 19.5x7.5 White Powder Coated Steel, 10-Hole	666	
ted, flanged nut, metric mount, 7.50 DC rims; with steel hubs.	(285.75MM BC) hub p	
Wheels, Rear 19.5x7.5 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides	66D	
Wheels, Rear 19.5x7.5 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	66B Inner wheel is aluminu	
Wheel, Spare 19.5x6.75, White Powder Coated Steel, 8-Hole - Quantity (One only)	60W	
Wheel, Spare 19.5x7.5, White Powder Coated Steel, 10-Hole - Quantity (One only)	60X	
Tires, Rear Four 245/70R19.5G Hankook AH35 (621 rev/mile)	R9A	\checkmark
S.	Includes: - GVWR Limit: 25,600	
Tires, Rear Four 245/70R19.5G Hankook DH35 (632 rev/mile)	R9C	
	Wheels, Rear 19.5x6.75 DRW Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount m. Wheels, Rear 19.5x7.5 White Powder Coated Steel, 10-Hole iloted, flanged nut, metric mount, 7.50 DC rims; with steel hubs. Wheels, Rear 19.5x7.5 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides Wheels, Rear 19.5x7.5 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides m. Wheel, Spare 19.5x6.75, White Powder Coated Steel, 8-Hole - Quantity (One only) Wheel, Spare 19.5x7.5, White Powder Coated Steel, 10-Hole - Quantity (One only) Tires, Rear Four 245/70R19.5G Hankook AH35 (621 rev/mile)	Meels, Rear 19.5x6.75 DRW Aluminum, 8-Hole Alcoa Clean Buff w/Dura-Bright Seal on Both Sides - Outside Mount Inner wheel is aluminum. 666 Wheels, Rear 19.5x7.5 White Powder Coated Steel, 10-Hole (285.75MM BC) hub piloted, flanged nut, metric mount, 7.50 DC rims; with steel hubs. 66D Wheels, Rear 19.5x7.5 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides 66B Wheels, Rear 19.5x7.5 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides Inner wheel is aluminum. 60W Wheel, Spare 19.5x6.75, White Powder Coated Steel, 8-Hole - Quantity (One only) 60X Wheel, Spare 19.5x7.5, White Powder Coated Steel, 10-Hole - Quantity (One only) R9A Tires, Rear Four 245/70R19.5G Hankook AH35 (621 rev/mile)





Price Level: 215

Available (Options (cont'd	<u> </u>	
Selected	Code	<i>)</i> Description	MSRP
	R9B	Tires, Rear Four 265/70R19.5G Hankook AH35 (613 rev/mile)	\$150.00
	R9D	Tires, Rear Four 265/70R19.5G Hankook DH35 (614 rev/mile)	\$100.00
	R9F	Tires, Rear Four 245/70R19.5H Hankook AH35 (621 rev/mile)	\$80.00
	R9E	Tires, Rear Four 245/70R19.5H Hankook DH35 (632 rev/mile)	\$165.00
	RGK	Tires, Rear Four 245/70R19.5H Michelin XZE (619 rev/mile)	\$165.00
Brakes			
✓	67H Full power with autorear axle mounted p	Hydraulic Brake System - Bosch HydroMax w/Traction Control matic adjustment, 4-channel ABS antilock brake system. Includes 12" x 3 arking brake, Orscheln lever control, right of driver and hand operated pa	STD B" (Bosch) DSSA type tirk brake lever.
		Trailer Connection Socket - 7-Way, Wired for Turn Signals Combined with Stop Tame, for combined trailer stop, tail, turn, marker light circuits. Includes elkage with cab connections for mounting customer installed electric brake	
	154 Mounted at rear of fi	Trailer Connection Socket - 7-Way, Wired for Turn Signals, Separate of Stop ame, for separate trailer stop, tail, turn, marker light circuits. Includes ele	\$100.00
	accommodation pac	kage with cab connections for mounting customer installed electric brake Air Brakes - Straight Truck w/Traction Control	\$2,180.00





Price Level: 215

Available Options (cont'd)

Selected Code Description MSRP


Meritar O-Plus with ABS_Rendix Anti-Lock Brake System_A-channel_Includes 15" v 4" front brakes_dual direct

Meritor Q-Plus with ABS, Bendix Anti-Lock Brake System, 4-channel. Includes 15" x 4" front brakes, dual direct reading air pressure gauges, brake lines color coded nylon, Bendix 13.2 CFM capacity air compressor, instrument panel mounted yellow knob parking brake control valve, automatic slack adjusters front and rear, two rear spring parking air brake chambers mounted on front of rear axle, three drain valves and two air tanks (Reference Body Builders Book for location). Rear brake size and components dependent upon axle selection. Uses existing ABS system to minimize wheel slipping during acceleration. Usage determined by the air brake package selected. (Should NEVER be used with Hi-Rail Train Systems). Includes:

- Air Dryer, Bendix AD/IS w/Heater

Mounted left frame rail (for Hydraulic brake diesel applications that include air suspension or stand alone engine air compressor).


Variable	Electronic Stability Control	18H	
N/C	Special Build Requirement - Low - 38" to 48" Center of Gravity	98B	
N/C	Special Build Requirement - Medium - 48" to 58" Center of Gravity	98C	
N/C	Special Build Requirement - High - 58" to 68" Center of Gravity	98E	
N/C	Special Build Requirement - Tanker High - 58" to 68" Center of Gravity	98F	
N/C	Special Build Requirement - Tanker Medium - 48" to 58" Center of Gravity	98J	
\$460.00 stand alone engine air	Air Dryer, Bendix AD/IS w/Heater vdraulic brake diesel applications that include air suspension of	62D Mounted left frame rail (for compressor).	
\$365.00	Trailer Air Brake Package ame, hand control valve and tractor protection valve.	158 Includes air lines to rear of	
\$100.00	Trailer Connection Socket - 7-Way, Wired for Turn Signals, Separate of Stop separate trailer stop, tail, turn, marker light circuits (compatible	157 Mounted at rear of frame, for amber or side turn lamps w	





Price Level: 215

Available C	Available Options (cont'd)				
Selected	Code	Description	MSRP		
	159	Trailer Connection Socket - 7-Way, Wired for Turn Signals Combined with Stop	\$100.00		
	Mounted at rear of f lights).	rame, for combined trailer stop, tail, turn (compatible with trailers that use o	combined stop, tail, turn		
Front Axle and	Suspension				
\checkmark	43A	8,500 lb. Cap. Non-Driving - Dana D- 850F	STD		
\checkmark	61B	Taper-Leaf Springs, Parabolic - 8,500 lb. Cap	STD		
	2-leaf, 62" x 3.15". A	Also includes, standard duty, dual, double acting shock absorbers.			
	61C	Taper-Leaf Springs, Parabolic - 10,000 lb. Cap	\$125.00		
	2-leaf, 62" x 3.15". A	Also includes, standard duty, dual, double acting shock absorbers.			
	158	Front Stabilizer Bar	\$490.00		
	60A	Lube, Front Axle, EmGard 50W, Synthetic Oil	\$50.00		
Rear Axle and	Suspension				
\checkmark	471 Single reduction wit. startability and grad	13,500 lb. Single-Speed h 190 wheel ends. NOTE: When specifying an axle ratio, check performanceability.	STD ce guidelines for		
	472	17,500 lb. Single-Speed - Dana S17- 140	\$165.00		
		h Gentech Quiet Gears and 190 wheel ends. NOTE: When specifying an a nes for startability and gradeability.	xle ratio, check		
	18P	Driveshaft Upgrade	\$185.00		






Price Level: 215

Available Options (cont'd)


Selected	Code	Description	MSRP
	such as higher torqu	ine is optional. Heavy duty drive line components are required in more der ue engines or deep reduction low gear(s). The heavier SPL-140 driveshaft uld be used when more durability is required by the vocation or customer.	manding applications, is powertrain
\checkmark	68K 10-leaf. Includes 2,0	Multi-Leaf Springs - 15,500 lb. Cap 000 lb auxiliary springs for load stabilization.	STD
	68M 11-leaf. Includes 2,0	Multi-Leaf Springs - 19,000 lb. Cap 2000 lb auxiliary springs for load stabilization.	\$110.00
	Includes:	Air Suspension - 12,000 lb. Cap ension leveling valve. Rear - Double Acting	\$1,035.00
	Includes:	Air Suspension - 19,000 lb. Cap ension leveling valve. Rear - Double Acting	\$1,105.00
	68Z	Air Suspension Dump Valve	\$205.00
	68Y	Air Suspension Leveling Valve, 1 Additional Valve Provides Dual Height	\$330.00
	961	Shock Absorbers, Rear - Double Acting	\$165.00
	607	Lube, Rear Axle, EmGard 75W-90, Synthetic Oil	\$100.00
	X4A PRNDM/RNDM	4.10 Axle Ratio determined by Rear Axle Ratio and Tire Size.	N/C
	X4S PRNDM/RNDM	4.56 Axle Ratio determined by Rear Axle Ratio and Tire Size.	N/C
	X4G	4.88 Axle Ratio	N/C





Price Level: 215


Available C	options (cont'd		
Selected	Code	Description	MSRP
	PRNDM/RNDM (determined by Rear Axle Ratio and Tire Size.	
	X5B	5.29 Axle Ratio	N/C
	PRNDM/RNDM (determined by Rear Axle Ratio and Tire Size.	
	X5D	5.57 Axle Ratio	N/C
	PRNDM/RNDM (determined by Rear Axle Ratio and Tire Size.	
Wheelbase			
\checkmark	158WB	158" Wheelbase/84" CA/63" AF/260" OAL	STD
	182WB	182" Wheelbase/108" CA/75" AF/296" OAL	\$210.00
	194WB	194" Wheelbase/120" CA/75" AF/308" OAL	\$325.00
	218WB	218" Wheelbase/144" CA/81" AF/338" OAL	\$550.00
	242WB	242" Wheelbase/168" CA/100" AF/381" OAL	\$805.00
Frame			
\checkmark	537	Single Channel - 10.75 SM, 80,000 PSI	STD
		BM. 9.125" x 3.062" x 0.312" (231.8mm x 77.8mm x 8.0mm) w/transition to	6.500" x 3.062" x
	765	Bumper, Front - Full Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Group)	\$490.00





Price Level: 215


ptions (cont'd		MSRP
76X	Bumper, Front - Delete - Also Deletes Mounting Brackets	-\$135.00
76Y	Tow Hooks - Delete	-\$70.00
86C	Chrome Grille Surround - (Included in (90E) Exterior Appearance Group)	\$245.00
86B	Grille, Fixed - Black/Gray	\$125.00
91G	Under Cab, Right Side Outlet, Switchback-Style	STD
omgo, nonzona m	umot, ngm ciac, andor cas, calcide of name ran mirried alcoharge.	
91B	Back of Cab, Right Side Outlet, Torpedo-Style	N/C
Single, horizontal m	uffler/pipe, inline, right side exhaust with underbody exit, in front of axle.	
91D	Under Cab, Vertical Outlet, Right Side, Switchback-Style - Intrudes 2" into clean CA	\$715.00
Single, horizontal m	uffler, right side under cab outside of frame rail with vertical exhaust passe	
65B	Fuel Tank - LH 50 Gallon Rectangular - Aluminum	STD
65E	Fuel Tank - LH 65 Gallon Rectangular - Aluminum	\$425.00
	76X 76Y 86C 86B 91G Single, horizontal m 91B Single, horizontal m 91D WARNING! The Single, horizontal m with heat shield and	Bumper, Front - Delete - Also Deletes Mounting Brackets 76Y Tow Hooks - Delete 86C Chrome Grille Surround - (Included in (90E) Exterior Appearance Group) 86B Grille, Fixed - Black/Gray 91G Under Cab, Right Side Outlet, Switchback-Style Single, horizontal muffler, right side, under cab, outside of frame rail with rear discharge. 91B Back of Cab, Right Side Outlet, Torpedo-Style Single, horizontal muffler/pipe, inline, right side exhaust with underbody exit, in front of axle. 91D Under Cab, Vertical Outlet, Right Side, Switchback-Style - Intrudes 2" into clean CA WARNING! The selection of this Exhaust could reduce the available CA dim Single, horizontal muffler, right side under cab outside of frame rail with vertical exhaust passe with heat shield and turnout exit. 65B Fuel Tank - LH 50 Gallon Rectangular - Aluminum





Price Level: 215


Available C	Available Options (cont'd)				
Selected	Code	Description	MSRP		
	65F	Fuel Tank - 115 Gallon Rectangular - Aluminum - LH 65-gal, RH 50-gal	\$915.00		
\checkmark	12	12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection	\$0.00		
Electrical / Alte	rnator / Battery				
\checkmark	STDALT	Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5	STD		
	17D	Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2	\$855.00		
	17A	Extra Heavy Duty Alternator - 12-Volt, 240 Amps	\$410.00		
	55M	Jump Start Stud - Remote Mounted	\$90.00		
	STDBAT 12Volt, Motorcraft.	Battery - Two 750 CCA, 1500 Total, Includes Steel Battery Box	STD		
	63B 12Volt, Motorcraft.	Battery - Two 900 CCA, 1800 Total, Includes Steel Battery Box	\$60.00		
	63D 12Volt, Motorcraft.	Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box	\$250.00		
	63Y	Battery - Temporary Mount for Truck Chassis	\$235.00		





Price Level: 215


Available O	ptions (cont'd)	
Selected	Code	Description	MSRP
	164	Roof Marker/Clearance Lights - Clear Lenses, 5 Lights (Replaces Standard Amber Lenses)	\$30.00
	16X For Airport or Applic	Roof Marker/Clearance Lights - Delete ations that receive modified roof coverings.	N/C
	59C Includes sealed conlamps. Also includes	Body Builder Wiring - At End of Frame, Combined - (ILO Standard - Back of Cab Combined) nectors for 2 ground circuits, with combined left/stop, combined right/stop, s 2 additional pass through wires to cab.	\$135.00 stop lamps, back up
		Body Builder Wiring - At Back of Cab, Separate - (ILO Standard - Back of Cab Combined) nectors for 2 ground circuits, with separate left/stop, separate right/stop, but pass through wires to cab.	\$70.00
	59E Includes sealed conincludes 2 additional	Body Builder Wiring - At End of Frame, Separate - (ILO Standard - Back of Cab Combined) nectors for 2 ground circuits, with separate left/stop, separate right/stop, but pass through wires to cab.	\$135.00
	17M	Back-Up Alarm - Electric, 102 dBA	\$110.00
	962	Daytime Running Lamps (Not Configurable)	\$25.00
	86M	Upfitter Interface Module	\$320.00
	55X Deletes stop, turn, ta	Tail Light Delete ail and backup lights. Does not omit cable to end of frame.	N/C
	16V	Voltmeter	\$100.00





Price Level: 215


Available Options (cont'd)			
Selected	Code Available in message	Description e center.	MSRP
Seats			
\checkmark	88A	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl	STD
	88B	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Cloth	\$125.00
	881	30/70 Fixed Driver & Fixed 2- Passenger Bench - Vinyl	\$350.00
	882	30/70 Fixed Driver & Fixed 2- Passenger Bench - Cloth	\$475.00
	88C	30/0/0 Fixed Driver only - Vinyl	-\$120.00
	88D	30/0/0 Fixed Driver only - Cloth	N/C
	88R	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolette - Vinyl	\$440.00
	88S	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolette - Cloth	\$565.00
	88G	30/70 Air Ride Driver (External Air Source) & Fixed 2-Passenger Bench - Vinyl	\$395.00
	88H	30/70 Air Ride Driver (External Air Source) & Fixed 2-Passenger Bench - Cloth	\$520.00





Price Level: 215


Options (cont'd) Code	Description	MSRP
88J	30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Vinyl	\$855.00
88K	30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Cloth	\$980.00
88L	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Vinyl	\$440.00
88M	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Cloth	\$565.00
88T	30/0/0 Air Ride Driver Only (External Air Source) - Vinyl	\$275.00
88U	30/0/0 Air Ride Driver Only (External Air Source) - Cloth	\$400.00
88N	30/0/30 Air Ride Driver (External Air Source) & Fixed Passenger w/Consolette - Vinyl	\$395.00
88P	30/0/30 Air Ride Driver (External Air Source) & Fixed Passenger w/Consolette - Cloth	\$520.00
88E	30/0/30 Air Ride Driver (External Air Source) & Air Ride Passenger (External Air Source) w/Consolette - Vinyl	\$810.00
	88J 88K 88K 88K 88N 88N	B8J 30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Vinyl 88K 30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Cloth 88L 30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Vinyl 88M 30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Cloth 88T 30/0/0 Air Ride Driver Only (External Air Source) - Vinyl 88U 30/0/0 Air Ride Driver Only (External Air Source) & Fixed Passenger w/Consolette - Vinyl 88P 30/0/30 Air Ride Driver (External Air Source) & Fixed Passenger w/Consolette - Cloth 88E 30/0/30 Air Ride Driver (External Air Source) & Fixed Passenger (External Air Source) & Fixed Passenger w/Consolette - Cloth





Price Level: 215

	ptions (cont'd)		
Selected	Code	Description	MSRP
	88F	30/0/30 Air Ride Driver (External Air Source) & Air Ride Passenger (External Air Source) w/Consolette - Cloth	\$935.00
	88W	30/0/0 Air Ride Driver Only (Integral Air Pump) - Vinyl	\$315.00
	88X	30/0/0 Air Ride Driver Only (Integral Air Pump) - Cloth	\$440.00
	88Y	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold-Down Console - Vinyl	\$420.00
	88Z	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold-Down Console - Cloth	\$545.00
Cab Interior			
	- Wheel Seals, Rear - Manual Regen Initia - Engine Exhaust Brai - Extra Heavy Duty Al - Painted Grille - Plasi - Lights - Roof Marker - Tow Hooks, Front (2 - Four Body Builder S With connector acce - Floor Covering - Blaintelligent Oil Life Mesteering Column - Testeering Wheel - Blais - Body Builder Wiring Includes sealed coni	 Oil lubricated, SKF ScotSeal PlusXL Seals Oil lubricated, SKF ScotSeal PlusXL Seals tion - Driver Interface in Message Center ke ternator - 12-Volt, 200 Amp Denso SC5 tic //Clearance - Amber Lenses, 5 Lights) - Frame-Mounted, Painted Black witches - Mounted in Center Instrument Panel ss located in engine compartment. Amperages vary by switch: 10, 15, 2 ck Vinyl pointor 	
	87H	Driver Assist Technology Package. Hydraulic Brake	\$1,410.00





87A

90A

Price Level: 215

Available Options (cont'd) Selected Code **Description**

MSRP

\$3,050.00

\$735.00

Includes Autonomous Emergency Braking, Forward Collision Warning, Lane Departure Warning and Auto High Beam Control. Includes

- Enhanced Cluster w/High-Level 8-Inch Display Electronic speedometer (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge, fuel gauge, tachometer, and indicator lights. Also included is enhanced 3-button Message Center with odometer, trip odometer, distance to empty for fuel, average fuel economy, hour meter and warning messages. Transmission temperature in

(w/Bendix Wingman Advanced). Air

Driver Assist Technology Package

Includes Autonomous Emergency Braking, Forward Collision Warning, Lane Departure Warning, Adaptive Cruise Control and Auto High Beam Control. Includes:

Enhanced Cluster w/High-Level 8-Inch Display

Electronic speedometer (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge, fuel gauge, tachometer, and indicator lights. Also included is enhanced 3-button Message Center with odometer, trip odometer, distance to empty for fuel, average fuel economy, hour meter and warning messages. Transmission temperature in message center.

Appearance Group Includes front-mounted overhead console with dual sunglass bins and integral front map reading lights. Includes:

Chrome Trimmed Air Registers w/Positive Shut-Off

\$235.00 92J Enhanced Cluster w/High-Level 8-Inch Display

Electronic speedometer (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge, fuel gauge, tachometer, and indicator lights. Also included is enhanced 3-button Message Center with odometer, trip odometer, distance to empty for fuel, average fuel economy, hour meter and warning messages. Transmission temperature in message

\$470.00 90P Power Equipment Group - (Included in (90A) Appearance Group)

Includes power front side windows, power door locks and door trim panel.

\$125.00 92S Window, Rear - Sliding

Comes in dark privacy glass only

57N Air Conditioning Delete


Includes fresh air heater and defroster only.

\$610.00 86H Rapid-Heat Supplemental Cab Heater

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

-\$100.00

Power Equipment Group - (Included in (90A) Appearance Group) Includes power front side windows, power door locks and door trim panel.






Price Level: 215

Available	Options ((cont'd)
-----------	-----------	----------


Instrument Panel Mounted 55P	Selected	Code	Description	MSRP
Instrument Panel Mounted 55P				
Panel 214		96C	·	\$30.00
S8P Radio Prep Package		55P		\$100.00
Deletes radio and dash-mounted aux input jack. Includes radio/speaker wiring, 2 speakers, antenna, radio inspanel cover and dash-mounted aux audio input jack instrument panel cover. S8B		214	4 Speaker Option for 588 Radio	\$30.00
Deletes radio, speakers, antenna and antenna cable. Includes radio instrument panel cover and aux audio jac and speaker locations for future radio upfit if owner desires. S88		Deletes radio and da	sh-mounted aux input jack. Includes radio/speaker wiring, 2 speakers, an	N/C tenna, radio instrument
USB input, Clock Display and Bluetooth Same		Deletes radio, speake	ers, antenna and antenna cable. Includes radio instrument panel cover an	-\$60.00 nd aux audio jack cover
Theft System, Requires Multiple-Unit Order 85L Keyed Alike - Option 1 - Not Available with Anti-Theft System, Requires Multiple-Unit Order Multiple-Unit Order 85M Keyed Alike - Option 2 - Not Available	\checkmark	588	•	STD
with Anti-Theft System, Requires Multiple-Unit Order 85M Keyed Alike - Option 2 - Not Available		85B	Theft System, Requires Multiple-Unit	\$45.00
Colvi Reyed Alike - Option 2 - Not Available		85L	with Anti-Theft System, Requires	\$45.00
Multiple-Unit Order		85M	with Anti-Theft System, Requires	\$45.00





Price Level: 215


Available O	ptions (cont'd)	
Selected	Code	Description	MSRP
	85N	Keyed Alike - Option 3 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00
	85P	Keyed Alike - Option 4 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00
	85A	SecuriLock Passive Anti-Theft System	\$120.00
	key, programmed to ignition key, its elect	sive Anti-Theft System is designed to help prevent the engine from being the vehicle, is used. It helps protect against drive-away theft through an etronically coded ignition key features billions of possible codes to start the COEM aftermarket remote start systems.	lectronically coded
	90M	Interior Rear View Mirror	\$75.00
Cab Exterior			
	90E	Exterior Appearance Group	\$730.00
	- Chromed Fender E	ull Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Gr Badge ound - (Included in (90E) Exterior Appearance Group)	roup)
	85K	Remote Keyless Entry w/2 Key Fobs	\$195.00
	94T	Tamper-Proof Odometer	\$30.00
	59A Air solenoid operate	Horn, Air - Black, Single Trumpet d, chassis mounted on rail back of bumper.	\$90.00
\checkmark	54H	Mirrors, Dual - Rectangular, XL2020 - 96" Width	STD
	Integral spot mirror,	sail type, manual fold, solid black finish.	
	54M	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width	\$85.00





Price Level: 215

Available O Selected	ptions (cont'd) Description	MSRP
30.00.00		sail type, manual fold, solid black finish.	
	54P Integral spot mirror, s	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width sail type, solid black finish.	\$245.00
	54B Integral spot mirror, s	Mirrors, Dual - Rectangular, XL2020 - 96" Width w/Chrome Cap sail type, manual fold.	\$60.00
	54N Integral spot mirror, s	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width w/Chrome Cap Sail type, manual fold.	\$120.00
	54A Integral spot mirror, s	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width w/Chrome Cap	\$305.00
	54J Integral spot mirror, s	Mirrors, Dual - Rectangular, XL2020 - 102" Width sail type, manual fold, solid black finish.	\$30.00
	54C Integral spot mirror, s	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width sail type, manual fold, solid black finish.	\$90.00
	54R Integral spot mirror, s	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width Sail type, solid black finish.	\$275.00
	54D Integral spot mirror, s	Mirrors, Dual - Rectangular, XL2020 - 102" Width w/Chrome Cap sail type, manual fold.	\$90.00
	54E Integral spot mirror, s	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width w/Chrome Cap Sail type, manual fold.	\$150.00





Price Level: 215

Available O	ptions (cont'd		
Selected	Code	Description	MSRP
	54K	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width w/Chrome Cap	\$335.00
	Integral spot mirror,	sail type.	
	54F	Mirrors, Trailer Tow, Powered - Sail Mount - w/Power Telescoping & Power Folding	\$365.00
	Includes power hear mounted.	ted glass, heated convex spotter and integrated clearance lights/turn sign	als. Heat controls dash
	63F	Aux Spot Mirrors - Front Fender Mounted - (2) Driver Side and Passenger Side	\$225.00
	63G	Aux Spot Mirror - Front Fender Mounted - (1) Passenger Side Only	\$120.00
	165	Mud Flap Holder Without Flaps	\$95.00
Ship-Thru			
		Pre-Delivery Inspection es that you also choose either (314) or (31F) or (31V) to having with any final Ship-To that is not a dealer.	N/C ve the Inspection
	314	Ship-Thru - Manning I w/o adding (21A). For MODIFICATIONS ONLY, Dealer m	\$0.00
	arrangements di	rectly with Manning (please use CVT Resources for add. In	fo).
	31F	Ship-Thru - NFS National Fleet Services	N/C
	MAY be selected arrangements di	d w/o adding (21A). For MODIFICATIONS ONLY, Dealer m rectly with NFS (please use CVT Resources for add. Info).	ust make




Prepared by: Jeff Williams 08/07/2021

2022 F-650 Diesel Regular Cab Base (F6E)

Price I	Level:	215
---------	--------	-----

Available Option	ons (cont'd) Code	Description	MSRP		
Miscellaneous					
\checkmark	PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"	STD		
	79V	COV Required	N/C		
	Send a paper Certificate CA or MI.	e of Origin for a Vehicle (COV) for those states th	at file electronically -		
Fleet Options					
	19A	Ambulance Prep Pkg w/Special	\$1,285.00		
		Emissions			
	REQUIRES valid FIN code.				
	certification by a final stage if emissions only if equipped w. In addition, Ford urges ambu. Manual and the Ford Truck E. Ford Ambulance Package w. emissions voids the Ford wa engine control module. NOT stationary PTO operation. N. 100%. NOTE 4: Must meet the 86.1803.01 in the Federal Remergency vehicles in Califor Includes:	gency Vehicle Emissions. Incomplete vehicle package - requirmanufacturer. Ford vehicles are suitable for producing ambulatith the Ford Ambulance Prep Package with EPA Special Emalance manufacturers to follow the recommendations of the Follow Book (and pertinent supplements). Using the EPA Special Emergency Vehicle Emissions to produce an animal NOTE 1: Stationary Elevated Idle Control (SEIC) has been supplemented as a calibration significantly reduces the possibility of SOTE 3: Allows operator commanded regen down to 30% of Ended the definition of an Emergency Vehicle, an Ambulance or Fire the degister. NOTE 5: California Code of Regulations allows for the surnia.	ances with special argency Vehicle Emissions. ord Incomplete Vehicle org a Ford vehicle without the ambulance with special been integrated into the depower mode when in DPF filter full, instead of Truck per 40 CFR		
	- Battery - Three 900 CCA, 2 12Volt, Motorcraft.	700 Total, Includes Steel Battery Box			
	19F	Fire/Rescue Prep Pkg w/EPA Special Emissions	\$1,285.00		
	REQUIRES valid FIN co	ode.			
	certification by a final stage in recommendations of the Form pertinent supplements). NOT module. NOTE 2: Engine call operation. NOTE 3: Operation the definition of an Emergen NOTE 5: California Code of Includes: - Dual Heavy Duty Alternator	gency Vehicle Emissions. Incomplete vehicle package - requiremanufacturer. Ford urges Fire/Rescue Vehicle manufacturers of Incomplete Vehicle Manual and the Ford Truck Body Builder Incomplete Vehicle Manual and the Ford Truck Body Builder Incomplete Vehicle Manual and the Ford Truck Body Builder Incomplete	to follow the ers Layout Book (and ated into the engine control when in stationary PTO 100%. NOTE 4: Must meet 01 in the Federal Register.		
	B4A	Net Invoice Fleet Option	\$0.00		





Price Level: 215

Available O	ptions (cont'd)	Description	MSRP
Colocioa			
	56A	CPA Fleet Incentive	N/C
	56B	Commercial Repurchase	N/C
	56F	FRCS Long Term	N/C
	56K	Long Term Fleet Incentive	\$0.00
	56M	National Fleet Incentive	\$0.00
	56Y	DDR Program	N/C
VSO Options			
	SP101	VSO - Monotone Special Paint (Minimum Quantity 3)	\$824.00
	SPF	VSO - Special Paint Formulation (Minimum Quantity 3)	\$1,050.00
	GCA	VSO SPO Code	N/C
	IHD This is to put an or releases it.	VSO Hold Code rder on a VSO Hold, so that it does not get scheduled un	N/C til the VSO dept.
	GDH	VSO - Orange Outboard Seat Belts with 30/30 Driver Air, Fixed Passenger Seats	\$90.00
	This option replaces to	he standard seat belts on regular cab models only.	



Prepared by: Jeff Williams 08/07/2021

2022 F-650 Diesel Regular Cab Base (F6E)

Price Level: 215

Selected	Code	Description	MSRP
	GDB	VSO - Orange Outboard Seat Belts with 30/30 Air Ride Seats	\$90.00
	This option replaces	the standard seat belts on regular cab models only.	
	GDF	VSO - Orange Outboard Seat Belts with 30/70 Seats	\$90.00
	This option replaces	the standard seat belts on regular cab models only.	
	GDG	VSO - Orange Fixed Driver & Passenger Outboard Seat Belts (Non Air Ride)	\$90.00
	This option replaces	the standard seat belts on regular cab models only.	