## NCSA Contract discount of 6% on all option pricing




Prepared by: Jeff Williams 08/07/2021

Four Seasons Ford Inc. | 601 Duncan Hill Rd Hendersonville North Carolina | 287922722

2022 F-750 Diesel Crew Cab Base (W7D)

Price Level: 215


Available Op		Decemention	Menn
Selected	Code	Description	MSRP
General Info			
	ORDER1	Initial Order Date: TBA	N/C
Engines			
$\checkmark$	99C	6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM	STD
	_	xhaust Brake and manual regen capability. Torque: 700  Includes CARB clean idle label - may be removed if un-necessary.	ft.lbs. @ 1500 rpm.
	99E	6.7L Power Stroke V8 Turbo Diesel - 300 HP @ 2500 RPM	\$1,995.00
	_	xhaust Brake and manual regen capability. Torque: 725  D. Includes CARB clean idle label - may be removed if un-necessary.	ft.lbs. @ 1500 rpm.
	99X	6.7L Power Stroke V8 Turbo Diesel - 330 HP @ 2600 RPM	\$3,495.00
	_	xhaust Brake and manual regen capability. Torque: 750  Includes CARB clean idle label - may be removed if un-necessary.	ft.lbs. @ 1500 rpm.
$\checkmark$	425	50-State Emissions	N/C
	41H	Engine Block Heater, Phillips, 120 Volt/750 Watt	\$60.00
	98R Allows Driver to Inhib	Active Regen Control it Automatic Regen until Regen can be performed in a Safe location.	\$205.00
	916	Speed Limit - 65mph	N/C
	917	Speed Limit - 70mph	N/C





Price Level: 215


Available C	options (cont'd	)	
Selected	Code	Description	MSRP
	62G	Air Compressor, Bendix, 13.2 CFM Capacity - Includes Direct Reading Air Pressure Gauge	\$1,175.00
	For use as an Air	Source when Air Brakes are not selected.	
	94A	Engine Idle Shutdown Timer - 5 Minutes	\$25.00
	94B	Engine Idle Shutdown Timer - 10 Minutes	\$25.00
	94C	Engine Idle Shutdown Timer - 15 Minutes	\$25.00
	94D	Engine Idle Shutdown Timer - 20 Minutes	\$25.00
Transmissions			
$\checkmark$	44G	Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision, less Park Pawl	STD
	<b>41A</b>	Transmission Power Take-Off Provision w/LiveDrive Capability and Tow/Haul	\$895.00
Front Wheels 8	Tires		
✓	643 (285.75MM BC) hub	Wheels, Front 22.5x8.25 White Powder Coated Steel, 10-Hole piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.	STD
	64H	Wheels, Front 22.5x8.25 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides	\$735.00





Price Level: 215


Available Option	ons (cont'd) Code	Description	MSRP
- Colcoted		Description	WOR
	649 (285.75MM BC) hub piloted, fla	Wheels, Front 22.5x8.25 Black Wheel anged nut, metric mount, 8.25 DC rims; with steel hubs.	\$60.00
$\checkmark$	T2B	Tires, Front Two 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD
	T2A	Tires, Front Two 11R22.5H Goodyear Fuel Max RSA (497 rev/mile)	\$45.00
	T2E	Tires, Front Two 11R22.5H Michelin X Multi Energy Z (501 rev/mile)	\$240.00
	ТСН	Tires, Front Two 255/70R22.5H Goodyear Endurance RSA (566 rev/mile)	\$40.00
	T2F	Tires, Front Two 275/80R22.5G Michelin X Multi Energy Z (515 rev/mile)	\$190.00
	TFA	Tires, Front Two 275/80R22.5H Hankook AH22 (510 rev/mile)	\$100.00
	TRA	Tires, Front Two 295/75R22.5H Continental HSR3 (514 rev/mile)	\$130.00
	TDG	Tires, Front Two 295/80R22.5H Continental HSR2 SA (514 rev/mile)	\$210.00
Rear Wheels & Tires			
✓	663 (285.75MM BC) hub piloted, fla	Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole anged nut, metric mount, 8.25 DC rims; with steel hubs.	STD





Price Level: 215

Available Option	ons (cont'd) Code	Description	MSRP
	66H  Inner wheel is white powder	Wheels, Rear 22.5x8.25 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides	\$830.00
	66C  Inner wheel is aluminum.	Wheels, Rear 22.5x8.25 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	\$1,470.00
	669 (285.75MM BC) hub piloted,	Wheels, Rear 22.5x8.25 Black Wheel , flanged nut, metric mount, 8.25 DC rims; with steel hubs.	\$120.00
	60Z	Wheel, Spare 22.5x8.25 White Powder Coated Steel, 10-Hole - Quantity (One only)	\$145.00
$\checkmark$	R2B	Tires, Rear Four 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD
	R2A	Tires, Rear Four 11R22.5H Goodyear Fuel Max RSA (497 rev/mile)	\$95.00
	R2G	Tires, Rear Four 11R22.5G Goodyear Fuel Max RTD (493 rev/mile)	\$140.00
	R2H	Tires, Rear Four 11R22.5H Goodyear Fuel Max RTD (493 rev/mile)	\$175.00
	R2E	Tires, Rear Four 11R22.5H Michelin X Multi Energy Z (501 rev/mile)	\$480.00





Price Level: 215

Available Options (cont'd) Selected Code Description			MSRP
	RMB	Tires, Rear Four 11R22.5H Michelin X Multi D (494 rev/mile)	\$405.00
	R2K	Tires, Rear Four 255/70R22.5H Goodyear Fuel Max RTD (563 rev/mile)	\$140.00
	RCH	Tires, Rear Four 255/70R22.5H Goodyear Fuel Max RSA (563 rev/mile)	\$80.00
	R2J	Tires, Rear Four 275/80R22.5G Michelin X Multi Energy D (514 rev/mile)	\$265.00
	R2F	Tires, Rear Four 275/80R22.5G Michelin X Multi Energy Z (515 rev/mile)	\$375.00
	RFA	Tires, Rear Four 275/80R22.5H Hankook AH22 (510 rev/mile)	\$200.00
	RDG	Tires, Rear Four 295/80R22.5H Continental HSR2 SA (500 rev/mile)	\$425.00
	RRC	Tires, Rear Four 295/75R22.5H Continental HDR2 ECO PLUS (514 rev/mile)	\$310.00
	RRA	Tires, Rear Four 295/75R22.5H Continental HSR3 (514 rev/mile)	\$260.00
Brakes			
$\checkmark$	67H	Hydraulic Brake System - Bosch HydroMax w/Traction Control	STD




Prepared by: Jeff Williams 08/07/2021

2022 F-750 Diesel Crew Cab Base (W7D)

Price Level: 215


Available C	ptions (cont'd	1)	
Selected	Code	Description	MSRP
		omatic adjustment, 4-channel ABS antilock brake system. Includes 12" x parking brake, Orscheln lever control, right of driver and hand operated pa	
	152	Trailer Connection Socket - 7-Way, Wired for Turn Signals Combined with Stop	\$100.00
		rame, for combined trailer stop, tail, turn, marker light circuits. Includes en ckage with cab connections for mounting customer installed electric brake	
	154	Trailer Connection Socket - 7-Way, Wired for Turn Signals, Separate of Stop	\$100.00
		frame, for separate trailer stop, tail, turn, marker light circuits. Includes eleckage with cab connections for mounting customer installed electric brake	
	67A	Air Brakes - Straight Truck w/Traction Control	\$2,180.00
	reading air pressure panel mounted yello parking air brake ch Builders Book for lo system to minimize NEVER be used wit Includes: - Air Dryer, Bendix A	ABS, Bendix Anti-Lock Brake System, 4-channel. Includes 15" x 4" front a gauges, brake lines color coded nylon, Bendix 13.2 CFM capacity air color knob parking brake control valve, automatic slack adjusters front and lambers mounted on front of rear axle, three drain valves and two air tank cation). Rear brake size and components dependent upon axle selection wheel slipping during acceleration. Usage determined by the air brake path Hi-Rail Train Systems).  AD/IS w/Heater erail (for Hydraulic brake diesel applications that include air suspension of	ompressor, instrument rear, two rear spring ks (Reference Body . Uses existing ABS ackage selected. (Should
	18H	Electronic Stability Control	Variable
	98B	Special Build Requirement - Low - 38" to 48" Center of Gravity	N/C
	98C	Special Build Requirement - Medium - 48" to 58" Center of Gravity	N/C
	98E	Special Build Requirement - High - 58" to 68" Center of Gravity	N/C
	98F	Special Build Requirement - Tanker High - 58" to 68" Center of Gravity	N/C





Price Level: 215


Available Opt	tions (cont'd	Description	MSRP
	98J	Special Build Requirement - Tanker Medium - 48" to 58" Center of Gravity	N/C
	62F Relocated to rear of	Brake Chamber Spring Relocated rear axle for maximum ground clearance.	\$45.00
	62D  Mounted left frame compressor).	Air Dryer, Bendix AD/IS w/Heater rail (for Hydraulic brake diesel applications that include air suspension or s	\$460.00 stand alone engine air
	158 Includes air lines to	Trailer Air Brake Package rear of frame, hand control valve and tractor protection valve.	\$365.00
	159  Mounted at rear of f lights).	Trailer Connection Socket - 7-Way, Wired for Turn Signals Combined with Stop  Trailer Stop, tail, turn (compatible with trailers that use	\$100.00 combined stop, tail, turn
		Trailer Connection Socket - 7-Way, Wired for Turn Signals, Separate of Stop frame, for separate trailer stop, tail, turn, marker light circuits (compatible vamps with separate stop/turn).	\$100.00
Front Axle and Su	spension		
$\checkmark$	43N	10,000 lb. Cap. Non-Driving - Dana E- 1002l - I-Beam Type	STD
	43P	12,000 lb. Cap. Non-Driving - Dana E- 1202I - I-Beam Type	\$525.00
	43D	14,000 lb. Cap. Non-Driving - Dana	\$1,280.00





Price Level: 215


Available C	Options (cont'd	1)	
Selected	Code	Description	MSRP
	61D	Taper-Leaf Springs, Parabolic - 12,000 lb. Cap	\$305.00
	2-leaf, 62" x 3.15". A	Also includes, standard duty, dual, double acting shock absorbers.	
	61E	Taper-Leaf Springs, Parabolic - 13,200 lb. Cap	\$365.00
	3-leaf, 62" x 3.15". A	Also includes, standard duty, dual, double acting shock absorbers.	
	61F	Taper-Leaf Springs, Parabolic - 14,000 lb. Cap	\$425.00
	3-leaf, 62" x 3.15". A	Also includes, standard duty, dual, double acting shock absorbers.	
	158	Front Stabilizer Bar	\$490.00
	60A	Lube, Front Axle, EmGard 50W, Synthetic Oil	\$50.00
$\checkmark$	61C	Taper-Leaf Springs, Parabolic - 10,000 lb. Cap	STD
	2-leaf, 62" x 3.15". A	Also includes, standard duty, dual, double acting shock absorbers.	
Rear Axle and	Suspension		
$\checkmark$	475	21,000 lb. Single Reduction - Open - Dana / Spicer 21060S	STD
	NOTE: When specif	fying an axle ratio, check performance guidelines for startability and gradeability.	
	476	21,000 lb. Single Reduction - Locking - Dana / Spicer 21060D	\$1,830.00
	NOTE: When specif	fying an axle ratio, check performance guidelines for startability and gradeability.	
	477	21,000 lb. Dual Reduction - Open - Dana / Spicer 21065T	\$1,405.00
	NOTE: When specif	fying an axle ratio, check performance guidelines for startability and gradeability.	





Price Level: 215


Available O	ptions (cont'd	)	
Selected	Code	<i>)</i> Description	MSRP
	479	23,000 lb. Single Reduction - Open - Dana / Spicer S23-172	\$2,320.00
	NOTE: When specify	ving an axle ratio, check performance guidelines for startability and grad	deability.
	47P	23,000 lb. Single Reduction - Locking - Dana / Spicer S23-172D	\$2,100.00
	NOTE: When specify	ving an axle ratio, check performance guidelines for startability and grad	deability.
	47X	26,000 lb. Single Reduction - Open - Dana / Spicer S26-190	\$2,445.00
	NOTE: When specify	ving an axle ratio, check performance guidelines for startability and grad	deability.
	18P	Driveshaft Upgrade	\$185.00
	such as higher torqu	ne is optional. Heavy duty drive line components are required in more one engines or deep reduction low gear(s). The heavier SPL-140 driveshable used when more durability is required by the vocation or custome	aft is powertrain
$\checkmark$	68P 11-leaf. Includes 2,0	Multi-Leaf Springs - 21,000 lb. Cap 00 lb auxiliary springs for load stabilization.	STD
	68R 11-leaf. Includes 2,0	Multi-Leaf Springs - 23,000 lb. Cap 00 lb auxiliary springs for load stabilization.	\$230.00
	68T 11-leaf. Includes 2,0	Multi-Leaf Springs - 31,000 lb. Cap 00 lb auxiliary springs for load stabilization.	\$490.00
	68B With single air suspe Includes: - Shock Absorbers, I	· ·	\$1,140.00
	68F With single air suspe Includes: - Shock Absorbers, I	•	\$1,150.00
	68Z	Air Suspension Dump Valve	\$205.00





Price Level: 215


Available Options (cont'd)				
Selected	Code	Description	MSRP	
	68Y	Air Suspension Leveling Valve, 1 Additional Valve Provides Dual Height	\$330.00	
	961	Shock Absorbers, Rear - Double Acting	\$165.00	
	607	Lube, Rear Axle, EmGard 75W-90, Synthetic Oil	\$100.00	
$\checkmark$	X4E	4.63 Axle Ratio	N/C	
	X4F	4.78 Axle Ratio	N/C	
	X4G	4.88 Axle Ratio	N/C	
	X5F	5.25 Axle Ratio	N/C	
	X5B	5.29 Axle Ratio	N/C	
	X5D	5.57 Axle Ratio	N/C	
	X6A	6.14 Axle Ratio	N/C	
	X6B	6.17 Axle Ratio	N/C	
	X6D	6.50 Axle Ratio	N/C	
	X6E	6.83 Axle Ratio	N/C	
	X48	4.88/6.65 Two-Speed Axle Ratios	N/C	
	X52	5.29/7.21 Two-Speed Axle Ratios	N/C	





Price Level: 215


Available Options (cont'd) Selected Code		Description	MSRP
	X65	6.50/8.87 Two-Speed Axle Ratios	N/C
Wheelbase			
$\checkmark$	182WB	182" Wheelbase/72" CA/49" AF/270" OAL	STD
	194WB	194" Wheelbase/84" CA/49" AF/282" OAL	\$85.00
	212WB	212" Wheelbase/102" CA/70" AF/321" OAL	\$365.00
	218WB	218" Wheelbase/108" CA/70" AF/327" OAL	\$430.00
	230WB	230" Wheelbase/120" CA/75" AF/344" OAL	\$440.00
	236WB	236" Wheelbase/126" CA/75" AF/350" OAL	\$515.00
	248WB	248" Wheelbase/136" CA/81" AF/368" OAL	\$855.00
	254WB	254" Wheelbase/144" CA/81" AF/374" OAL	\$875.00
	260WB	260" Wheelbase/150" CA/87" AF/386" OAL	\$890.00
	266WB	266" Wheelbase/156" CA/87" AF/392" OAL	\$910.00





Price Level: 215


Available Options (cont'd)				
Selected	Code	Description	MSRP	
Frame				
$\checkmark$	Includes:	Single Channel - Straight 'C' 15.14 SM, 80,000 PSI a strength low alloy steel. 10.250" x 3.092" x 0.375" (260.4mm x 78.5mm x	STD (49.5mm).	
	- GVWR Limit: 37,000	0 lbs.		
	536	Single Channel - Straight 'C' 14.18 SM, 120,000 PSI	\$365.00	
	1,701,600 RBM. Hea	t treated alloy steel; 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0n	mm).	
	538	Single Channel - Straight 'C' 16.98 SM, 120,000 PSI	\$650.00	
	2,037,600 RBM. Hea	t treated alloy steel; 10.250" x 3.610" x 0.375" (260.4mm x 91.66mm x 9.5	ōmm).	
	539	Single Channel - Straight 'C' 20.11 SM, 120,000 PSI	\$1,075.00	
	2,413,200 RBM. Hea	t treated alloy steel; 10.375" x 3.705" x 0.438" (263.5mm x 94.1mm x 11.1	mm).	
	41R	Outer "C" Channel Reinforcement - 120,000 PSI	\$1,160.00	
	29.84 SM; 3,580,800	RBM. Heat treated alloy steel; 10.813" x 3.892" x 0.312"; (274.6 mm x 98	3.9 mm x 8.0 mm).	
	532	Frame Extension, Front - Integral 20" In Front of Grille	\$490.00	
	Includes: - Grille, Fixed - Black - Bumper, Front - Del	/Gray lete - Also Deletes Mounting Brackets		
	765	Bumper, Front - Full Width, Chrome	\$490.00	
		Plated Steel - (Included in (90E) Exterior Appearance Group)		
	767	Bumper, Front - Swept Back, Painted	\$345.00	
	Dark shadow gray co	Steel olor.		





Price Level: 215


Available C	ptions (cont'd		
Selected	Code	Description	MSRP
	76X	Bumper, Front - Delete - Also Deletes Mounting Brackets	-\$135.00
	76F	3" Front Bumper Extension	\$175.00
	76Y	Tow Hooks - Delete	-\$70.00
	18D	Special Rating GVWR - Limited to 25,999 lb. GVWR	\$120.00
	18G	Special De-Rating GVWR - Limited to 33,000 lb. GVWR	\$120.00
	May eliminate the ne	eed to pay 12% Federal Excise Tax (F. E. T.).	
	19D	Frame Rail Drill #3	\$50.00
	Factory pre-drilled h conversion.	oles in frame rails to support aftermarket install of Hydraulic pump system f	or EZ-TRAC 4x4
	19E	Frame Rail Drill #2	\$50.00
	Factory pre-drilled h conversion.	oles in frame rails to support aftermarket install of transfer case brackets for	r a Meritor 4x4
	86C	Chrome Grille Surround - (Included in (90E) Exterior Appearance Group)	\$245.00
	86B	Grille, Fixed - Black/Gray	\$125.00
Exhaust			
$\checkmark$	91G	Under Cab, Right Side Outlet, Switchback-Style	STD
	Single, horizontal m	uffler, right side, under cab, outside of frame rail with rear discharge.	
	91B	Back of Cab, Right Side Outlet, Torpedo-Style	N/C





Price Level: 215


Available O	ptions (cont'd	•	MSRP
Selected		Description  uffler/pipe, inline, right side exhaust with underbody exit, in front of axle.	WISKE
	91D	Under Cab, Vertical Outlet, Right Side, Switchback-Style - Intrudes 2" into clean CA	\$715.00
	WARNING! The	selection of this Exhaust could reduce the available CA dimer	nsion.
	Single, horizontal m with heat shield and	uffler, right side under cab outside of frame rail with vertical exhaust passeng I turnout exit.	ger side rear corner
Fuel Tanks			
$\checkmark$	65E	Fuel Tank - LH 65 Gallon Rectangular - Aluminum	STD
	65F	Fuel Tank - 115 Gallon Rectangular - Aluminum - LH 65-gal, RH 50-gal	\$915.00
$\checkmark$	12	12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection	\$0.00
Electrical / Alter	nator / Battery		
$\checkmark$	STDALT	Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5	STD
	17A	Extra Heavy Duty Alternator - 12-Volt, 240 Amps	\$410.00
	17D	Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2	\$855.00
	55M	Jump Start Stud - Remote Mounted	\$90.00





Price Level: 215


	Options (cont'd)	De a suituit au	МОРР
Selected	Code	Description	MSRP
$\checkmark$	STDBAT	Battery - Two 750 CCA, 1500 Total, Includes Steel Battery Box	STD
	12Volt, Motorcraft.	morado etest baner, ben	
	63B	Battery - Two 900 CCA, 1800 Total, Includes Steel Battery Box	\$60.00
	12Volt, Motorcraft.	·	
	63D	Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box	\$250.00
	12 Volt, Motorcraft.		
	63Y	Battery - Temporary Mount for Truck Chassis	\$235.00
	164	Roof Marker/Clearance Lights - Clear Lenses, 5 Lights (Replaces Standard Amber Lenses)	\$30.00
	16X For Airport or Application	Roof Marker/Clearance Lights - Delete ons that receive modified roof coverings.	N/C
	59C	Body Builder Wiring - At End of Frame, Combined - (ILO Standard - Back of Cab Combined)	\$135.00
		ctors for 2 ground circuits, with combined left/stop, combined right/stop, additional pass through wires to cab.	stop lamps, back up
	59D	Body Builder Wiring - At Back of Cab,	\$70.00
		Separate - (ILO Standard - Back of Cab Combined)	
	Includes sealed connec includes 2 additional pa	ctors for 2 ground circuits, with separate left/stop, separate right/stop, ba ass through wires to cab.	ck up lamps. Also
	59E	Body Builder Wiring - At End of Frame, Separate - (ILO Standard - Back of Cab Combined)	\$135.00





Price Level: 215


Available C	Options (cont'd	) Description	MSRP	
Ociooted	Includes sealed connectors for 2 ground circuits, with separate left/stop, separate right/stop, back includes 2 additional pass through wires to cab.			
	17M	Back-Up Alarm - Electric, 102 dBA	\$110.00	
	962	Daytime Running Lamps (Not Configurable)	\$25.00	
	86M	Upfitter Interface Module	\$320.00	
	55X Deletes stop, turn, ta	Tail Light Delete il and backup lights. Does not omit cable to end of frame.	N/C	
	<b>16V</b> Available in message	Voltmeter e center.	\$100.00	
Seats				
$\checkmark$	88A	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl	STD	
	88B	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Cloth	\$125.00	
	881	30/70 Fixed Driver & Fixed 2- Passenger Bench - Vinyl	\$350.00	
	882	30/70 Fixed Driver & Fixed 2- Passenger Bench - Cloth	\$475.00	
	88C	30/0/0 Fixed Driver only - Vinyl	-\$120.00	
	88D	30/0/0 Fixed Driver only - Cloth	N/C	





Price Level: 215

Available C	ptions (cont'd)		
Selected	Code	Description	MSRP
	88R	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolette - Vinyl	\$440.00
	88S	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolette - Cloth	\$565.00
	88G	30/70 Air Ride Driver (External Air Source) & Fixed 2-Passenger Bench - Vinyl	\$395.00
	88H	30/70 Air Ride Driver (External Air Source) & Fixed 2-Passenger Bench - Cloth	\$520.00
	88J	30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Vinyl	\$855.00
	88K	30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Cloth	\$980.00
	88L	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Vinyl	\$440.00
	88M	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Cloth	\$565.00
	88T	30/0/0 Air Ride Driver Only (External Air Source) - Vinyl	\$275.00





Price Level: 215

Available Option	ons (cont'd)	Description	MSRP
	88U	30/0/0 Air Ride Driver Only (External Air Source) - Cloth	\$400.00
	88N	30/0/30 Air Ride Driver (External Air Source) & Fixed Passenger w/Consolette - Vinyl	\$395.00
	88P	30/0/30 Air Ride Driver (External Air Source) & Fixed Passenger w/Consolette - Cloth	\$520.00
	88E	30/0/30 Air Ride Driver (External Air Source) & Air Ride Passenger (External Air Source) w/Consolette - Vinyl	\$810.00
	88F	30/0/30 Air Ride Driver (External Air Source) & Air Ride Passenger (External Air Source) w/Consolette - Cloth	\$935.00
	88W	30/0/0 Air Ride Driver Only (Integral Air Pump) - Vinyl	\$315.00
	88X	30/0/0 Air Ride Driver Only (Integral Air Pump) - Cloth	\$440.00
	88Y	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold-Down Console - Vinyl	\$420.00
	88Z	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold-Down Console - Cloth	\$545.00




Prepared by: Jeff Williams 08/07/2021

2022 F-750 Diesel Crew Cab Base (W7D)

Price Level: 215


Available O <sub>l</sub> Selected	ptions (cont'd Code	) Description	MSRP
<b>✓</b>	87C  Trim will match select	60/40 Rear Bench Seat w/Flip-Up Cushion and Fold-Down Back cted driver seat material.	STD
	87X	Rear Bench - Delete	-\$120.00
Cab Interior			
$\checkmark$	600A	Preferred Equipment Package 600A	N/C
	- Wheel Seals, Rear - Manual Regen Initi - Engine Exhaust Br Extra Heavy Duty / - Painted Grille - Pla - Lights - Roof Marke - Tow Hooks, Front ( - Four Body Builder - With connector acc - Floor Covering - Bl - Intelligent Oil Life N - Steering Column Steering Wheel - B - Body Builder Wiring Includes sealed co	t - Oil lubricated, SKF ScotSeal PlusXL Seals - Oil lubricated, SKF ScotSeal PlusXL Seals ation - Driver Interface in Message Center ake Alternator - 12-Volt, 200 Amp Denso SC5 stic er/Clearance - Amber Lenses, 5 Lights '2) - Frame-Mounted, Painted Black Switches - Mounted in Center Instrument Panel ress located in engine compartment. Amperages vary by switch: 10, 15, 2 ack Vinyl Monitor	
	87H	Driver Assist Technology Package.	\$1,410.00
	Control. Includes: - Enhanced Cluster Electronic speedon tachometer, and ind	Hydraulic Brake Is Emergency Braking, Forward Collision Warning, Lane Departure Warning, W/High-Level 8-Inch Display Ineter (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge icator lights. Also included is enhanced 3-button Message Center with ode ir fuel, average fuel economy, hour meter and warning messages. Transn	e, fuel gauge, ometer, trip odometer,
	87A	Driver Assist Technology Package	\$3,050.00
		(w/Bendix Wingman Advanced). Air	
		Brake	
	Control and Auto Hig Includes: - Enhanced Cluster Electronic speedon tachometer, and ind	is Emergency Braking, Forward Collision Warning, Lane Departure Warnigh Beam Control.  w/High-Level 8-Inch Display neter (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge icator lights. Also included is enhanced 3-button Message Center with ode r fuel, average fuel economy, hour meter and warning messages. Transn	e, fuel gauge, ometer, trip odometer,





Price Level: 215

Available Op	otions (cont'd) Code	Description	MSRP
	Includes: - Chrome Trimmed Ai - 60/40 Rear Bench S Trim will match sele - Power Equipment G	Appearance Group  ed overhead console with dual sunglass bins and integral front map reading lights.  ir Registers w/Positive Shut-Off seat w/Flip-Up Cushion and Fold-Down Back cted driver seat material.  iroup - (Included in (90A) Appearance Group) it side windows, power rear side windows, power door locks and door trim panel.	\$830.00
	92J  Electronic speedomei	Enhanced Cluster w/High-Level 8-Inch Display  ter (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge, fuel gauge, lso included is enhanced 3-button Message Center with odometer, trip odometer, ge fuel economy, hour meter and warning messages. Transmission temperature in the seconomy of t	listance to
	90P  Includes power front s	Power Equipment Group - (Included in (90A) Appearance Group) side windows, power rear side windows, power door locks and door trim panel.	\$470.00
	92S Comes in dark privac	Window, Rear - Sliding y glass only.	\$125.00
	57N Includes fresh air hea	Air Conditioning Delete ster and defroster only.	-\$100.00
		Rapid-Heat Supplemental Cab Heater ska, Colorado, Idaho, Iowa, Maine, Michigan, Minnesota, Montana York, North Dakota, South Dakota, Vermont, Wisconsin, Wyoming.	
	96C	Pull Out Cup Holder For Two Cups - Instrument Panel Mounted	\$30.00
	55P	110 A/C Outlet - in Lower Center Finish Panel	\$100.00
	214	4 Speaker Option for 588 Radio	\$30.00






Price Level: 215

Available	Options	(cont'd)
-----------	---------	----------


Selected	Code	Description	MSRP
	58P	Radio Prep Package	N/C
	Deletes radio and da panel cover and das	nsh-mounted aux input jack. Includes radio/speaker wiring, 2 speakers, an h-mounted aux audio input jack instrument panel cover.	tenna, radio instrument
	58B	Radio Delete Package	-\$60.00
		ers, antenna and antenna cable. Includes radio instrument panel cover ar is for future radio upfit if owner desires.	nd aux audio jack cover
$\checkmark$	588	Radio: AM/FM Stereo w/2 Speakers,	STD
		USB input, Clock Display and Bluetooth	
	85B	Keyed Alike - Not Available with Anti-	\$45.00
		Theft System, Requires Multiple-Unit Order	
	85L	Keyed Alike - Option 1 - Not Available	\$45.00
		with Anti-Theft System, Requires Multiple-Unit Order	
	85M	Keyed Alike - Option 2 - Not Available	\$45.00
		with Anti-Theft System, Requires Multiple-Unit Order	
	85N	Keyed Alike - Option 3 - Not Available	\$45.00
		with Anti-Theft System, Requires Multiple-Unit Order	
	85P	Keyed Alike - Option 4 - Not Available	\$45.00
		with Anti-Theft System, Requires Multiple-Unit Order	
		Multiple-Offic Order	
	85A	SecuriLock Passive Anti-Theft System	\$120.00
	key, programmed to ignition key, its elect	sive Anti-Theft System is designed to help prevent the engine from being a the vehicle, is used. It helps protect against drive-away theft through an e ronically coded ignition key features billions of possible codes to start the OEM aftermarket remote start systems.	lectronically coded





Price Level: 215


Available Op	otions (cont'd		
Selected	Code	Description	MSRP
	90M	Interior Rear View Mirror	\$75.00
Cab Exterior			
	90E	Exterior Appearance Group	\$730.00
	<ul> <li>Chromed Fender E</li> </ul>	ull Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Group) Badge round - (Included in (90E) Exterior Appearance Group)	
	85K	Remote Keyless Entry w/2 Key Fobs	\$195.00
	94T	Tamper-Proof Odometer	\$30.00
	59A Air solenoid operate	Horn, Air - Black, Single Trumpet d, chassis mounted on rail back of bumper.	\$90.00
	54H	Mirrors, Dual - Rectangular, XL2020 - 96" Width	STD
	Integral spot mirror,	sail type, manual fold, solid black finish.	
	54M	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width	\$85.00
	Integral spot mirror,	sail type, manual fold, solid black finish.	
	54P	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width	\$245.00
	Integral spot mirror,	sail type, solid black finish.	
	54B	Mirrors, Dual - Rectangular, XL2020 - 96" Width w/Chrome Cap	\$60.00
	Integral spot mirror,	sail type, manual fold.	
	54N	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width w/Chrome Cap	\$120.00
	Integral spot mirror,	sail type, manual fold.	





Price Level: 215

Available Opt	tions (cont'd)	Description	MSRP
	54A  Integral spot mirror, sa	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width w/Chrome Cap	\$305.00
	54J Integral spot mirror, sa	Mirrors, Dual - Rectangular, XL2020 - 102" Width ail type, manual fold, solid black finish.	\$30.00
	54C Integral spot mirror, sa	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width ail type, manual fold, solid black finish.	\$90.00
	54R Integral spot mirror, sa	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width ail type, solid black finish.	\$275.00
	54D  Integral spot mirror, sa	Mirrors, Dual - Rectangular, XL2020 - 102" Width w/Chrome Cap ail type, manual fold.	\$90.00
	54E Integral spot mirror, sa	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width w/Chrome Cap ail type, manual fold.	\$150.00
	54K  Integral spot mirror, sa	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width w/Chrome Cap	\$335.00
	54F  Includes power heated mounted.	Mirrors, Trailer Tow, Powered - Sail Mount - w/Power Telescoping & Power Folding d glass, heated convex spotter and integrated clearance lights/turn signal	\$365.00
			***************************************





Price Level: 215

Available Op				
Selected	Code	Description	MSRP	
	63F	Aux Spot Mirrors - Front Fender Mounted - (2) Driver Side and Passenger Side	\$225.00	
	63G	Aux Spot Mirror - Front Fender Mounted - (1) Passenger Side Only	\$120.00	
	165	Mud Flap Holder Without Flaps	\$95.00	
	166	Mud Flap Holder With Flaps	\$155.00	
Ship-Thru				
	21A	Pre-Delivery Inspection	N/C	
	Selection requires that you also choose either (314) or (31F) or (31V) to have the Inspection performed. Required with any final Ship-To that is not a dealer.			
	314	Ship-Thru - Manning	\$0.00	
	MAY be selected arrangements di	d w/o adding (21A). For MODIFICATIONS ONLY, Dealer must make rectly with Manning (please use CVT Resources for add. Info).		
	31F	Ship-Thru - NFS National Fleet Services	N/C	
	MAY be selected w/o adding (21A). For MODIFICATIONS ONLY, Dealer must make arrangements directly with NFS (please use CVT Resources for add. Info).			
Miscellaneous				
$\checkmark$	PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"	STD	
	79V	COV Required	N/C	
	Send a paper Ce CA or MI.	ertificate of Origin for a Vehicle (COV) for those states that file electro	nically -	




Prepared by: Jeff Williams 08/07/2021

2022 F-750 Diesel Crew Cab Base (W7D)

Price	Level:	215
-------	--------	-----

Available Options (cont'd)						
Selected	Code	Description	MSRP			
Fleet Options						
	19A	Ambulance Prep Pkg w/Special Emissions	\$1,285.00			
	REQUIRES valid	REQUIRES valid FIN code.				
	certification by a final emissions only if equal In addition, Ford urg Manual and the Ford Ambulance Paterissions voids the engine control modu stationary PTO oper 100%. NOTE 4: Mus 86.1803.01 in the Feemergency vehicles Includes:  - Dual Heavy Duty A	al Emergency Vehicle Emissions. Incomplete vehicle package - required I stage manufacturer. Ford vehicles are suitable for producing ambular stage manufacturer. Ford vehicles are suitable for producing ambular suipped with the Ford Ambulance Prep Package with EPA Special Emerges ambulance manufacturers to follow the recommendations of the Ford Truck Body Builders Layout Book (and pertinent supplements). Using the sexage with EPA Special Emergency Vehicle Emissions to produce an afford warranty. NOTE 1: Stationary Elevated Idle Control (SEIC) has been also not sufficiently reduces the possibility of deation. NOTE 3: Allows operator commanded regen down to 30% of DF at meet the definition of an Emergency Vehicle, an Ambulance or Fire Taderal Register. NOTE 5: California Code of Regulations allows for the stationary of the stage	ices with special gency Vehicle Emissions. of Incomplete Vehicle a Ford vehicle without the mbulance with special een integrated into the spower mode when in PF filter full, instead of ruck per 40 CFR			
	19F	Fire/Rescue Prep Pkg w/EPA Special	\$1,285.00			
		Emissions				
	REQUIRES valid	REQUIRES valid FIN code.				
	certification by a fina recommendations of pertinent supplemen module. NOTE 2: Er operation. NOTE 3: the definition of an E NOTE 5: California ( Includes:	al Emergency Vehicle Emissions. Incomplete vehicle package - required stage manufacturer. Ford urges Fire/Rescue Vehicle manufacturers to the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders ts). NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrating to the calibration significantly reduces the possibility of depower mode we operator commanded regen down to 30% of DPF filter full, instead of 1 mergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.0 Code of Regulations allows for the sale of Federally certified emergency	o follow the s Layout Book (and ed into the engine control when in stationary PTO 00%. NOTE 4: Must meet 1 in the Federal Register.			
	- Dual Heavy Duty A - Battery - Three 900 12 Volt, Motorcraft.	lternators - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2 CCA, 2700 Total, Includes Steel Battery Box				
	19B	Beverage Delivery Package	\$60.00			
	Includes body builde combined right/stop,	or wiring at back of cab at frame, sealed connectors for 2 ground circuits stop lamps, park lamps, back up lamps, also includes 2 additional pastith to accommodate drop frame beverage body application.	s, with combined left/stop, s through wires to cab with			
	B4A	Net Invoice Fleet Option	\$0.00			
	56A	CPA Fleet Incentive	N/C			
	56B	Commercial Repurchase	N/C			





Price Level: 215

Available Options (cont'd)					
Selected	Code	Description	MSRP		
	56F	FRCS Long Term	N/C		
	56K	Long Term Fleet Incentive	\$0.00		
	56M	National Fleet Incentive	\$0.00		
	56Y	DDR Program	N/C		
VSO Options					
	SP101	VSO - Monotone Special Paint (Minimum Quantity 3)	\$824.00		
	SPF	VSO - Special Paint Formulation (Minimum Quantity 3)	\$1,050.00		
	GCA	VSO SPO Code	N/C		
	IHD  This is to put an order releases it.	VSO Hold Code r on a VSO Hold, so that it does not get scheduled	N/C until the VSO dept.		
	GCI This option releases a val	VSO - FLO THRU VALVE TIRE ve stem with a flow thru cap.	\$18.00		