#### NCSA Contract discount of 6% on all option pricing




Prepared by: Jeff Williams 08/07/2021

Four Seasons Ford Inc. | 601 Duncan Hill Rd Hendersonville North Carolina | 287922722

2022 F-750 Diesel Regular Cab Base (F7D)

Price Level: 215


Available Op		Decemention	Menn
Selected	Code	Description	MSRP
General Info			
	ORDER1	Initial Order Date: TBA	N/C
Engines			
$\checkmark$	99C	6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM	STD
	_	xhaust Brake and manual regen capability. Torque: 700 p. Includes CARB clean idle label - may be removed if un-necessary.	ft.lbs. @ 1500 rpm.
	99E	6.7L Power Stroke V8 Turbo Diesel - 300 HP @ 2500 RPM	\$1,995.00
	_	xhaust Brake and manual regen capability. Torque: 725  D. Includes CARB clean idle label - may be removed if un-necessary.	ft.lbs. @ 1500 rpm.
	99X	6.7L Power Stroke V8 Turbo Diesel - 330 HP @ 2600 RPM	\$3,495.00
	_	xhaust Brake and manual regen capability. Torque: 750  Includes CARB clean idle label - may be removed if un-necessary.	ft.lbs. @ 1500 rpm.
$\checkmark$	425	50-State Emissions	N/C
	41H	Engine Block Heater, Phillips, 120 Volt/750 Watt	\$60.00
	98R Allows Driver to Inhib	Active Regen Control it Automatic Regen until Regen can be performed in a Safe location.	\$205.00
	916	Speed Limit - 65mph	N/C
	917	Speed Limit - 70mph	N/C





Price Level: 215


Available C	Options (cont'd	)	
Selected	Code	Description	MSRP
	62G	Air Compressor, Bendix, 13.2 CFM Capacity - Includes Direct Reading Air Pressure Gauge	\$1,175.00
	For use as an Ai	r Source when Air Brakes are not selected.	
	94A	Engine Idle Shutdown Timer - 5 Minutes	\$25.00
	94B	Engine Idle Shutdown Timer - 10 Minutes	\$25.00
	94C	Engine Idle Shutdown Timer - 15 Minutes	\$25.00
	94D	Engine Idle Shutdown Timer - 20 Minutes	\$25.00
Transmissions			
$\checkmark$	44G	Ford TorqShift HD 6-Speed Automatic - Double Overdrive, less PTO Provision, less Park Pawl	STD
	41A	Transmission Power Take-Off Provision w/LiveDrive Capability and Tow/Haul	\$895.00
Front Wheels 8	& Tires		
$\checkmark$	643 (285.75MM BC) hub	Wheels, Front 22.5x8.25 White Powder Coated Steel, 10-Hole piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.	STD
	64H	Wheels, Front 22.5x8.25 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides	\$735.00





Price Level: 215


Available O	Available Options (cont'd)			
Selected	Code	Description	MSRP	
	<b>649</b> (285.75MM BC) hub	Wheels, Front 22.5x8.25 Black Wheel piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.	\$60.00	
$\checkmark$	T2B	Tires, Front Two 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD	
	T2A	Tires, Front Two 11R22.5H Goodyear Fuel Max RSA (497 rev/mile)	\$45.00	
	T2E	Tires, Front Two 11R22.5H Michelin X Multi Energy Z (501 rev/mile)	\$240.00	
	ТСН	Tires, Front Two 255/70R22.5H Goodyear Endurance RSA (566 rev/mile)	\$40.00	
	T2F	Tires, Front Two 275/80R22.5G Michelin X Multi Energy Z (515 rev/mile)	\$190.00	
	TFA	Tires, Front Two 275/80R22.5H Hankook AH22 (510 rev/mile)	\$100.00	
	TRA	Tires, Front Two 295/75R22.5H Continental HSR3 (514 rev/mile)	\$130.00	
	TDG	Tires, Front Two 295/80R22.5H Continental HSR2 SA (514 rev/mile)	\$210.00	
Rear Wheels &	Tires			
$\checkmark$	663 (285.75MM BC) hub	Wheels, Rear 22.5x8.25 White Powder Coated Steel, 10-Hole piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.	STD	





Price Level: 215

Available C Selected	options (cont'd Code	) Description	MSRP
	66H  Inner wheel is white	Wheels, Rear 22.5x8.25 Aluminum, 10- Hole Alcoa Bright Polished w/Dura- Bright Seal on Both Sides powder-coated steel.	\$830.00
	66C Inner wheel is alumi	Wheels, Rear 22.5x8.25 DRW Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides	\$1,470.00
	669 (285.75MM BC) hub	Wheels, Rear 22.5x8.25 Black Wheel piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.	\$120.00
	60Z	Wheel, Spare 22.5x8.25 White Powder Coated Steel, 10-Hole - Quantity (One only)	\$145.00
$\checkmark$	R2B	Tires, Rear Four 11R22.5G Goodyear Fuel Max RSA (497 rev/mile)	STD
	R2A	Tires, Rear Four 11R22.5H Goodyear Fuel Max RSA (497 rev/mile)	\$95.00
	R2G	Tires, Rear Four 11R22.5G Goodyear Fuel Max RTD (493 rev/mile)	\$140.00
	R2H	Tires, Rear Four 11R22.5H Goodyear Fuel Max RTD (493 rev/mile)	\$175.00
	R2E	Tires, Rear Four 11R22.5H Michelin X Multi Energy Z (501 rev/mile)	\$480.00





Price Level: 215

Available (	Options (cont'd)	Docarintian	MSRP
	RMB	Tires, Rear Four 11R22.5H Michelin X Multi D (494 rev/mile)	\$405.00
	R2K	Tires, Rear Four 255/70R22.5H Goodyear Fuel Max RTD (563 rev/mile)	\$140.00
	RCH	Tires, Rear Four 255/70R22.5H Goodyear Fuel Max RSA (563 rev/mile)	\$80.00
	R2J	Tires, Rear Four 275/80R22.5G Michelin X Multi Energy D (514 rev/mile)	\$265.00
	R2F	Tires, Rear Four 275/80R22.5G Michelin X Multi Energy Z (515 rev/mile)	\$375.00
	RFA	Tires, Rear Four 275/80R22.5H Hankook AH22 (510 rev/mile)	\$200.00
	RDG	Tires, Rear Four 295/80R22.5H Continental HSR2 SA (500 rev/mile)	\$425.00
	RRC	Tires, Rear Four 295/75R22.5H Continental HDR2 ECO PLUS (514 rev/mile)	\$310.00
	RRA	Tires, Rear Four 295/75R22.5H Continental HSR3 (514 rev/mile)	\$260.00
Brakes			
$\checkmark$	67H	Hydraulic Brake System - Bosch HydroMax w/Traction Control	STD




Prepared by: Jeff Williams 08/07/2021

2022 F-750 Diesel Regular Cab Base (F7D)

Price Level: 215

Available Opt	tions (cont'd)	Description	MSRP
	Full power with automa rear axle mounted park	atic adjustment, 4-channel ABS antilock brake system. Includes 12" x 3 king brake, Orscheln lever control, right of driver and hand operated pa	" (Bosch) DSSA type rk brake lever.
		Trailer Connection Socket - 7-Way, Wired for Turn Signals Combined with Stop ne, for combined trailer stop, tail, turn, marker light circuits. Includes elege with cab connections for mounting customer installed electric brake	
	154  Mounted at rear of fran	Trailer Connection Socket - 7-Way, Wired for Turn Signals, Separate of Stop ne, for separate trailer stop, tail, turn, marker light circuits. Includes ele ge with cab connections for mounting customer installed electric brake	\$100.00
	reading air pressure ga panel mounted yellow parking air brake cham Builders Book for locat system to minimize wh NEVER be used with I Includes: - Air Dryer, Bendix AD/	•	mpressor, instrument ear, two rear spring s (Reference Body Uses existing ABS ckage selected. (Should
	18H	Electronic Stability Control	Variable
	98B	Special Build Requirement - Low - 38" to 48" Center of Gravity	N/C
	98C	Special Build Requirement - Medium - 48" to 58" Center of Gravity	N/C
	98E	Special Build Requirement - High - 58" to 68" Center of Gravity	N/C
	98F	Special Build Requirement - Tanker High - 58" to 68" Center of Gravity	N/C





Price Level: 215


	Options (cont'd)		
Selected	Code	Description	MSRP
	98J	Special Build Requirement - Tanker Medium - 48" to 58" Center of Gravity	N/C
	62F Relocated to rear of t	Brake Chamber Spring Relocated - Required rear axle for maximum ground clearance.	N/C
	62F_ Relocated to rear of t	Brake Chamber Spring Relocated - Optional rear axle for maximum ground clearance.	\$45.00
	62D Mounted left frame ra compressor).	Air Dryer, Bendix AD/IS w/Heater ail (for Hydraulic brake diesel applications that include air suspension or s	\$460.00 stand alone engine air
	62H  Alternate Mount outs	Air Dryer, Bendix AD/IS w/Heater, Alternate Position ide the left Frame rail as close to cab as available.	\$120.00
	158 Includes air lines to n	Trailer Air Brake Package ear of frame, hand control valve and tractor protection valve.	\$365.00
	159 Mounted at rear of fra lights).	Trailer Connection Socket - 7-Way, Wired for Turn Signals Combined with Stop ame, for combined trailer stop, tail, turn (compatible with trailers that use	\$100.00 combined stop, tail, turn
	157  Mounted at rear of fre amber or side turn la	Trailer Connection Socket - 7-Way, Wired for Turn Signals, Separate of Stop ame, for separate trailer stop, tail, turn, marker light circuits (compatible with separate stop/turn).	\$100.00

#### Front Axle and Suspension



Price Level: 215


Available Optio	,		
Selected	Code	Description	MSRP
$\checkmark$	43N	10,000 lb. Cap. Non-Driving - Dana E- 1002l - I-Beam Type	STD
	43P	12,000 lb. Cap. Non-Driving - Dana E- 1202l - I-Beam Type	\$525.00
	43D	14,000 lb. Cap. Non-Driving - Dana	\$1,280.00
$\checkmark$	61C 2-leaf, 62" x 3.15". Also includes	Taper-Leaf Springs, Parabolic - 10,000  Ib. Cap , standard duty, dual, double acting shock absorbers.	STD
	61D	Taper-Leaf Springs, Parabolic - 12,000 lb. Cap	\$305.00
	2-leaf, 62" x 3.15". Also includes	, standard duty, dual, double acting shock absorbers.	
	61E	Taper-Leaf Springs, Parabolic - 13,200 lb. Cap	\$365.00
	3-leaf, 62" x 3.15". Also includes	, standard duty, dual, double acting shock absorbers.	
	61F	Taper-Leaf Springs, Parabolic - 14,000 lb. Cap	\$425.00
	3-leaf, 62" x 3.15". Also includes	, standard duty, dual, double acting shock absorbers.	
	158	Front Stabilizer Bar	\$490.00
	60A	Lube, Front Axle, EmGard 50W, Synthetic Oil	\$50.00
Rear Axle and Suspe	nsion		
$\checkmark$	475	21,000 lb. Single Reduction - Open - Dana / Spicer 21060S	STD
	NOTE: When specifying an axle	ratio, check performance guidelines for startability and gradeability.	





Price Level: 215


Price Level: 215			
Available O Selected	ptions (cont'c	Description	MSRP
	476  NOTE: When speci	21,000 lb. Single Reduction - Locking - Dana / Spicer 21060D fying an axle ratio, check performance guidelines for startability and grade	\$1,830.00 eability.
	<b>477</b> NOTE: When speci	21,000 lb. Dual Reduction - Open - Dana / Spicer 21065T  fying an axle ratio, check performance guidelines for startability and grade	\$1,405.00 eability.
	<b>479</b> NOTE: When speci	23,000 lb. Single Reduction - Open - Dana / Spicer S23-172 fying an axle ratio, check performance guidelines for startability and grade	\$2,320.00 eability.
	47P NOTE: When speci	23,000 lb. Single Reduction - Locking - Dana / Spicer S23-172D fying an axle ratio, check performance guidelines for startability and grade	\$2,100.00 eability.
	47X  NOTE: When speci	26,000 lb. Single Reduction - Open - Dana / Spicer S26-190 fying an axle ratio, check performance guidelines for startability and grade	\$2,445.00 eability.
	such as higher torq	Driveshaft Upgrade line is optional. Heavy duty drive line components are required in more de ue engines or deep reduction low gear(s). The heavier SPL-140 driveshar uld be used when more durability is required by the vocation or customer.	ft is powertrain
$\checkmark$	68P 11-leaf. Includes 2,0	Multi-Leaf Springs - 21,000 lb. Cap	STD
	68R 11-leaf. Includes 2,0	Multi-Leaf Springs - 23,000 lb. Cap 000 lb auxiliary springs for load stabilization.	\$230.00
	68T 11-leaf. Includes 2,0	Multi-Leaf Springs - 31,000 lb. Cap 2000 lb auxiliary springs for load stabilization.	\$490.00
	Includes:	Air Suspension - 21,000 lb. Cap ension leveling valve. Rear - Double Acting	\$1,140.00





Price Level: 215


Available O	ptions (cont'd		
Selected	Code	Description	MSRP
	Includes:	Air Suspension - 23,000 lb. Cap ension leveling valve. Rear - Double Acting	\$1,150.00
	68Z	Air Suspension Dump Valve	\$205.00
	68Y	Air Suspension Leveling Valve, 1 Additional Valve Provides Dual Height	\$330.00
	961	Shock Absorbers, Rear - Double Acting	\$165.00
	607	Lube, Rear Axle, EmGard 75W-90, Synthetic Oil	\$100.00
$\checkmark$	X4E	4.63 Axle Ratio	N/C
	X4F	4.78 Axle Ratio	N/C
	X4G	4.88 Axle Ratio	N/C
	X5F	5.25 Axle Ratio	N/C
	X5B	5.29 Axle Ratio	N/C
	X5D	5.57 Axle Ratio	N/C
	X6A	6.14 Axle Ratio	N/C
	X6B	6.17 Axle Ratio	N/C
	X6D	6.50 Axle Ratio	N/C






Price Level: 215

Available C	Options (cont'd)	Description	MSRP
	X6E	6.83 Axle Ratio	N/C
	X48	4.88/6.65 Two-Speed Axle Ratios	N/C
	X52	5.29/7.21 Two-Speed Axle Ratios	N/C
	X65	6.50/8.87 Two-Speed Axle Ratios	N/C
Wheelbase			
$\checkmark$	158WB	158" Wheelbase/84" CA/49" AF/246" OAL	STD
	176WB	176" Wheelbase/102" CA/70" AF/285" OAL	\$125.00
	182WB	182" Wheelbase/108" CA/70" AF/291" OAL	\$210.00
	194WB	194" Wheelbase/120" CA/75" AF/308" OAL	\$325.00
	200WB	200" Wheelbase/126" CA/75" AF/314" OAL	\$490.00
	212WB	212" Wheelbase/138" CA/81" AF/332" OAL	\$515.00
	218WB	218" Wheelbase/144" CA/81" AF/338" OAL	\$550.00
	224WB	224" Wheelbase/150" CA/87" AF/350" OAL	\$570.00



Price Level: 215


Available Op	Available Options (cont'd)			
Selected	Code	Description	MSRP	
	230WB	230" Wheelbase/156" CA/87" AF/356" OAL	\$585.00	
	242WB	242" Wheelbase/168" CA/100" AF/381" OAL	\$805.00	
	260WB	260" Wheelbase/186" CA/120" AF/419" OAL	\$965.00	
	281WB	281" Wheelbase/207" CA/120" AF/440" OAL	\$1,150.00	
Frame				
$\checkmark$	535 1,211,200 RBM. High Includes: - GVWR Limit: 37,000	Single Channel - Straight 'C' 15.14 SM, 80,000 PSI strength low alloy steel. 10.250" x 3.092" x 0.375" (260.4mm x 78.5mm x 9.50) lbs.	STD imm).	
	536 1,701,600 RBM. Heat	Single Channel - Straight 'C' 14.18 SM, 120,000 PSI t treated alloy steel; 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm).	\$365.00	
	<b>538</b> 2,037,600 RBM. Heat	Single Channel - Straight 'C' 16.98 SM, 120,000 PSI t treated alloy steel; 10.250" x 3.610" x 0.375" (260.4mm x 91.66mm x 9.5mm	\$650.00 ).	
	539 2,413,200 RBM. Heat	Single Channel - Straight 'C' 20.11 SM, 120,000 PSI t treated alloy steel; 10.375" x 3.705" x 0.438" (263.5mm x 94.1mm x 11.1mm	\$1,075.00	
	41R 29.84 SM; 3,580,800	Outer "C" Channel Reinforcement - 120,000 PSI RBM. Heat treated alloy steel; 10.813" x 3.892" x 0.312"; (274.6 mm x 98.9 n	\$1,160.00 nm x 8.0 mm).	





Price Level: 215


Available O	ptions (cont'd)		
Selected	Code	Description	MSRP
	532	Frame Extension, Front - Integral 20" In Front of Grille	\$490.00
	Includes: - Grille, Fixed - Black - Bumper, Front - De	/Gray lete - Also Deletes Mounting Brackets	
	765	Bumper, Front - Full Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Group)	\$490.00
	<b>767</b> Dark shadow gray co	Bumper, Front - Swept Back, Painted Steel	\$345.00
	76X	Bumper, Front - Delete - Also Deletes Mounting Brackets	-\$135.00
	76F	3" Front Bumper Extension	\$175.00
	76Y	Tow Hooks - Delete	-\$70.00
	18D	Special Rating GVWR - Limited to 25,999 lb. GVWR	\$120.00
	18G	Special De-Rating GVWR - Limited to 33,000 lb. GVWR	\$120.00
	May eliminate the ne	ed to pay 12% Federal Excise Tax (F. E. T.).	
	86C	Chrome Grille Surround - (Included in (90E) Exterior Appearance Group)	\$245.00
	86B	Grille, Fixed - Black/Gray	\$125.00
	19D	Frame Rail Drill #3	\$50.00





Price Level: 215


Description	•	Available C Selected
	Factory pre-drilled ho	Selected
	conversion.	
Frame Rail Drill #2 es in frame rails to support aftermarket install of transfer case brackets f	19E Factory pre-drilled ho	
		Exhaust
Under Cab, Right Side Outlet, Switchback-Style	91G	$\checkmark$
fler, right side, under cab, outside of frame rail with rear discharge.	Single, horizontal mu	
Back of Cab, Right Side Outlet, Torpedo-Style	91B	
fler/pipe, inline, right side exhaust with underbody exit, in front of axle.	Single, horizontal mu	
Under Cab, Vertical Outlet, Right Side, Switchback-Style - Intrudes 2" into clean CA	91D	
fler, right side under cab outside of frame rail with vertical exhaust passe	Single, horizontal mu	
		Fuel Tanks
Fuel Tank - LH 50 Gallon Rectangular - Aluminum	65B	$\checkmark$
Fuel Tank - LH 55 Gallon Rectangular - Aluminum	65C	
Fuel Tank - LH 65 Gallon Rectangular - Aluminum	65E	
Fuel Tank - 115 Gallon Rectangular -	65F	
	Pescription  Poles in frame rails to support aftermarket install of Hydraulic pump system  Frame Rail Drill #2  Poles in frame rails to support aftermarket install of transfer case brackets for the support aftermarket install of transfer case brackets for the support aftermarket install of transfer case brackets for the support aftermarket install of transfer case brackets for the support aftermarket install of transfer case brackets for the support aftermarket install of transfer case brackets for the support aftermarket install of transfer case brackets for the support aftermarket install of transfer case brackets for the support aftermarket install of transfer case brackets for the support aftermarket install of transfer case brackets for the support aftermarket install of transfer case brackets for the support aftermarket install of transfer case brackets for the support aftermarket install of transfer case brackets for the support aftermarket install of transfer case brackets for transfer case bracke	Factory pre-drilled holes in frame rails to support aftermarket install of Hydraulic pump system conversion.  19E Frame Rail Drill #2 Factory pre-drilled holes in frame rails to support aftermarket install of transfer case brackets for conversion.  91G Under Cab, Right Side Outlet, Switchback-Style Single, horizontal muffler, right side, under cab, outside of frame rail with rear discharge.  91B Back of Cab, Right Side Outlet, Torpedo-Style Single, horizontal muffler/pipe, inline, right side exhaust with underbody exit, in front of axle.  91D Under Cab, Vertical Outlet, Right Side, Switchback-Style - Intrudes 2" into clean CA WARNING! The selection of this Exhaust could reduce the available CA dim Single, horizontal muffler, right side under cab outside of frame rail with vertical exhaust passe with heat shield and turnout exit.  65B Fuel Tank - LH 50 Gallon Rectangular - Aluminum  65C Fuel Tank - LH 65 Gallon Rectangular - Aluminum





Price Level: 215


Available Opt			
Selected	Code	Description	MSRP
$\checkmark$	12	12 Gal. Single Tank Fuel Fill. Mandatory Charge Applied, Based On Tank Selection	\$0.00
Electrical / Alternat	tor / Battery		
$\checkmark$	STDALT	Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5	STD
	17D	Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2	\$855.00
	17A	Extra Heavy Duty Alternator - 12-Volt, 240 Amps	\$410.00
	55M	Jump Start Stud - Remote Mounted	\$90.00
$\checkmark$	STDBAT  12Volt, Motorcraft.	Battery - Two 750 CCA, 1500 Total, Includes Steel Battery Box	STD
	63B 12Volt, Motorcraft.	Battery - Two 900 CCA, 1800 Total, Includes Steel Battery Box	\$60.00
	63D 12Volt, Motorcraft.	Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box	\$250.00
	63Y	Battery - Temporary Mount for Truck Chassis	\$235.00





Price Level: 215


Available O	ptions (cont'd)		
Selected	Code	Description	MSRP
	164	Roof Marker/Clearance Lights - Clear Lenses, 5 Lights (Replaces Standard Amber Lenses)	\$30.00
	16X For Airport or Applicat	Roof Marker/Clearance Lights - Delete ions that receive modified roof coverings.	N/C
		Body Builder Wiring - At End of Frame, Combined - (ILO Standard - Back of Cab Combined)  cettors for 2 ground circuits, with combined left/stop, combined right/stop, additional pass through wires to cab.	\$135.00 stop lamps, back up
	59D  Includes sealed conne includes 2 additional p	Body Builder Wiring - At Back of Cab, Separate - (ILO Standard - Back of Cab Combined)  actors for 2 ground circuits, with separate left/stop, separate right/stop, backs through wires to cab.	\$70.00
		Body Builder Wiring - At End of Frame, Separate - (ILO Standard - Back of Cab Combined)  actors for 2 ground circuits, with separate left/stop, separate right/stop, backs through wires to cab.	\$135.00
	17M	Back-Up Alarm - Electric, 102 dBA	\$110.00
	962	Daytime Running Lamps (Not Configurable)	\$25.00
	86M	Upfitter Interface Module	\$320.00
	55X Deletes stop, turn, tail	Tail Light Delete and backup lights. Does not omit cable to end of frame.	N/C
	16V Available in message	Voltmeter center.	\$100.00





Price Level: 215

Available Options (cont'd)			
Selected	Code	Description	MSRP
Seats			
$\checkmark$	88A	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Vinyl	STD
	88B	30/0/30 Fixed Driver & Fixed Passenger w/Consolette - Cloth	\$125.00
	881	30/70 Fixed Driver & Fixed 2- Passenger Bench - Vinyl	\$350.00
	882	30/70 Fixed Driver & Fixed 2- Passenger Bench - Cloth	\$475.00
	88C	30/0/0 Fixed Driver only - Vinyl	-\$120.00
	88D	30/0/0 Fixed Driver only - Cloth	N/C
	88R	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolette - Vinyl	\$440.00
	88\$	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolette - Cloth	\$565.00
	88G	30/70 Air Ride Driver (External Air Source) & Fixed 2-Passenger Bench - Vinyl	\$395.00
	88H	30/70 Air Ride Driver (External Air Source) & Fixed 2-Passenger Bench - Cloth	\$520.00





Price Level: 215

Options (cont'd) Code	Description	MSRP
88J	30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Vinyl	\$855.00
88K	30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Cloth	\$980.00
88L	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Vinyl	\$440.00
88M	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Cloth	\$565.00
88T	30/0/0 Air Ride Driver Only (External Air Source) - Vinyl	\$275.00
88U	30/0/0 Air Ride Driver Only (External Air Source) - Cloth	\$400.00
88N	30/0/30 Air Ride Driver (External Air Source) & Fixed Passenger w/Consolette - Vinyl	\$395.00
88P	30/0/30 Air Ride Driver (External Air Source) & Fixed Passenger w/Consolette - Cloth	\$520.00
88E	30/0/30 Air Ride Driver (External Air Source) & Air Ride Passenger (External Air Source) w/Consolette - Vinyl	\$810.00
	88K 88K 88L 88M 88T 88U	B8J 30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Vinyl  88K 30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolette - Cloth  88L 30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Vinyl  88M 30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Cloth  88T 30/0/0 Air Ride Driver Only (External Air Source) - Vinyl  88U 30/0/30 Air Ride Driver Only (External Air Source) & Fixed Passenger w/Consolette - Vinyl  88P 30/0/30 Air Ride Driver (External Air Source) & Fixed Passenger w/Consolette - Cloth  88E 30/0/30 Air Ride Driver (External Air Source) & Air Ride Passenger (External Air Source) & Air Ride Passenger (External Air Source)




Prepared by: Jeff Williams 08/07/2021

2022 F-750 Diesel Regular Cab Base (F7D)


Price Level: 215

	ptions (cont'd)		
Selected	Code	Description	MSRP
	88F	30/0/30 Air Ride Driver (External Air Source) & Air Ride Passenger (External Air Source) w/Consolette - Cloth	\$935.00
	88W	30/0/0 Air Ride Driver Only (Integral Air Pump) - Vinyl	\$315.00
	88X	30/0/0 Air Ride Driver Only (Integral Air Pump) - Cloth	\$440.00
	88Y	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold-Down Console - Vinyl	\$420.00
	88Z	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold-Down Console - Cloth	\$545.00
Cab Interior			
	- Wheel Seals, Rear - Manual Regen Initia - Engine Exhaust Brai - Extra Heavy Duty Al - Painted Grille - Plasi - Lights - Roof Marker - Tow Hooks, Front (2 - Four Body Builder S With connector acce - Floor Covering - Blaintelligent Oil Life Mesteering Column - Tour - Steering Wheel - Blais - Body Builder Wiring Includes sealed cons	<ul> <li>Oil lubricated, SKF ScotSeal PlusXL Seals         Oil lubricated, SKF ScotSeal PlusXL Seals         tion - Driver Interface in Message Center         ke         ternator - 12-Volt, 200 Amp Denso SC5         tic         //Clearance - Amber Lenses, 5 Lights         ) - Frame-Mounted, Painted Black         witches - Mounted in Center Instrument Panel         ss located in engine compartment. Amperages vary by switch: 10, 15, 2         ck Vinyl         ponitor</li> </ul>	
	87H	Driver Assist Technology Package. Hydraulic Brake	\$1,410.00



Price Level: 215


•	otions (cont'd)		14000
Selected	Code	Description	MSRP
	Control. Includes: - Enhanced Cluster v Electronic speedom tachometer, and indic	s Emergency Braking, Forward Collision Warning, Lane Departure Warn  //High-Level 8-Inch Display  eter (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge  ator lights. Also included is enhanced 3-button Message Center with od  fuel, average fuel economy, hour meter and warning messages. Transn	e, fuel gauge, ometer, trip odometer,
	074	Driver Assist Technology Poekege	\$3,050.00
	87A	Driver Assist Technology Package	<b>4</b> 2,223
		(w/Bendix Wingman Advanced). Air	
		Brake	
	Control and Auto Hig Includes:	s Emergency Braking, Forward Collision Warning, Lane Departure Warn h Beam Control. //High-Level 8-Inch Display	ing, Adaptive Cruise
	Electronic speedom tachometer, and indic	eter (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge cator lights. Also included is enhanced 3-button Message Center with od fuel, average fuel economy, hour meter and warning messages. Transn	ometer, trip odometer,
	90A	Appearance Croup	\$735.00
		Appearance Group	lin a limbta
	Includes:	ed overhead console with dual sunglass bins and integral front map reac	ling lights.
	- Power Equipment G	ir Registers w/Positive Shut-Off Group - (Included in (90A) Appearance Group) It side windows, power door locks and door trim panel.	
	00.1	Enhanced Chater w/High Lovel Clash	\$235.00
	92J	Enhanced Cluster w/High-Level 8-Inch	Ψ=00.00
		Display	
	and indicator lights. A	ter (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge, Nso included is enhanced 3-button Message Center with odometer, trip o ge fuel economy, hour meter and warning messages. Transmission temp	odometer, distance to
	90P	Power Equipment Group - (Included in	\$470.00
		(90A) Appearance Group)	
	Includes power front	side windows, power door locks and door trim panel.	
	92\$	Window, Rear - Sliding	\$125.00
	Comes in dark privac		
	57N	Air Conditioning Delete	-\$100.00
		ater and defroster only.	
	86H	Rapid-Heat Supplemental Cab Heater	\$610.00





Price Level: 215


Selected	Code	Description	MSRP
	Required with Alaska, Colorado, Idaho, Iowa, Maine, Michigan, Minnesota, Montana, New Hampshire, New York, North Dakota, South Dakota, Vermont, Wisconsin, Wyoming.		
	96C	Pull Out Cup Holder For Two Cups - Instrument Panel Mounted	\$30.00
	55P	110 A/C Outlet - in Lower Center Finish Panel	\$100.00
	214	4 Speaker Option for 588 Radio	\$30.00
	58P Deletes radio and da panel cover and das	Radio Prep Package sh-mounted aux input jack. Includes radio/speaker wiring, 2 speakers, anto h-mounted aux audio input jack instrument panel cover.	N/C enna, radio instrument
	58B Deletes radio, speak and speaker location	Radio Delete Package ers, antenna and antenna cable. Includes radio instrument panel cover and s for future radio upfit if owner desires.	-\$60.00
$\checkmark$	588	Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth	STD
	85B	Keyed Alike - Not Available with Anti- Theft System, Requires Multiple-Unit Order	\$45.00
	85L	Keyed Alike - Option 1 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00
	85M	Keyed Alike - Option 2 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00





Price Level: 215


Available O	ptions (cont'd		
Selected	Code	Description	MSRP
	85N	Keyed Alike - Option 3 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00
	85P	Keyed Alike - Option 4 - Not Available with Anti-Theft System, Requires Multiple-Unit Order	\$45.00
	85A	SecuriLock Passive Anti-Theft System	\$120.00
	key, programmed to ignition key, its elec	sive Anti-Theft System is designed to help prevent the engine from being the vehicle, is used. It helps protect against drive-away theft through an etronically coded ignition key features billions of possible codes to start the -OEM aftermarket remote start systems.	lectronically coded
	90M	Interior Rear View Mirror	\$75.00
Cab Exterior			
	90E	Exterior Appearance Group	\$730.00
	- Chromed Fender E	ull Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance G Badge round - (Included in (90E) Exterior Appearance Group)	roup)
	85K	Remote Keyless Entry w/2 Key Fobs	\$195.00
	94T	Tamper-Proof Odometer	\$30.00
	59A Air solenoid operate	Horn, Air - Black, Single Trumpet d, chassis mounted on rail back of bumper.	\$90.00
$\checkmark$	54H	Mirrors, Dual - Rectangular, XL2020 - 96" Width	STD
	Integral spot mirror,	sail type, manual fold, solid black finish.	
	54M	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width	\$85.00





Price Level: 215

Available Options (cont'd)			
Selected	Code	Description	MSRP
	Integral spot mirror,	sail type, manual fold, solid black finish.	
	54P	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width sail type, solid black finish.	\$245.00
	mtegral spot militor,	san type, sond black innsn.	
	54B	Mirrors, Dual - Rectangular, XL2020 - 96" Width w/Chrome Cap	\$60.00
	Integral spot mirror,	sail type, manual fold.	
	54N	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width w/Chrome Cap	\$120.00
	Integral spot mirror,	sail type, manual fold.	
	54A	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width w/Chrome Cap	\$305.00
	Integral spot mirror,	•	
	54J	Mirrors, Dual - Rectangular, XL2020 - 102" Width	\$30.00
	Integral spot mirror,	sail type, manual fold, solid black finish.	
	54C	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width	\$90.00
	Integral spot mirror,	sail type, manual fold, solid black finish.	
	54R	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width	\$275.00
	Integral spot mirror,	sail type, solid black finish.	
	54D	Mirrors, Dual - Rectangular, XL2020 - 102" Width w/Chrome Cap	\$90.00
	Integral spot mirror,	sail type, manual fold.	
	54E	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width w/Chrome Cap	\$150.00
	Integral spot mirror,	sail type, manual fold.	





Price Level: 215

Available Options (cont'd)					
Selected	Code	Description	MSRP		
	54K	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width w/Chrome Cap	\$335.00		
	Integral spot mirror, sail type.				
	54F	Mirrors, Trailer Tow, Powered - Sail Mount - w/Power Telescoping & Power Folding	\$365.00		
	Includes power heated glass, heated convex spotter and integrated clearance lights/turn signals. Heat controls dash mounted.				
	63F	Aux Spot Mirrors - Front Fender Mounted - (2) Driver Side and Passenger Side	\$225.00		
	63G	Aux Spot Mirror - Front Fender Mounted - (1) Passenger Side Only	\$120.00		
	165	Mud Flap Holder Without Flaps	\$95.00		
	166	Mud Flap Holder With Flaps	\$155.00		
Ship-Thru					
	21A	Pre-Delivery Inspection	N/C		
	Selection require performed. Requ	es that you also choose either (314) or (31F) or (31V) to ha iired with any final Ship-To that is not a dealer.	ve the Inspection		
	314	Ship-Thru - Manning	\$0.00		
	MAY be selected arrangements di	w/o adding (21A). For MODIFICATIONS ONLY, Dealer neetly with Manning (please use CVT Resources for add. In	nust make nfo).		
	31F	Ship-Thru - NFS National Fleet Services	N/C		



Prepared by: Jeff Williams 08/07/2021

2022 F-750 Diesel Regular Cab Base (F7D)

Price Level: 215

Selected Code Description MSRP

MAY be selected w/o adding (21A). For MODIFICATIONS ONLY, Dealer must make arrangements directly with NFS (please use CVT Resources for add. Info).

#### Miscellaneous

iscendificous			
$\checkmark$	PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"	STE
	79V	COV Required	N/C
	Send a paper Certificate of Origin for a Vehicle (COV) for those states that file electronically - CA or MI.		

#### **Fleet Options**

19A Ambulance Prep Pkg w/Special \$1,285.00

Emissions

#### REQUIRES valid FIN code.

Includes EPA Special Emergency Vehicle Emissions. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford vehicles are suitable for producing ambulances with special emissions only if equipped with the Ford Ambulance Prep Package with EPA Special Emergency Vehicle Emissions. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). Using a Ford vehicle without the Ford Ambulance Package with EPA Special Emergency Vehicle Emissions to produce an ambulance with special emissions voids the Ford warranty. NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Allows operator commanded regen down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the Federal Register. NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.

- Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2

Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box

12 Volt, Motorcraft.

19F Fire/Rescue Prep Pkg w/EPA Special Emissions

\$1,285.00


#### REQUIRES valid FIN code.

Includes EPA Special Emergency Vehicle Emissions. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford urges Fire/Rescue Vehicle manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Operator commanded regen down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the Federal Register. NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California. Includes:

- Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 amp Denso SC5/SC2

- Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box


12 Volt, Motorcraft.





Price Level: 215

Available Op Selected	otions (cont'd Code	Description	MSRP
	19B Includes body builde	Beverage Delivery Package er wiring at back of cab at frame, sealed connectors for 2 ground circu stop lamps, park lamps, back up lamps, also includes 2 additional pa	\$60.00
$\checkmark$	6 feet additional len	gth to accommodate drop frame beverage body application.  Net Invoice Fleet Option	\$0.00
	56A	CPA Fleet Incentive	N/C
	56B	Commercial Repurchase	N/C
	56F	FRCS Long Term	N/C
	56K	Long Term Fleet Incentive	\$0.00
	56M	National Fleet Incentive	\$0.00
	56Y	DDR Program	N/C
VSO Options			
	SP101	VSO - Monotone Special Paint (Minimum Quantity 3)	\$824.00
	SPF	VSO - Special Paint Formulation (Minimum Quantity 3)	\$1,050.00
	GCA	VSO SPO Code	N/C
	IHD This is to put an releases it.	VSO Hold Code order on a VSO Hold, so that it does not get scheduled	N/C until the VSO dept.





Price Level: 215

Available C	options (cont'd	) Description	MSRP
	GCI This option releases	VSO - FLO THRU VALVE TIRE a valve stem with a flow thru cap.	\$18.00
	GDH  This ontion replaces	VSO - Orange Outboard Seat Belts with 30/30 Driver Air, Fixed Passenger Seats the standard seat belts on regular cab models only.	\$90.00
	This Option replaces	ure standard seat beits of regular cab friodels only.	
	GDB	VSO - Orange Outboard Seat Belts with 30/30 Air Ride Seats	\$90.00
	This option replaces the standard seat belts on regular cab models only.		
	GDF	VSO - Orange Outboard Seat Belts with 30/70 Seats	\$90.00
	This option replaces	the standard seat belts on regular cab models only.	
	GDG	VSO - Orange Fixed Driver & Passenger Outboard Seat Belts (Non Air Ride)	\$90.00
	This option replaces	the standard seat belts on regular cab models only.	
	GCO This option gives a 1	VSO - 21 inch AF on 194 inch WB 194 inch wheelbase frame, a 21 inch AF.	\$528.00
	GCH This feature releases	VSO - 14K Front Axle s a 14K front axle and a 21K rear axle. This vehicle is limited to 33K GVWR.	\$965.00