





| Selected | Model | and | <b>Options</b> |
|----------|-------|-----|----------------|
|          |       |     |                |

| Selected Model<br>MODEL | and Options   |              |             |
|-------------------------|---|--------------|-------------|
| CODE                    | MODEL   |              |             |
| CG23406                 | 2024 Chevrolet Express Passenger RWD 2500 135" LS   |              |             |
| COLORS                  |   |              |             |
| CODE                    | DESCRIPTION   |              |             |
| G7C                     | Red Hot   |              |             |
| EMISSIONS               |   |              |             |
| CODE                    | DESCRIPTION   | FRONT WEIGHT | REAR WEIGHT |
| FE9                     | Emissions, Federal requirements   | 0.00 lbs     | 0.00 lbs    |
| ENGINE                  |   |              |             |
| CODE                    | DESCRIPTION   | FRONT WEIGHT | REAR WEIGHT |
| LV1                     | Engine, 4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp [206 kW] @ 5200 rpm, 298 lb-ft of torque [404 Nm] @ 3900 rpm) (Reference the Engine/Axle page for availability.) (STD)  | 0.00 lbs     | 0.00 lbs    |
| TRANSMISSION            |   |              |             |
| CODE                    | DESCRIPTION   | FRONT WEIGHT | REAR WEIGHT |
| MTH                     | Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking, Powertrain Grade Braking and Tap-Up/Tap-Down Driver Shift Control (STD) (Requires (LV1) 4.3L gas V6 engine. Reference the Engine/Axle page for availability.) | 0.00 lbs     | 0.00 lbs    |
| AXLE                    |   |              |             |
| CODE                    | DESCRIPTION   | FRONT WEIGHT | REAR WEIGHT |
| GU6                     | Rear axle, 3.42 ratio (Reference the Engine/Axle page for availability.)  | 0.00 lbs     | 0.00 lbs    |
| SIDE DOOR               |   |              |             |
| CODE                    | DESCRIPTION   | FRONT WEIGHT | REAR WEIGHT |
| E24                     | Door, swing-out passenger-side, 60/40 split (STD)   | 0.00 lbs     | 0.00 lbs    |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 21610. Data Updated: Jan 30, 2024 6:47:00 PM PST.



| DDEEEDDED E    | DMENT ODOLID   |              |             |
|----------------|--|--------------|-------------|
| PREFERRED EQUI |  |              |             |
| CODE           | DESCRIPTION  | FRONT WEIGHT | REAR WEIGHT |
| 1LS            | LS Preferred Equipment Group includes standard equipment   | 0.00 lbs     | 0.00 lbs    |
| PAINT SCHEME   |  |              |             |
| CODE           | DESCRIPTION  | FRONT WEIGHT | REAR WEIGHT |
| ZY1            | Paint, solid (STD)   | 0.00 lbs     | 0.00 lbs    |
| PAINT          |  |              |             |
| CODE           | DESCRIPTION  | FRONT WEIGHT | REAR WEIGHT |
| G7C            | Red Hot  | 0.00 lbs     | 0.00 lbs    |
| SEATING ARRANG | EMENT  |              |             |
| CODE           | DESCRIPTION  | FRONT WEIGHT | REAR WEIGHT |
| ZX5            | Seating, 12-passenger, (2-3-3-4 seating configuration) 4-passenger seat is a 50/50 split, 2-piece configuration (STD)  | 0.00 lbs     | 0.00 lbs    |
| SEAT TYPE      |  |              |             |
| CODE           | DESCRIPTION  | FRONT WEIGHT | REAR WEIGHT |
| AR7            | Seats, front bucket with vinyl trim and head restraints, includes inboard armrests (Requires (93W) interior trim. When ordering a seating arrangement that includes rear seats, includes rear bench seats with vinyl trim. Head restraints are not available on rear bench seats.) (STD) | 0.00 lbs     | 0.00 lbs    |
| SEAT TRIM      |  |              |             |
| CODE           | DESCRIPTION  | FRONT WEIGHT | REAR WEIGHT |
| 93W            | Medium Pewter, Custom Vinyl  | 0.00 lbs     | 0.00 lbs    |
| RADIO          |  |              |             |
| CODE           | DESCRIPTION  | FRONT WEIGHT | REAR WEIGHT |
| U0F            | Audio system, AM/FM stereo with MP3 player seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers (Not available with (U2K) SiriusXM Radio or (WP9) Communications Package on orders placed prior to October 2, 2023.) (STD)                   | 0.00 lbs     | 0.00 lbs    |
|                | Options Total  | 0.00 lbs     | 0.00 lbs    |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 21610. Data Updated: Jan 30, 2024 6:47:00 PM PST.



## **Standard Equipment**

| Grandara Equip |   |
|----------------|---|
| Package        |   |
|                | Power Convenience Package includes (A31) power windows and (AU3) power door locks   |
| Mechanical     |   |
|                | Engine, 4.3L V6 with Direct Injection and Variable Valve Timing, includes aluminum block construction (276 hp [206 kW] @ 5200 rpm, 298 lb-ft of torque [404 Nm] @ 3900 rpm) (Reference the Engine/Axle page for availability.) (STD)  |
|                | Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking, Powertrain Grade Braking and Tap-Up/Tap-Down Driver Shift Control (STD) (Requires (LV1) 4.3L gas V6 engine. Reference the Engine/Axle page for availability.) |
|                | GVWR, 8600 lbs. (3901 kg) (Reference the Engine/Axle page for availability.)  |
|                | Rear axle, 3.42 ratio (Reference the Engine/Axle page for availability.)  |
|                | Cooling, External Engine Oil Cooler   |
|                | Tow/haul mode selector, instrument panel-mounted  |
|                | Rear-wheel drive  |
|                | Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power  |
|                | Alternator, 150 amps  |
|                | Frame, ladder-type  |
|                | Suspension, front independent with coil springs and stabilizer bar  |
|                | Suspension, rear hypoid drive axle with multi-leaf springs  |
|                | Steering, power   |
|                | Brakes, 4-wheel antilock, 4-wheel disc  |
|                | Fuel tank capacity, mid-frame and approximately 31 gallons (117.3L)   |
|                | Exhaust, aluminized stainless-steel muffler and tailpipe  |
| Exterior       |   |
|                | Body, standard (STD)  |
|                | Door, swing-out passenger-side, 60/40 split (STD)   |
|                | Wheels, 4 - 16" x 6.5" (40.6 cm x 16.5 cm) steel includes Gray center caps and steel spare  |
|                | Tires, front LT245/75R16E all-season, blackwall   |
|                | Tires, rear LT245/75R16E all-season, blackwall  |
|                | Tire, spare LT245/75R16 all-season, blackwall   |
|                | Bumpers, front and rear painted Black with step-pad   |
|                | Grille, Black composite   |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 21610. Data Updated: Jan 30, 2024 6:47:00 PM PST.



| Exterior      |  |
|---------------|--|
|               | Headlamps, dual halogen composite  |
|               | Mirrors, outside heated power-adjustable, Black, manual-folding  |
|               | Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)  |
|               | Glass, swing-out side door windows   |
|               | Glass, swing-out rear cargo door windows   |
|               | Glass, enhanced-technology, rearmost side windows. 3-layer special glass is designed to help reduce the risk of ejection during a crash  |
|               | Glass, full-body window package (Includes (A18) swing-out rear cargo door window glass and (A19) swing-out side door window glass.)  |
|               | Wipers, front intermittent wet-arm with pulse washers  |
|               | License plate kit, front   |
| Entertainment |  |
|               | Audio system, AM/FM stereo with MP3 player seek-and-scan, digital clock, TheftLock, random select, auxiliary jack and 2 front door speakers (Not available with (U2K) SiriusXM Radio or (WP9) Communications Package on orders placed prior to October 2, 2023.) (STD)                   |
| Interior      |  |
|               | Seats, front bucket with vinyl trim and head restraints, includes inboard armrests (Requires (93W) interior trim. When ordering a seating arrangement that includes rear seats, includes rear bench seats with vinyl trim. Head restraints are not available on rear bench seats.) (STD) |
|               | Seating, 12-passenger, (2-3-3-4 seating configuration) 4-passenger seat is a 50/50 split, 2-piece configuration (STD)  |
|               | Console, engine cover with open storage bin  |
|               | Cup holders, 3 on the engine console cover   |
|               | Floor covering, full-length Black rubberized-vinyl   |
|               | Steering wheel steel sleeve column with theft-deterrent locking feature, Black   |
|               | Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure  |
|               | Driver Information Center includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped.                              |
|               | Oil life monitor   |
|               | Warning tones, headlamp on and key-in-ignition   |
|               | Company & point digital laggeted in the Driver Information Contan  |
|               | Compass, 8-point digital located in the Driver Information Center  |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 21610. Data Updated: Jan 30, 2024 6:47:00 PM PST.



| Intonion          |   |
|-------------------|---|
| Interior          |   |
|                   | Door locks, power with lock-out protection (NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.)  |
|                   | Theft-deterrent system, vehicle, PASS-Key III   |
|                   | Power outlets 2 auxiliary on engine console cover with covers, 12-volt  |
|                   | Power outlet, 120-volt  |
|                   | Air conditioning, single-zone manual  |
|                   | Air conditioning, rear  |
|                   | Heater, rear auxiliary  |
|                   | Defogger, front and side windows  |
|                   | Mirror, inside rearview, with Rear Vision Camera display  |
|                   | Headliner, cloth  |
|                   | Visors, driver and front passenger, padded with cloth trim and dual vanity mirrors, illuminated on passenger-side   |
|                   | Assist handles, driver and right-front passenger  |
|                   | Lighting, interior with 2 dome lights defeat switch and door handle-activated switches  |
|                   | Lighting, auxiliary with reading lights   |
|                   | Chevrolet Connected Access capable (Included and only available with (UE1) OnStar. Subject to terms. See onstar.com or dealer for details.)   |
| Safety-Mechanical |   |
|                   | StabiliTrak, traction assistance and vehicle stability enhancement system   |
|                   | Brake/transmission shift interlock for automatic transmissions  |
|                   | Hill Start Assist   |
| Safety-Exterior   |   |
|                   | Door beams, steel-side  |
|                   | Daytime Running Lamps   |
|                   | Rear Vision Camera (Display is included with (DRJ) Inside rearview mirror.)   |
| Safety-Interior   |   |
|                   | Airbags, frontal, front driver and right front passenger includes passenger-side airbag deactivation switch (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)  |
|                   | Airbags, seat-mounted side-impact for driver and right-front passenger and roof-rail mounted head-curtain provides coverage for outboard seating positions for first 3-rows only. Enhanced-technology glass is provided for fourth row with (ZX5) 12-passenger seating and fourth and fifth rows with (ZP3) 15-passenger seating (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.) |

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 21610. Data Updated: Jan 30, 2024 6:47:00 PM PST.



| Safety-Interior |   |
|-----------------|---|
|                 | Airbag deactivation switch, frontal passenger-side (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.) |
|                 | OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.com or dealer for details.)  |
|                 | Child seat anchors all three passenger rear seats have two anchors for outboard seating positions and tethers for two seating positions. See the Owner's Manual for more information  |
|                 | Tire Pressure Monitoring System (does not apply to spare tire)  |
|                 |   |

## WARRANTY

Basic Years: 3

Basic Miles/km: 36,000 Drivetrain Years: 5

Drivetrain Miles/km: 60,000

Drivetrain Note: Certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: Certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles

Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 21610. Data Updated: Jan 30, 2024 6:47:00 PM PST.