





Technical Specifications

Pov	wertrain			
Tr	ansmission			
	Drivetrain	Rear Wheel Drive	Trans Order Code	MPQ
	Trans Type	6	Trans Description Cont.	Automatic
	Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
	Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
	Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A
	Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A
	Clutch Size	N/A	Trans Power Take Off	N/A
	Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
	Transfer Case Power Take Off	N/A	Second Reverse Gear Ratio (:1)	N/A
	Third Reverse Gear Ratio (:1)	N/A	Fourth Reverse Gear Ratio (:1)	N/A
	Fifth Reverse Gear Ratio (:1)	N/A	Sixth Reverse Gear Ratio (:1)	N/A
	Transmission Manufacturer	Allison	Transmission Type	escription Cont. ar Ratio (:1) N/A Par Ratio (:1) N/A Ratio (:1) N/A Ratio (:1) N/A Partio (:1) N/A Partio (:1) N/A Partio (:1) N/A Reverse Gear Ratio (:1) N/A Reverse Gear Ratio (:1) N/A Reverse Gear Ratio (:1) N/A Prope Turbocharged I6 Stem Direct Injection at Torque @ RPM Ad Engine Speed (RPM) MA Prope Turbocharged I6 Direct Injection Anking Amps @ 0° F (2nd) Anking Amps @ 0° F (2nd) Manking Amps @ 0° F (2nd) MA Prope Torque Manking Amps @ 160 Prope Torque Manking Amps @ 160 Prope Torque Manking Amps @ 160 Prope Torque Manking Amps @ 160
Er	gine			
	Engine Order Code	LCB	Engine Type	Turbocharged I6
	Displacement	N/A	Fuel System	Direct Injection
	SAE Net Horsepower @ RPM	260 @ 2400	SAE Net Torque @ RPM	660 @ 1600
	Engine Oil Cooler	N/A	Governed Engine Speed (RPM)	N/A
	Engine Series	N/A		
Ele	ectrical			
	Cold Cranking Amps @ 0° F (Primary)	750	Cold Cranking Amps @ 0° F (2nd)	750
	Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	160
Co	poling System			
	Total Cooling System Capacity	N/A		
Vel	nicle			
Ve	hicle			
	Axle Ratio - Low Rear (:1)	N/A	As Spec Curb Weight - Front	6503.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



hicle			
As Spec Curb Weight - Rear	3515.00 lbs		
•	00.000.00		
assis			
eight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Total Weight	10368.00 lbs	Gross Axle Wt Rating - Front	11000 lbs
Gross Axle Wt Rating - Rear	19000 lbs	Curb Weight - Front	6503 lbs
Curb Weight - Rear	3515 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	4497.00 lbs
Reserve Axle Capacity - Rear	15485.00 lbs	As Spec'd Curb Weight	10018.00 lbs
As Spec'd Payload	15932.00 lbs	Gross Combined Wt Rating	30000 lbs
Cargo Weight	0.00 lbs	Gross Vehicle Weight	10368.00 lbs
Axle Weight	N/A	Gross Axle Weight Rating	30000.00 lbs
Curb Weight	10018.00 lbs	Reserve Axle Capacity	19982.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0.00 lbs
Payload Weight Rear	0.00 lbs	Maximum Axle Rating Front	11000.00 lbs
Maximum Axle Rating Rear	19000.00 lbs	Maximum Axle Rating Total	30000.00 lbs
Gross Vehicle Weight Rating	25950.00 lbs	Front PayLoad	N/A
Rear Payload	N/A	Total Payload Weight (Cargo + Driver + Body)	350.00 lbs
ame			
Frame Type	Ladder-Type C- Section	Sect Modulus Rails Only	12.69 in ³
Frame RBM	1015000	Frame Strength	80000 lbs
Frame Thickness	N/A		
spension			
Suspension Type - Front	Independent w/Tapered Leaf Springs	Suspension Type - Rear	Independent w/Multi-Leaf Springs
Spring Capacity - Front	12000 lbs	Spring Capacity - Rear	21000 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Chassis			
Suspension			
Axle Type - Front	Dana E-1254-W	Axle Type - Rear	Dana Spicer 19060S
Axle Capacity - Front	12000 lbs	Axle Capacity - Rear	19000 lbs
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	4.88
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	YCF	Rear Tire Order Code	YCR
Spare Tire Order Code	N/A	Front Tire Size	LT225/70R22.5
Rear Tire Size	LT225/70R22.5	Spare Tire Size	N/A
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Tire Rating Total	N/A		
Wheels			
Front Wheel Size	22.5 x 8.25 in	Rear Wheel Size	22.5 x 8.25 in
Spare Wheel Size	N/A	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	N/A
Front Bolt Pattern	N/A	Rear Bolt Pattern	N/A
Spare Bolt Pattern	N/A		
Steering			
Steering Type	Pwr	Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	43.7 ft
Turning Diameter - Wall to Wall	N/A		
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



hassis				
Brakes				
Disc - Rear (Yes or)	N/A	Front Brake Rotor Diam x Thickness	N/A	
Rear Brake Rotor Diam x Thickness	N/A	Drum - Front (Yes or)	N/A	
Front Drum Diam x Width	N/A	Drum - Rear (Yes or)	N/A	
Rear Drum Diam x Width	N/A			
Fuel Tank				
Fuel Tank Capacity, Approx	50 gal	Aux Fuel Tank Capacity, Approx	N/A	
Fuel Tank Location	Left Frame Rail	Aux Fuel Tank Location	N/A	
Trailering				
Trailer Weight	0.0 lbs			
imensions				
Interior Dimensions				
Passenger Capacity	3	Front Head Room	N/A	
Front Leg Room	N/A	Front Shoulder Room	N/A	
Front Hip Room	N/A			
Exterior Dimensions				
Wheelbase	152 in	Length, Overall w/o rear bumper	274.4 in	
Length, Overall	N/A	Width, Max w/o mirrors	93.5 in	
Height, Overall	112 in	Overhang, Front	N/A	
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	81.5 in	
Cab to Axle	127.0 in	Cab to End of Frame	192.9 in	
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A	
Frame Width, Rear	33.5 in	Ground Clearance, Front	N/A	
Ground Clearance, Rear	N/A	Body Length	0.0 ft	
Cab to Body	0.0 in	Frontal Area	0.00 ft ²	

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Medium Duty

Rear Axle %
Front Ground Load
1st gear High Speed (High Axle Geal
3rd gear High Speed (High Axle Gea
5th gear High Speed (High Axle Gea
1st gear Low Speed (High Axle Gear
3rd gear Low Speed (High Axle Gear
5th gear Low Speed (High Axle Gear
1st gear High Speed (Low Axle Gear
3rd gear High Speed (Low Axle Gear
5th gear High Speed (Low Axle Gear
1st gear Low Speed (Low Axle Gear)
3rd gear Low Speed (Low Axle Gear)
5th gear Low Speed (Low Axle Gear)
Reduction
Starting Grade Index
2nd Gear Tractive Effort (High Axle G
4th Gear Tractive Effort (High Axle G
6th Gear Tractive Effort (High Axle G
2nd Gear Tractive Effort (Low Axle G
4th Gear Tractive Effort (Low Axle Ge
6th Gear Tractive Effort (Low Axle Ge
2nd Gear Gradeability (High Axle Ge
4th Gear Gradeability (High Axle Gea
6th Gear Gradeability (High Axle Gea
2nd Gear Gradeability (Low Axle Gea
4th Gear Gradeability (Low Axle Gea
6th Gear Gradeability (Low Axle Gea
Actual Loaded Speed

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Medium Duty

edium Duty Performance			
Grade (%)	2.0	Maximum Speed Gradeability	N/A
Torque Converter	N/A	Maximum Capacity @ 0° F	1500.00
% of Body on Front Axle	79.28	% of Body on Rear Axle	20.72
Body Weight Front	0.00 lbs	Body Weight Rear	0.00 lbs
Actual Loaded Speed (First Part, MPH)	N/A	Actual Loaded Speed (Second Part, R	PM)
Actual Loaded Speed (Third Part, Gear)		Road Type	Concrete
Body Weight	0.0 lbs	Driver Weight Front	N/A
Driver Weight Rear	N/A	Medium Duty Body Type	None
Front Total Load	6503.00 lbs	Rear Total Load	3515.00 lbs


This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Weight Distribution

SPECIFICATION SUMMARY	
Model #	CT73203
Truck/Tractor	
Wheelbase (WB)	152 in
Cab to Axle (CA)	127.0 in
Cab to Body/Swing Clear (BOC)	0.0 in
Body Length	0.0 ft
Body Weight	0.0 lbs
Cargo Weight	0.00 lbs
Front GAWR	11000 lbs
Rear GAWR	19000 lbs
GVWR	25950.00 lbs



CA: 127.0 in BOC: 0.0 in WB: 152 in

Fr%: N/A Rr%: N/A

Front Wt: 6503.00 lbs Rear Wt: 3515.00 lbs

GAWR/GVWR	GVW	Remaining Payload Wt		
25950.00 lbs	10368.00 lbs	15,582.00 lbs		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Weight Distribution

SPECIFICATION DETAILS			
	Front Axle	Rear Axle	Total
Actual			
Chassis	6503.00 lbs	3515.00 lbs	10018.00 lbs
Body	0.00 lbs	0.00 lbs	0.0 lbs
Payload	0.00 lbs	0.00 lbs	0.00 lbs
Trailer			0.0 lbs
Totals	6503.00 lbs	3515.00 lbs	10368.00 lbs
Capacity			
Axle	11000 lbs	19000 lbs	30000.00 lbs
Suspension	12000 lbs	21000 lbs	33,000.00 lbs
Tire	N/A	N/A	N/A
Total Axle Rating	11000.00 lbs	19000.00 lbs	30000.00 lbs

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Selected	Model	and	Options

CODE	MODEL			MSRP
CT73203	2023 Chevrolet 6500XD LCF Diesel 2WD Reg Cab 152"			\$91,195
LORS				
CODE	DESCRIPTION			
16U	Arc White			
ISSIONS				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSR
FE9	Emissions, Federal certification, with a 5 year/100K mile warranty. Standard on all models	0.00 lbs	0.00 lbs	\$0.00
GINE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSR
LCB	Engine, Diesel 6-Cylinder Cummins 260 hp and 660 lb-ft of torque (STD)	0.00 lbs	0.00 lbs	\$0.00
ANSMISSION				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSR
MPQ	Transmission Allison 2550RDS 6-speed automatic with park pawl. Includes PTO Gear, with access only on driver's side of transmission (Standard and only available on 6500 XD model.) (STD)	0.00 lbs	0.00 lbs	\$0.00
LE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSR
008	Rear axle, 4.88 ratio (Standard and only available on 6500 XD model.)	0.00 lbs	0.00 lbs	\$0.00
EFERRED EQI	UIPMENT GROUP			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSR
1WT	Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs	\$0.00

specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



WHEELS				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
RTP	Wheels, 22.5 x 8.25 steel, painted white (STD)	0.00 lbs	0.00 lbs	\$0.00
FRONT TIRES				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
YCF	Tires, Front, LT225/70R22.5 low profile LRR (low rolling resistance) tubeless steel belted radial. Front Highway tread. (Standard on 6500 XD model, not available on 7500 XD model.) (STD)	0.00 lbs	0.00 lbs	\$0.00
REAR TIRES				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
YCR	Tires, Rear, LT225/70R22.5 low profile LRR (low rolling resistance) tubeless steel belted radial. Rear Highway traction tread. (Standard on 6500 XD model, not available on 7500 XD.) (STD)	0.00 lbs	0.00 lbs	\$0.00
PAINT				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
16U	Arc White	0.00 lbs	0.00 lbs	\$0.00
SEAT TYPE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
A1G	Seat, high back driver only air suspension system and fixed passenger seat (STD)	0.00 lbs	0.00 lbs	\$0.00
SEAT TRIM				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
H72	Medium Ash Gray, Cloth Seat Trim	0.00 lbs	0.00 lbs	\$0.00

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



RADIO				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
UIZ	Audio System, AM/FM stereo with CD player, auxiliary jack, USB port and Bluetooth (STD)	0.00 lbs	0.00 lbs	\$0.00
	Options Total	0.00 lbs	0.00 lbs	\$0.00
	As Specified Curb Weight	6503.00 lbs	3515.00 lbs	

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Standard Equipment

-	
Mechanical	
	Engine, Diesel 6-Cylinder Cummins 260 hp and 660 lb-ft of torque (STD)
	Transmission Allison 2550RDS 6-speed automatic with park pawl. Includes PTO Gear, with access only on driver's side of transmission (Standard and only available on 6500 XD model.) (STD)
	Rear axle, 4.88 ratio (Standard and only available on 6500 XD model.)
	Air cleaner, heavy-duty, 11" diameter dry paper single element. Air cleaner canister standard with air restriction gauge. Back of cab location.
	Drivetrain, rear-wheel drive
	Battery, dual 750 cold-cranking amps, 12 volt, maintenance free with threaded post
	Alternator, 160 amps
	Frame, ladder-type channel frame. Full C section straight frame 33.5" (85.1 cm) wide. Yield strength 80,000 ps section modulus 12.69 cu.in. and RBM 1,015,000 lb-ft/in per rail.
	Incomplete vehicle certification
	Wheelbase, 152" (386.1 cm)
	GVWR, 25,950 lbs. (11,770 kg) (Standard on 6500 XD model and available on 7500 XD model.)
	Front suspension, 12,000 lbs. (5450 kg) tapered leaf semi-elliptical steel alloy. Includes shock absorbers with stabilizer bar
	Rear Suspension, 21,000 lbs. (9525 kg), semi-elliptical steel alloy bolted multi-leaf and shock absorbers
	Front axle, 12,000 lbs. (5,450 kg), Dana E-1254-W
	Rear axle, 19,000 lbs. (8618 kg) R050, full-floating single-speed with oil lubricated rear wheel-bearings, Dana Spicer 19060S (Standard and only available on 6500 XD model.)
	Vehicle Application Truck
	Brakes, dual circuit Air service with 4-wheel anti-lock, brake system is standard with an exhaust brake
	Exhaust brake
	Fuel Tank, 50 Gallon, (189L), rectangular steel fuel tank mounted on left hand frame rail. Fuel water separator with indicator light. (Not available on 7500 XD model.)
	Exhaust, single horizontal outlet
Exterior	
	Wheels, 22.5 x 8.25 steel, painted white (STD)
	Tires, Front, LT225/70R22.5 low profile LRR (low rolling resistance) tubeless steel belted radial. Front Highway tread. (Standard on 6500 XD model, not available on 7500 XD model.) (STD)
	Tires, Rear, LT225/70R22.5 low profile LRR (low rolling resistance) tubeless steel belted radial. Rear Highway traction tread. (Standard on 6500 XD model, not available on 7500 XD.) (STD)
	Grille, color-keyed bar and grille surround

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Exterior	
	Glass, tinted
	Grille, Silver
	Mirror, outside left hand and right hand dual cab mounted exterior with convex mirror
	LED Headlamps
Entertainment	LED Headiamps
Entertainment	Audio Costano AM/FM standa with OD aloues availiantiada LIOD and and Divetanth (OTD)
	Audio System, AM/FM stereo with CD player, auxiliary jack, USB port and Bluetooth (STD)
	Audio system feature, 2 speakers
Interior	
	Seat, high back driver only air suspension system and fixed passenger seat (STD)
	Seat trim, Cloth
	Cup holders
	Floor mats
	Steering wheel, urethane
	Steering column, Tilt-Wheel and telescoping steering column
	Driver Information Center, Multi-Information Display (MID) (monitors vital functions including diesel exhaust fluid levels (DEF), particulate matter emissions level in the diesel particulate filter (DPF), diesel particulate filter regeneration, service reminders for engine oil, transmission oil, differential oil, power steering fluid, engine oil filter, and fuel filters. The MID provides fuel economy reporting by average, instant, and trip.)
	Windows, power
	Door locks, power
	Cruise control, electronic, automatic
	Windshield washer bottle access, underhood
	Air conditioning, single-zone manual, integral in-dash mounted
	Storage, door pockets
	Lighting, interior dome
	Storage, seatback pockets
Safety-Mechanical	
	Park brake, Air, Cable actuated, internal expanding drum type, transmission mounted
Safety-Exterior	
	Daytime Running Lamps

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



WARRANTY

Warranty Note: <<< Preliminary 2023 Warranty Note >>>

Basic Years: 3

Basic Miles/km: Unlimited

Drivetrain Years: 3

Drivetrain Miles/km: Unlimited

Corrosion Years: 4

Corrosion Miles/km: Unlimited

Rear Axle Years: 3

Rear Axle Miles/km: Unlimited

Frame Rail Years: 3

Frame Rail Miles/km: Unlimited

Frame Rail Note: 3 years/Unlimited Miles (no charge) AND up to 5 years/Unlimited miles (50% charge)

Roadside Assistance Years: 3

Roadside Assistance Miles/km: Unlimited

Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.


Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.



Geared Road Speed

SPECIFICATION SUMMARY		
Model #	CT73203	
Engine Order Code	LCB	
Model Manufacturer	N/A	
Туре	Turbocharged I6	
Displacement	N/A	
Horsepower	260 @ 2400	
Starting Torque	N/A	
Transmission Order Code	MPQ	
Model Manufacturer	Allison	
Туре	6-Speed Automatic	
Rear Axle Order Code		
Model Manufacturer	N/A	
Weight Rating	19000 lbs	
Ratio:1	4.88	
Rear Tires	LT225/70R22.5	
Revolutions/Mile Front	N/A	
Revolutions/Mile Rear	N/A	
Surface Type	Concrete	
Desired Grade	2%	

Geared Road Speed



Actual Loaded Speed



0% Grade in gear

2% Grade in gear

Note: Simulated speedometer appearance may not correspond with selected equipment.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.


Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.

Oct 5, 2022



Gradeability Chart

PECIFICATION SUMMARY		
Model #	CT73203	
Engine Order Code	LCB	
Model Manufacturer	N/A	
Туре	Turbocharged I6	
Displacement	N/A	
Horsepower	260 @ 2400	
Starting Torque	N/A	
Transmission Order Code	MPQ	
Model Manufacturer	Allison	
Туре	6-Speed Automatic	
Rear Axle Order Code		
Model Manufacturer	N/A	
Weight Rating	19000 lbs	
Ratio:1	4.88	
Rear Tires	LT225/70R22.5	
Revolutions/Mile Front	N/A	
Revolutions/Mile Rear	N/A	
Surface Type	Concrete	
Desired Grade	2%	



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.




Turning Circle

SPECIFICATION SUMMARY		
Model #	CT73203	
Front Axle Order Code		
Capacity (lbs)	12000 lbs	
Wheelbase Order Code		
Wheelbase (in)	152 in	
Front Wheel Order Code		
Size/Type (in)	22.5 x 8.25 in	
Front Tire Order Code	YCF	
Size/Type	LT225/70R22.5	

Wall to Wall (ft): N/A

Wall to Wall diameter is measured from the outermost part of the cab.



Curb to Curb (ft): 43.7 ft

Curb to Curb diameter is measured from the outside of the front tire.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 17632. Data Updated: Oct 4, 2022 6:51:00 PM PDT.