

### NCSA First Responder Supplies and Equipment Bid 25-02-0521

### Options for Advanced Security Technologies Catalog Items - 6% Discount From MSRP

Line items on this options sheet represent systems comprised of discounted items from Mifram, Advanced Security Technologies and Pi Lit.

Customized systems based on customer requirements are available.

Make	Model	Model #	Unit Price	Discounted Price
Mifram/AST/ Pi Lit	20 MVB3X Capacity Fully Loaded Trailer	AST3X-20/20-080103-10B1	\$66,310	\$62,798.89
Mifram/AST/ Pi Lit	48 MVB3X Capacity Fully Loaded Trailer	AST3X-48/48-240206-20B3	\$ 142,197	\$134,667.67
Mifram/AST/ Pi Lit	60 MVB3X Capacity Fully Loaded Trailer	AST3X-60/60-320206-30B3	\$173,201	\$164,030.01
Mifram/AST/ Pi Lit	72 MVB3X Capacity Fully Loaded Trailer	AST3X-72/72-320206-40B4	\$199,778	\$189,199.75

#### **Terms & Conditions**

- 1. F.O.B. Origin. Shipping has not been included in the above pricing.
- 2. Taxes are not included. Any taxes levied will be paid by the purchaser.
- 3. Standard Manufacturer's Warranty.
- 4. All Products are listed in the catalog.
- 5. Some products may be offered at a greater discount.
- 6. Delivery: TBD
- 7. Payment terms Net 45.
- 8. Purchase of equipment is subject to Advanced Security Technologies LLC standard terms and conditions.

### **Contacts:**

Advanced Security Technologies LLC

www.vehicle-barriers.com

Randy Lofland 804-690-3055 rlofland@adsectec.com Yaron Getter 917-561-1344

Toll Free: 833-52-GO-AST (833-524-6278)

ygetter@adsectec.com















## **TESTED & CERTIFIED**

## MVB™3X by MIFRAM

### IWA 14-1:2013

Tested & Certified at 2,500 kg @ 48 km/hr [ 5,513 lbs. @ 29.83 mi/h] Penetration 10.9 m [35.76 ft. Tested & Certified at 7,500 kg @ 32 km/hr [16,538 lbs. @ 19.88 mi/h] Penetration 10.4 m [34.12 ft.] Tested & Certified at 7,200 kg @ 48 km/hr [15,876 lbs. @ 29.83 mi/h] Penetration 17.8 m [58.4 ft.]

### ASTM - F2656-15

Tested & Certified at 2,500 kg @ 48 km/hr [5,513 lbs. @ 29.83 mi/h] Penetration 9.7 m [31.83 ft.] Tested & Certified at 7,500 kg @ 50 km/hr [16,538 lbs. @ 31.06 mi/h] Penetration 19 m [62.3 ft.]

### PAS 68:2013

Tested & Certified at 2,500 kg @ 48 km/hr [5,513 lbs. @ 29.83 mi/h] Penetration 9.7 m [31.83 ft.] Tested & Certified at 7,500 kg @ 32 km/hr [16,538 lbs. @ 19.88 mi/h] Penetration 9 m [29.53 ft.] Tested & Certified at 7,500 kg @ 48 km/hr [16,538 lbs. @ 29.83 mi/h] Penetration 17.8 m [58.4 ft.]

# ~667 KJ Energy Absorption

Equal to 89 Concrete blocks of 1 M<sup>3</sup> [2.4 Ton - 5,292 lbs.] Movement for 1 M Distance at 7,500 kg @ 50 km/hr [16,538 lbs. @ 31.06 mi/h]









AST trailers are made in the United States and comply with US DOT regulations. Each trailer is specially designed to safely store and transport the MVB3X system inventory. Built with ease of use in mind, every complete system includes the specific number of MVB3X barriers, appropriate size trailer and the accessories to meet your operational requirements.







